



arco
scientific



NABL

USP
U.S. Pharmacopeial
Convention

DIN



ARCO SCIENTIFIC Price List 2025-26

www.arcoscientific.com

Welcome to ARCO – Glassware Product Catalogue & Price List

At **ARCO**, we are specialists in supporting and working with our partners in **Education, Biotechnology, Life Sciences, Pharmaceutical, and Industrial** sectors with high-quality laboratory and scientific solutions. Our strength lies in **collaboration**—working closely with our partners to continually review, innovate, and evolve both our product range and our own brand, ARCO.

We prioritize **listening to our customers** and understanding their evolving needs. This customer-centric approach enables us to offer relevant, dependable products that meet real-world laboratory and industrial challenges.

We recognize that delivering **quality, affordability, and reliability** is essential. We recognize that a broad range of relevant, quality products at the lowest possible prices, backed by great stock availability and an even better delivery service, is the key to creating meaningful value for our customers and suppliers alike.

This price list presents our extensive range of **Scientific Laboratory and Calibrated Glassware and Custom Glass Solutions**. Made from high-purity material such as **3.3 Low Expansion ASTM E-438 Type 1 Class A Borosilicate** glass, our glassware delivers outstanding **chemical resistance, thermal stability, and optical clarity**—making it ideal for demanding laboratory and industrial applications. Whether you're working with volumetric measurements, heating applications, or custom assemblies, ARCO glassware ensures consistent and reliable results.

Our manufacturing processes are supported by a certified **ISO 9001 Quality Management System**, ensuring product consistency, regulatory compliance, and customer satisfaction. All products conform to relevant international standards and are subject to rigorous quality control protocols.

This catalogue provides a comprehensive price list for our standard offerings. For bulk pricing, custom orders, or technical queries, please contact us at support@arcoscientific.com

Whether this is your first order, or you are an established customer, all of the team at Arihant Industries look forward to hearing from you and helping with your requirements. We thank you for choosing ARCO and look forward to being your trusted partner in science.

DESIGN & DEVELOPMENT

ARCO

The catalogue is carefully designed taking into consideration some of the fast moving products that are LABWARE and have a regular demand.





Write to us about any query at
connect@arcoscientific.com



www.arcoscientific.com

Adapters



ADAPTERS

ADAPTERS, REDUCTION


- In accordance with DIN 12257 standard, Boro 3.3 glass.
- Small size socket at top & Big size cone at bottom



Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068640/1	14/23	19/26	10	284.00
2068640/2	14/23	24/29	10	346.00
2068640/3	14/23	29/32	10	342.00
2068640/4A	19/26	29/32	10	420.00
2068640/4	19/26	24/29	10	346.00
2068640/5	19/26	34/35	10	536.00
2068640/6	19/26	40/38	10	520.00
2068640/6A	19/26	45/40	10	562.00
2068640/6B	19/26	55/44	10	792.00
2068640/7	24/29	29/32	10	420.00
2068640/8	24/29	34/35	10	536.00
2068640/9	24/29	40/38	10	512.00
2068640/10	24/29	45/40	10	588.00
2068640/11	24/29	50/42	10	660.00
2068640/12	24/29	55/44	10	794.00
2068640/13	29/32	34/35	10	542.00
2068640/14	29/32	40/38	10	604.00
2068640/15	29/32	45/40	10	612.00
2068640/16	34/35	40/38	10	855.00
2068640/17	34/35	45/40	10	925.00
2068640/18	34/35	50/42	10	1,120.00

ADAPTERS, EXPANSION

- In accordance with DIN 12257 standard, Boro 3.3 glass.
- Big size socket at top & small size cone at bottom.



Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068610/1	14/23	10/19	10	284.00
2068610/2	19/26	14/23	10	284.00
2068610/3	24/29	14/23	10	346.00
2068610/4	24/29	19/26	10	346.00
2068610/5	29/32	14/23	10	386.00
2068610/6	29/32	19/26	10	420.00
2068610/7	29/32	24/29	10	420.00
2068610/8	34/35	19/26	10	536.00
2068610/9	34/35	24/29	10	536.00
2068610/10	34/35	29/32	10	536.00
2068610/11	40/38	24/29	10	623.00
2068610/12	45/40	29/32	10	698.00
2068610/13	14/23	14/23	10	326.00

ADAPTERS, MULTIPLE

- In accordance with DIN 12594 standard, Boro 3.3 glass.
- Comes with two parallel necks with sockets & one cone at bottom.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068645/1	14/23	14/23	10	294.00
2068645/2	14/23	19/26	10	320.00
2068645/3	19/26	19/26	10	320.00
2068645/4	19/26	24/29	10	356.00
2068645/5	24/29	24/29	5	388.00
2068645/6	19/26	34/35	5	452.00
2068645/7	29/32	29/32	5	508.00

ASTM

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068645/1A	14/20	14/20	1	318.00
2068645/2A	19/22	19/22	1	350.00
2068645/3A	24/40	24/40	1	428.00



ADAPTERS MULTIPLE WITH TWO NECK ANGULAR

- Comes with two necks, one vertical, one at 45° & one cone at bottom.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068646/1	14/23	14/23	10	320.00
2068646/2	14/23	19/26	10	320.00
2068646/3	14/23	24/29	10	334.00
2068646/4	19/26	19/26	10	328.00
2068646/5	19/26	24/29	10	348.00
2068646/6	14/23	29/32	10	344.00
2068646/7	29/32	29/32	10	386.00
2068646/8	19/26	34/35	10	490.00



ADAPTERS MULTIPLE WITH THREE NECK

- Comes with three similar necks, two parallel, one at 45° & one cone at bottom.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068647/1	19/26	19/26	5	458.00
2068647/2	19/26	24/29	5	468.00
2068647/3	19/26	29/32	5	542.00
2068647/3A	19/26	34/35	5	724.00
2068647/3B	19/26	45/40	5	850.00
2068647/4	24/29	24/29	5	742.00
2068647/5	29/32	29/32	5	822.00



ADAPTERS, SWAN NECK

- In accordance with DIN 12594 standard, Boro 3.3 glass.
- Comes with two parallel necks with sockets & one cone at bottom.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068648/1	14/23	19/26	10	324.00
2068648/2	19/26	19/26	10	310.00
2068648/3	19/26	24/29	10	342.00
2068648/4	24/29	24/29	10	378.00
2068648/5	29/32	29/32	10	416.00
2068648/6	24/29	34/35	10	530.00

ADAPTERS, RECEIVER ANGLED WITH SCREW THREAD

- In accordance with DIN 12594.
- With Drip Tip & delivery stem within cone.
- Bend with screw thread connection.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068653/1	14/23	14/23	10	256.00
2068653/2	14/23	19/26	10	264.00
2068653/3	19/26	19/26	10	428.00
2068653/4	19/26	24/29	10	344.00
2068653/5	24/29	24/29	10	376.00
2068653/6	24/29	29/32	10	454.00
2068653/7	29/32	29/32	10	620.00

- Adapter with vacuum connection also available.

ADAPTERS, RECEIVER STRAIGHT WITH SCREW THREAD

- In accordance with DIN 12594.
- With Drip Tip & delivery stem within cone.
- Straight with screw thread connection.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068652/1	14/23	14/23	10	268.00
2068652/2	14/23	19/26	10	278.00
2068652/3	19/26	19/26	10	330.00
2068652/4	19/26	24/29	10	364.00
2068652/5	24/29	24/29	10	398.00
2068652/6	24/29	29/32	10	451.00
2068652/7	29/32	29/32	10	786.00

ASTM

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068652/1A	24/40	24/40	1	470.00

- Adapter with vacuum connection also available.

ADAPTERS, STILL HEAD PLAIN

- In accordance with DIN 12594.
- With Drip Tip.
- With Thermometer Socket.
- Used in distillation assembly for connecting flask to condenser.

Cat. No.	Socket Size	Cone in condenser	Cone in flask	Pack of (Pcs)	Price (Each)
2068658/A	10/19	10/19	10/19	10	390.00
2068658/1	14/23	14/23	14/23	10	409.00
2068658/2	14/23	19/26	19/26	10	456.00
2068658/3	14/23	19/26	24/29	10	520.00
2068658/4	14/23	19/26	29/32	10	572.00
2068658/5	14/23	19/26	34/35	10	660.00
2068658/6	14/23	24/29	24/29	10	534.00
2068658/7	14/23	24/29	34/35	10	772.00
2068658/8	14/23	24/29	29/32	10	582.00
2068658/9	14/23	29/32	29/32	10	824.00
2068658/10	14/23	29/32	34/35	10	792.00
2068658/10A	14/23	34/35	34/35	10	880.00
2068658/11	19/26	19/26	19/26	10	640.00



DIN
12594

Chemical
Resistant

GLASS
BORO
3.3

ADAPTERS, RECEIVER, STRAIGHT

- Straight Socket to Rubber.

Cat. No.	Socket Size	Pack of (Pcs)	Price (Each)
2068700/1	14/23	10	178.00
2068700/2	19/26	10	210.00
2068700/3	24/29	10	242.00
2068700/4	34/35	10	340.00
2068700/5	29/32	10	314.00



Chemical
Resistant

GLASS
BORO
3.3

ADAPTERS, RECEIVER SIDE SOCKET

- Cone with Drip Tip.
- With One Side Inclined at an angle of 15°.

Cat. No.	Socket Size	Cone Size	Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2068654/1	14/23	14/23	150	10	354.00
2068654/2	19/26	19/26	150	10	454.00
2068654/3	19/26	24/29	150	10	488.00
2068654/4	24/29	24/29	150	10	559.00
2068654/5	29/32	29/32	150	10	692.00



Chemical
Resistant

GLASS
BORO
3.3

ADAPTERS

ADAPTERS, RECEIVER SHORT STEM (PRISM DELIVERY)

- Made of Borosilicate glass.
- With Short Stem.

Cat. No.	Socket Size	Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2068649/1	14/23	65	10	178.00
2068649/2	19/26	65	10	210.00
2068649/3	24/29	65	10	242.00
2068649/4	29/32	65	10	302.00

ADAPTERS, RECEIVER LONG STEM (PRISM DELIVERY)

- Made of Borosilicate glass.
- With Long Stem.

Cat. No.	Socket Size	Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2068650/1	14/23	190	5	278.00
2068650/2	19/26	200	5	278.00
2068650/3	24/29	200	5	320.00
2068650/4	29/32	200	5	388.00

ADAPTERS, RECEIVER PLAIN BEND


- Made of Borosilicate glass.
- With drip tip and no vent.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068820/1	14/23	14/23	10	288.00
2068820/2	14/23	19/26	10	288.00
2068820/3	19/26	19/26	10	290.00
2068820/4	19/26	24/29	10	310.00
2068820/5	24/29	24/29	10	374.00
2068820/6	29/32	29/32	10	542.00

ADAPTERS, RECEIVER BEND WITH VENT

- With Drip Tip.
- With side arm to provide vent to atmosphere.
- Avoids the problem of closed system.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068790/1	14/23	14/23	10	252.00
2068790/2	19/26	19/26	10	290.00
2068790/3	19/26	24/29	10	342.00
2068790/4	24/29	24/29	10	374.00
2068790/5	29/32	29/32	10	542.00
2068790/6	34/35	34/35	10	690.00



ADAPTERS, RECOVERY BEND WITH SLOPING END

- Made of Boro 3.3 glass.
- With Drip Tip.

Cat. No.	Cone Size to fit flask	Cone Size to fit condenser	Pack of (Pcs)	Price (Each)
2068656/1	14/23	14/23	10	210.00
2068656/2	14/23	24/29	10	290.00
2068656/3	19/26	19/26	10	290.00
2068656/4	19/26	24/29	10	298.00
2068656/5	19/26	29/32	10	388.00
2068656/6	29/32	29/32	10	442.00
2068656/7	24/29	24/29	10	298.00
2068656/8	24/29	34/35	10	462.00
2068656/9	24/29	29/32	10	452.00
2068656/10	34/35	34/35	10	520.00




ASTM

Cat. No.	Cone Size to fit flask	Cone Size to fit condenser	Pack of (Pcs)	Price (Each)
2068656/1A	24/40	24/40	1	408.00

ADAPTERS, RECOVERY BEND BEND VERTICAL

- With Drip Tip
- Used in distillation assembly

Cat. No.	Cone Size to fit flask	Cone Size to fit condenser	Pack of (Pcs)	Price (Each)
2068880/1	14/23	14/23	10	304.00
2068880/2	19/26	19/26	10	373.00
2068880/3	19/26	24/29	10	399.00
2068880/4	24/29	24/29	10	472.00
2068880/5	29/32	29/32	10	618.00



ADAPTERS, SPLASH HEAD VERTICAL, PEAR SHAPE

- Lower cone is provided for Flask.
- Upper cone for condenser.

Cat. No.	Cone Size	Cone Size	Pack of (Pcs)	Price (Each)
2068662/1	14/23	14/23	1	572.00
2068662/2	19/26	19/26	1	572.00
2068662/3	19/26	24/29	1	594.00
2068662/4	24/29	24/29	1	740.00
2068662/5	29/32	29/32	1	794.00



ADAPTERS, CONE RIGHT ANGLE

- Right angle connection for attachment of rubber hose.

with Screw Thread Connection

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068677/1	14/23	10	184.00
2068677/2	19/26	10	216.00
2068677/3	24/29	10	248.00
2068677/4	29/32	10	342.00

With Vacuum Connection

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068677A/1	14/23	10	240.00
2068677A/2	19/26	10	360.00
2068677A/4	24/29	10	490.00
2068677A/5	29/32	10	630.00



ADAPTERS, CONE WITH STOPCOCK RIGHT ANGLE WITH VACUUM CONNECTION

- With Glass stopcock.
- With Drip Tip Vacuum Connection.

Cat. No.	Cone Size	Stopcock Bore Size	Pack of (Pcs)	Price (Each)
2068675A/1	14/23	2.5mm	10	502.00
2068675A/2	19/26	2.5mm	10	524.00
2068675A/3	24/29	2.5mm	10	546.00
2068675A/4	29/32	2.5mm	10	694.00



ADAPTERS, CONE STRAIGHT


- With Drip Tip.
- Made of Boro 3.3 glass.

Without Stopcock

Cat. No.	Cone Size	Stopcock Bore Size	Pack of (Pcs)	Price (Each)
2068683/1	14/23	-	10	620.00
2068683/2	19/26	-	10	710.00
2068683/13	24/29	-	10	800.00
2068683/14	29/32	-	10	940.00

With Glass Stopcock

Cat. No.	Cone Size	Stopcock Bore Size	Pack of (Pcs)	Price (Each)
2068686/1	14/23	2.5mm	10	504.00
2068686/2	19/26	2.5mm	10	524.00
2068686/3	24/29	2.5mm	10	546.00
2068686/4	29/32	2.5mm	10	694.00



ADAPTERS, SOCKET STRAIGHT


- With Drip Tip.
- Made of Boro 3.3 glass.

Without Stopcock

Cat. No.	Socket Size	Stopcock Bore Size	Pack of (Pcs)	Price (Each)
2068678/1	14/23	-	10	620.00
2068678/2	19/26	-	10	710.00
2068678/3	24/29	-	10	800.00
2068678/4	29/32	-	10	940.00

With Glass Stopcock

Cat. No.	Socket Size	Stopcock Bore Size	Pack of (Pcs)	Price (Each)
2068676A/1	14/23	3.0mm	10	1,430.00
2068676A/2	19/26	3.0mm	10	1,460.00
2068676A/3	24/29	3.0mm	10	1,700.00
2068676A/4	29/32	3.0mm	10	1,805.00




- with PTFE Stopcock also available.

ADAPTERS, VACCUM, 90°

- Hose connection on the side and a male joint.
- Both the connectors are at right angle to each other.


Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068600/1	14/23	10	258.00
2068600/2	19/26	10	268.00
2068600/3	24/29	10	290.00
2068600/4	29/32	10	322.00
2068600/5	34/35	10	350.00



ADAPTERS, TWIN CONNECTING HOSE

- Adapters has two hose connection 180°C from one another to permit a flow of inert gas over the apparatus.

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068673/1	10/19	10	816.00
2068673/2	14/23	10	840.00
2068673/3	19/26	10	816.00
2068673/4	24/29	10	866.00
2068673/5	29/32	10	916.00
2068673/6	34/35	10	980.00



ADAPTERS, CLAISEN HEAD SLOPING

- Compliance with DIN 12594.
- Sloping with 2 x B14 Socket.
- Still heads but with extra socket to accept dropping funnel or stirrer etc.


Cat. No.	Socket Size	Cone Size to fit flask	Cone Size to fit condenser	Pack of (Pcs)	Price (Each)
2068659/1	14/23	14/23	14/23	10	508.00
2068659/2	14/23	19/26	19/26	10	562.00
2068659/3	14/23	19/26	24/29	10	594.00
2068659/4	14/23	24/29	24/29	10	642.00
2068659/5	14/23	29/32	29/32	10	692.00



ADAPTERS, SPLASH HEAD SLOPING, PEAR SHAPE

- With drip Tip.
- Pear Shape.

Cat. No.	Cone to Fit Condenser	Cone to Fit Flask	Pack of (Pcs)	Price (Each)
2069030/1	14/23	14/23	1	544.00
2069030/2	19/26	19/26	1	542.00
2069030/3	19/26	24/29	1	572.00
2069030/4	24/29	24/29	1	618.00
2069030/5	29/32	29/32	1	640.00



ADAPTERS, SPLASH HEAD STRAIGHT

- With Drip Tip
- Pear shape
- Used between flask & condenser to stop movement of raw liquid


Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068660/1	14/23	14/23	10	462.00
2068660/2	19/26	24/29	10	508.00
2068660/3	29/32	29/32	10	670.00



ADAPTERS, STEAM DISTILLATION HEADS

- With drip Tip.
- with Integral stem.

Cat. No.	Cone Size	Cone Size	Pack of (Pcs)	Price (Each)
2068663/1	24/29	19/26	1	794.00
2068663/2	34/35	19/26	1	982.00
2068663/3	29/32	24/29	1	1,014.00



ADAPTERS

ADAPTERS, CONE SCREW THREAD

- Ideal for securing of thermometer or gas inner tube.

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068910/1	14/23	10	280.00
2068910/2	19/26	10	280.00
2068910/3	24/29	10	300.00
2068910/4	29/32	10	430.00




GLASS
BORO
3.3

ADAPTERS, RECEIVER (PIG) MULTIPLE CONNECTIVITY

- With Three Cone & One Socket.
- With side arm for connection to a vacuum supply.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068601/1	14/23	14/23	1	750.00
2068601/2	14/23	19/26	1	794.00
2068601/3	19/26	19/26	1	892.00
2068601/4	19/26	14/23	1	1,400.00




GLASS
BORO
3.3

ADAPTER, DISTILLING RECEIVER WITH HOSE CONNECTION

- Distribution Adapter, Cow-type design having three receivers spaced 40° apart.
- Has 135° angle between the center line of the condenser and the receiver tubes.
- This receiver can be used with short path style distilling heads.
- Three receiver with cone & a glass hose connection for vacuum.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068602/1	24/40	24/40	1	984.00




GLASS
BORO
3.3

ADAPTER, DISTILLING RECEIVER WITHOUT HOSE CONNECTION

- Distribution Adapter, Cow-type design having three receivers spaced 40° apart.
- Has 135° angle between the center line of the condenser and the receiver tubes.
- This receiver can be used with short path style distilling heads.


Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068603/1	14/20	14/20	1	744.00
2068603/2	24/40	24/40	1	928.00



ADAPTERS, VACUUM/NITROGEN STRAIGHT

- Hose connection at top and male joint

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068667/1	14/20	50	261.00
2068667/2	24/40	50	299.00



ADAPTERS, STOPCOCK, SOCKET

- Rotaflow PTFE stopcock providing fine flow control and positive closure.
- Detachable plastic screw thread connectors allows hose etc.
- To be fitted easily and safely.

Cat. No.	Socket Size	Bore Size (mm)	Pack of (Pcs)	Price (Each)
2068605/1	14/23	3.0	1	481.00
2068605/2	19/26	3.0	1	503.00
2068605/3	24/29	3.0	1	524.00





ADAPTERS, CONE VACUUM STRAIGHT

- With PTFE Stopcock.

Cat. No.	Cone Size	Stopcock Bore Size	Pack of (Pcs)	Price (Each)
2068685/1	14/23	2.5mm	10	1,038.00
2068685/2	19/26	2.5mm	10	1,130.00
2068685/3	24/29	2.5mm	10	1,260.00
2068685/4	29/32	2.5mm	10	1,400.00

ASTM

Cat. No.	Cone Size	Bore Size	Pack of (Pcs)	Price (Each)
2068685/A1	14/20	2.5mm	10	1,038.00
2068685/A2	24/40	2.5mm	10	1,048.00




ADAPTERS, CONE, STOPCOCK RIGHT ANGLE WITH VACUUM CONNECTION

- With PTFE Stopcock.

Cat. No.	Cone Size	Bore Size	Pack of (Pcs)	Price (Each)
2068675/1	14/23	2.5mm	10	1,200.00
2068675/2	19/26	2.5mm	10	1,320.00
2068675/3	24/29	2.5mm	10	1,480.00
2068675/4	29/32	2.5mm	10	1,700.00

ASTM

Cat. No.	Cone Size	Bore Size	Pack of (Pcs)	Price (Each)
2068675/A1	19/22	2.5mm	10	1,038.00




ADAPTERS, TUBING STRAIGHT

- With Hooks.
- With straight connection for attachment of rubber hose.

Cat. No.	Socket Size	Pack of (Pcs)	Price (Each)
2068606/1	14/23	10	190.00
2068606/2	19/26	10	218.00
2068606/3	24/29	10	234.00
2068606/4	29/32	10	284.00

ASTM


Cat. No.	Socket Size	Pack of (Pcs)	Price (Each)
2068606A/1	14/20	10	246.00
2068606A/2	24/40	10	362.00



ADAPTERS, THERMOMETER WITH HOSE CONNECTION

- With a compression cap & O-ring to form a vacuum tight seal.

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068608/1	14/10	10	372.00



ADAPTERS, INLET/THERMOMETER

- With a compression cap

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068609/1	14/10	10	284.00



ADAPTERS, AIR LEAK TUBE GAS INLET TUBE

- These tubes are known for their accurate dimensions
- Compact size, light weight and easy maintenance
- Ensure their quality and durability
- We test these tubes on various well-defined parameters


Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068540/1	14/23	10	200.00
2068540/2	19/26	10	224.00
2068540/3	24/29	10	248.00
2068540/4	29/32	10	358.00



ADAPTERS, FOR POCKET THERMOMETER

- For incorporating thermometers into jointed-ware assemblies
- Pocket fits most still heads



Cat. No.	Cone Size	Stem Length (mm)	Pack of (Pcs)	Price (Each)
2068604/1	14/23	45	10	218.00
2068604/2	19/26	45	10	258.00



ADAPTERS, CONE WITH STEM TO RUBBER TUBING

- Right angle connection for attachment of rubber hose.

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068680/1	14/23	10	270.00
2068680/2	19/26	10	314.00
2068680/3	24/29	10	344.00
2068680/4	29/32	10	416.00




ADAPTERS, DRYING TUBE

- A drying tube or guard tube is a tube-like piece of apparatus used to house a disposable solid desiccant, wherein at one end the tube-like structure terminates in a ground glass joint for use in connecting the drying tube to a reaction vessel, for the purpose of keeping the vessel free of moisture.

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068530/1	14/23	10	212.00
2068530/2	19/26	10	258.00
2068530/3	24/29	10	292.00
2068530/4	29/32	10	352.00

ASTM

Cat. No.	Cone Size	Pack of (Pcs)	Price (Each)
2068530A/1	14/20	1	224.00
2068530A/2	24/40	1	312.00



ADAPTERS, DRYING TUBE STRAIGHT

- Drying tube is a tube-like piece of apparatus used to keeping the vessel free of moisture, of ten used in organic syntheses.
- There is usually a standard joint for use in connecting the drying tube to a reaction flask.
- In use, the drying tube is filled with a rechargeable desiccant such as calcium chloride and the open end of drying tube is partially blocked.

Cat. No.	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068532/1	19/22	19/22	1	408.00

Beakers



BEAKERS LOW FORM, WITH SPOUT

- In accordance with IS 2619/ISO 3819 and DIN 12331.
- Clear marked scale makes marking easier in blue colour.
- Uniform wall thickness helps in ideal heating of liquids.

Cat. No.	Capacity (mL)	Approx. O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2060420/1	5	22 × 32	10	110.00
2060420/2	10	26 × 37	10	110.00
2060420/3	25	34 × 52	10	110.00
2060420/4	50	42 × 62	10	82.00
2060420/5	100	50 × 72	6	84.00
2060420/6	150	60 × 82	6	84.00
2060420/7	250	70 × 97	6	96.00
2060420/8	400	80 × 113	6	150.00
2060420/9	500	83 × 118	6	150.00
2060420/10	600	90 × 128	6	200.00
2060420/16	800	100 × 138	6	310.00
2060420/11	1000	105 × 148	6	308.00
2060420/12	2000	130 × 188	4	662.00
2060420/13	3000	150 × 214	1	1588.00
2060420/14	5000	170 × 274	1	2314.00
2060420/15	10000	220 × 360	1	7488.00

• White and Amber Colour Printing also available

BEAKERS LOW FORM, WITHOUT SPOUT

- In accordance with IS 2619/ISO 3819 and DIN 12331.
- Clear marked scale makes marking easier in blue colour.
- Uniform wall thickness helps in ideal heating of liquids.

Cat. No.	Capacity (mL)	Approx. O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2060430/1	5	22 × 30	10	110.00
2060430/2	10	26 × 35	10	110.00
2060430/3	25	34 × 50	10	110.00
2060430/4	50	42 × 60	10	82.00
2060430/5	100	50 × 70	6	84.00
2060430/6	150	60 × 88	6	84.00
2060430/7	250	70 × 95	6	96.00
2060430/8	400	80 × 110	6	150.00
2060430/9	500	83 × 115	6	150.00
2060430/10	600	90 × 129	6	200.00
2060430/16	800	100 × 135	6	310.00
2060430/11	1000	105 × 145	6	308.00
2060430/12	2000	130 × 185	4	662.00
2060430/13	3000	150 × 210	1	1588.00
2060430/14	5000	170 × 270	1	2314.00
2060430/15	10000	220 × 350	1	7488.00

• White and Amber Colour Printing also available




BEAKERS

TALL FORM, WITH SPOUT

- In accordance with IS 2619/ISO 3819 and DIN 12331.
- Clear marked scale makes marking easier in blue colour.
- Uniform wall thickness helps in ideal heating of liquids.

Cat. No.	Capacity (mL)	Approx. O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2060480/4	50	38 × 72	10	140.00
2060480/5	100	48 × 82	10	215.00
2060480/6	150	55 × 97	6	155.00
2060480/7	250	60 × 123	6	152.00
2060480/8	400	75 × 133	6	93.00
2060480/9	500	80 × 140	6	240.00
2060480/10	600	80 × 153	6	281.00
2060480/11A	800	90 × 178	6	583.00
2060480/11	1000	100 × 180	6	408.00
2060480/12	2000	120 × 244	4	868.00
2060480/13	3000	135 × 284	1	1386.00
2060480/14	5000	160 × 324	1	4800.00
2060480/15	10000	217 × 350	1	6800.00

- White and Amber Colour Printing also available



BEAKERS

TALL FORM, WITHOUT SPOUT

- In accordance with IS 2619/ISO 3819 and DIN 12331.
- Clear marked scale makes marking easier in blue colour.
- Uniform wall thickness helps in ideal heating of liquids.

Cat. No.	Capacity (mL)	Approx. O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2060450/4	50	38 × 70	10	140.00
2060450/5	100	48 × 82	10	215.00
2060450/6	150	55 × 95	6	155.00
2060450/7	250	60 × 125	6	152.00
2060450/8	400	75 × 115	6	93.00
2060450/9	500	80 × 140	6	240.00
2060450/10	600	80 × 150	6	281.00
2060450/11	800	90 × 177	6	583.00
2060450/12	1000	90 × 200	6	408.00


- White and Amber Colour Printing also available



The beakers are primarily used as heating vessels. The tall shape is particularly suited to heating in liquid baths where the beaker contents are protected against the surrounding medium.

BEAKERS

PHILLIPS (CONICAL) WITH SPOUT



- Design of beaker contain pouring spout.
- Conical in shape.
- Contains broader base and narrow mouth.
- Chemical and thermal shock resistant.
- Helps in precise measurement of containment, mixing and decanting.

Cat. No.	Capacity (mL)	Top/Bottom Dia × Height (mm)	Pack of (Pcs)	Price (Each)
2060490/1	250	42 / 68 × 105	6	714.00
2060490/2	500	55 / 88 × 145	6	894.00

- White and Amber Colour Printing also available



BEAKERS WITH HANDLE

- Complies with ASTM E-960, TYPE-2, BORO 3.3 GLASS.
- With Handle.
- Graduation for easy reading

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2060495/1	250	1	760.00
2060495/2	400	1	808.00
2060495/3	500	1	855.00
2060495/4	1000	1	1,900.00

- White and Amber Colour Printing also available

Uniform wall thickness distribution makes these beakers ideal for heating applications.



Bottles





BOTTLES, ASPIRATOR WITH CAP AND TUBULATION

- In accordance with IS 1388, (Part III), DIN/ISO 4796-3.
- Design of bottle comes with PP screw cap and pouring ring.
- Appropriate for the storage of aggressive media.
- Made up of heat resistant Boro 3.3 glass.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	OD × Height (mm)	Thread	Pack of (Pcs)	Price (Each)
2060120/1	250	70 × 140	GL-45	1	460.00
2060120/2	500	86 × 176	GL-45	1	508.00
2060120/3	1000	101 × 225	GL-45	1	900.00
2060120/4	2000	136 × 260	GL-45	1	1,480.00
2060120/5	5000	181 × 323	GL-45	1	6,800.00
2060120/6	10000	227 × 410	GL-45	1	11,400.00
2060120/7	20000	296 × 500	GL-45	1	24,800.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES, ASPIRATOR WITH CAP AND SOCKET

- In accordance with IS 1388, (Part III), DIN/ISO 4796-3.
- Design of bottle comes with PP screw cap and pouring ring.
- Appropriate for the storage of aggressive media.
- Made up of heat resistant Boro 3.3 glass.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	OD × Height (mm)	Socket Size	Thread	Pack of (Pcs)	Price (Each)
2060090/1	1000	101 × 225	24/29	GL-45	1	984.00
2060090/2	2000	136 × 260	29/32	GL-45	1	1434.00
2060090/3	5000	181 × 323	29/32	GL-45	1	8400.00
2060090/4	10000	227 × 410	29/32	GL-45	1	11,700.00
2060090/5	20000	296 × 500	29/32	GL-45	1	22,276.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only

BOTTLES, ASPIRATOR WITH CAP AND INTERCHANGEABLE STOP COCK

- In accordance with IS 1388, (Part III), DIN/ISO 4796-3.
- Design of bottle comes with PP screw cap and pouring ring.
- Appropriate for the storage of aggressive media.
- Made up of heat resistant Boro 3.3 glass.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	OD × Height (mm)	Thread	Pack of (Pcs)	Price (Each)
2060095/1	1000	101 × 225	GL-45	1	2,100.00
2060095/2	2000	136 × 260	GL-45	1	2,600.00
2060095/3	5000	181 × 323	GL-45	1	9,800.00
2060095/4	10000	227 × 410	GL-45	1	14,500.00
2060095/5	20000	296 × 500	GL-45	1	26,400.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only




SCREW CAP FOR REAGENT BOTTLE

- Made from PP or PBT as per requirement
- PP Screw Caps autoclavable upto 121° C
- PBT Screw Caps autoclavable upto 200°C
- Pouring ring for drip-free pouring.
- Leak-proof sealing and optimal performance
- Color-coding minimizes cap mix-ups and helps prevent cross-contamination
- Fully compatible with DIN-standard laboratory bottles

Cat. No.	Colour	Thread Size	Pack of (Pcs)	Price (Each)
2060871/1	Blue	GL 32	100	90.00
2060871/2	Orange	GL 32	100	90.00
2060871/3	Yellow	GL 32	100	90.00
2060871/4	Green	GL 32	100	90.00
2060871/5	Grey	GL 32	100	90.00
2060871/6	White	GL 32	100	90.00
2060871/7	Black	GL 32	100	90.00
2060871/8	Red	GL 32	100	90.00
2060871/9	Blue	GL 45	100	81.00
2060871/10	Orange	GL 45	100	86.00
2060871/11	Yellow	GL 45	100	86.00
2060871/12	Green	GL 45	100	86.00
2060871/13	Grey	GL 45	100	86.00
2060871/14	White	GL 45	100	86.00
2060871/15	Black	GL 45	100	86.00
2060871/16	Red	GL 45	100	86.00
2060871/17	Blue	GL 80	100	210.00
2060871/18	Orange	GL 80	100	210.00
2060871/19	Yellow	GL 80	100	210.00
2060871/20	Green	GL 80	100	210.00

Ordering for Pouring use Cat. No. + P
For example 2060871P/1




PBT Screw Cap



PP Screw Caps and Pouring Rings






BOTTLES, REAGENT, AMBER NARROW NECK, WITH PP STOPPER

- In accordance with IS 1388 (Part I), DIN ISO 4796-2.
- These bottles are provided with ground joint & PP Stopper.
- Provided with durable matt-finished enameled area for marking in white colour.
- Made up of heat resistant Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Coating is non-reactive, as the colour is applied only on the external surface.

Cat. No.	Capacity (mL)	OD × Height (mm)	Neck Size	Pack of (Pcs)	Price (Each)
2060885/A1	30	36 × 78	14/23	10	360.00
2060885/A2	50	42 × 100	14/23	10	540.00
2060885/A5	60	42 × 100	14/23	10	514.00
2060885/A3	100	56 × 105	14/23	10	532.00
2060885/1	125	56 × 120	19/26	10	542.00
2060885/1A	250	70 × 145	19/26	10	652.00
2060885/2	500	86 × 182	24/29	6	840.00
2060885/3	1000	100 × 230	29/32	6	1,250.00
2060885/3A	2000	136 × 255	29/32	4	2,160.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES, REAGENT NARROW NECK, WITH PP STOPPER

- In accordance with IS-1388, DIN/ISO 4796-2.
- These bottles are provided with ground joint & PP Stopper.
- Provided with durable matt-finished enameled area for marking in blue colour.
- Made up of heat resistant Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.

Cat. No.	Capacity (mL)	OD × Height (mm)	Neck Size	Pack of (Pcs)	Price (Each)
2060990/A	30	36 × 78	14/23	10	228.00
2060990/B	50	42 × 100	14/23	10	342.00
2060990/1	60	42 × 100	14/23	10	360.00
2060990/1A	100	55 × 120	14/23	10	350.00
2060990/2	125	55 × 120	19/26	10	350.00
2060990/3	250	70 × 145	19/26	10	398.00
2060990/4	500	80 × 180	24/29	6	494.00
2060990/5	1000	100 × 230	29/32	6	688.00
2060990/6A	2000	136 × 255	29/32	4	1,380.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES, REAGENT, AMBER WITH SCREW CAP

- In accordance with IS 1388, DIN ISO 4796-1.
- Made up of heat resistant Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- These bottles contain screw caps and pouring ring made up of HDPE material.
- Provided screw caps and the bottle can be sterilized and autoclavable.
- Provided with durable matt-finished enamelled area for marking in white colour.

Cat. No.	Capacity (mL)	OD × Height (mm)	Thread	Pack of (Pcs)	Price (Each)
2061000/A3	50	46 × 87	GL-32	10	440.00
2061000/1A	100	56 × 100	GL-45	10	530.00
2061000/1	250	70 × 140	GL-45	6	560.00
2061000/2	500	86 × 176	GL-45	6	660.00
2061000/3	1000	101 × 225	GL-45	4	750.00
2061000/4	2000	136 × 260	GL-45	4	896.00
2061000/5	3000	158 × 295	GL-45	1	1,760.00
2061000/6	5000	181 × 323	GL-45	1	8,600.00
2061000/7	10000	235 × 405	GL-45	1	10,600.00
2061000/8	20000	296 × 500	GL-45	1	24,800.00

- Height indicated is of Bottle only



BOTTLES, REAGENT WITH SCREW CAP

- In accordance with IS 1388, DIN ISO 4796-1.
- Made up of heat resistant Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- These Bottles contain screw caps and pouring ring made up of PP material.
- Provided screw caps and the bottle can be sterilized and autoclavable.
- Provided with durable matt-finished enameled area for marking in Blue colour.

Cat. No.	Capacity (mL)	OD × Height (mm)	Thread	Pack of (Pcs)	Price (Each)
2061010/A3	50	46 × 87	GL-32	10	350.00
2061010/A1	100	56 × 100	GL-45	10	340.00
2061010/1	250	70 × 140	GL-45	6	400.00
2061010/2	500	86 × 176	GL-45	6	410.00
2061010/3	1000	101 × 225	GL-45	4	680.00
2061010/4	2000	136 × 260	GL-45	4	1,090.00
2061010/5	3000	158 × 295	GL-45	1	5,400.00
2061010/6	5000	181 × 323	GL-45	1	5,800.00
2061010/7	10000	235 × 405	GL-45	1	10,300.00
2061010/8	20000	296 × 500	GL-45	1	20,800.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES


BOTTLES, REAGENT WITH SCREW CAP



- In accordance with IS 1388, DIN ISO 4796-2.
- Made up of heat resistant Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- These Bottles contain screw caps and pouring ring made up of PP material.
- Provided screw caps, pouring rings and the bottle can be sterilized and autoclavable.
- Provided with durable matt-finished enameled area for marking in Blue colour.

Cat. No.	Capacity (mL)	Thread	Pack of (Pcs)	Price (Each)
2061011/1	250	GL-80	6	890.00
2061011/2	500	GL-80	6	998.00
2061011/3	1000	GL-80	1	1,108.00
2061011/4	2000	GL-80	1	1,740.00
2061011/5	5000	GL-80	1	11,240.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES, BOD WITH STOPPER

- Complies ASTM E-438, TYPE-1, IS 9213, Boro 3.3 glass.
- These bottles are chemically resistant & mechanically strong.
- Bottles have large, Permanent marking squares.

Cat. No.	Capacity (mL)	OD x Height (mm)	Stopper	Pack of (Pcs)	Price (Each)
2061180/1A	60	42 x 100	Penny Head	10	410.00
2061180/1	125	55 x 120	Penny Head	10	460.00
2061180/2	300	70 x 143	Penny Head	6	600.00
2061180/R1	60	42 x 100	Robotic	10	480.00
2061180/R2	125	55 x 120	Robotic	10	690.00
2061180/R3	300	70 x 143	Robotic	6	780.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES


- Standardised GL-thread and matching cap systems for particularly tight sealing and simple, clean pouring out.
- High temperature and thermal shock resistance ideal for autoclaving and dry sterilising.

SPECIFIC GRAVITY BOTTLES WITH GLASS CAPILLARY

- In accordance with ASTM-438, IS 5717, DIN/ISO 3507.
- With Capillary Bore Interchangeable Glass Capillary.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	Tolerance (mL)	OD × Height (mm)	Neck Size	Pack of (Pcs)	Price (Each)
1020160/1	10	1.0	29 × 48	10/15	10	698.00
1020160/2	25	2.0	40 × 55	10/15	10	840.00
1020160/3	50	3.0	50 × 65	10/15	10	880.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only




SPECIFIC GRAVITY BOTTLES WITH TEFLON STOPPER

- In accordance with ASTM-438, IS 5717, DIN/ISO 3507.
- With Capillary Bore Interchangeable Teflon Stopper.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	Tolerance (mL)	OD × Height (mm)	Neck Size	Pack of (Pcs)	Price (Each)
1020161/1	10	1.0	29 × 48	10/15	10	536.00
1020161/2	25	2.0	40 × 55	10/15	10	610.00
1020161/3	50	3.0	50 × 65	10/15	10	640.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only




SPECIFIC GRAVITY BOTTLES WITH THERMOMETER (PYKNOMETER)

- In accordance with ASTM-438, IS 5717, DIN/ISO 3507.
- Thermometer along with certificate for thermometer is provided.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	Tolerance (mL)	OD × Height (mm)	Neck Size	Pack of (Pcs)	Price (Each)
1020230/1	10	1.0	29 × 48	10/15	1	1,530.00
1020230/1A	25	2.0	40 × 55	10/15	1	1,790.00
1020230/1B	50	3.0	50 × 65	10/15	1	1,940.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES


BOTTLES, DROPPING

- These bottles are provided with interchangeable ground joint transparent pipette with rubber teat.
- Chemically non-reactive.

WITH GROUND-IN PIPETTE & RUBBER TEAT

Cat. No.	Capacity (mL)	OD × Height (mm)	Neck Size	Pack of (Pcs)	Price (Each)
2060780/1	30	35 × 84	14/23	10	313.00
2060780/1A	50	42 × 100	14/23	10	414.00
2060780/2	60	42 × 100	14/23	10	416.00
2060780/2A	100	55 × 120	19/26	10	490.00
2060780/3	125	55 × 120	19/26	10	440.00
2060780/4	250	65 × 147	19/26	6	608.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only




BOTTLES, DROPPING, AMBER

- These bottles are provided with interchangeable ground joint transparent pipette with rubber teat.
- Chemically non-reactive.

WITH GROUND-IN PIPETTE & RUBBER TEAT

Cat. No.	Capacity (mL)	OD × Height (mm)	Neck Size	Pack of (Pcs)	Price (Each)
2060790/1	30	35 × 84	14/23	10	497.00
2060790/1A	50	42 × 100	14/23	10	540.00
2060790/2	60	42 × 100	14/23	10	660.00
2060790/2A	100	55 × 120	19/26	10	708.00
2060790/3	125	55 × 120	19/26	10	722.00
2060790/4	250	65 × 147	19/26	6	986.00

- Height indicated is of Bottle only



BOTTLES, WEIGHING SQUAT & TALL

- In accordance with IS 1574 and ASTM-E 438, TYPE-1, Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.

Cat. No.	Capacity (mL)	OD × Height (mm)	Type	Pack of (Pcs)	Price (Each)
2061360/1	15	40 × 30	Squat	10	455.00
2061360/2	20	50 × 25	Squat	10	666.00
2061360/3	35	50 × 35	Squat	10	669.50
2061360/4	50	50 × 50	Squat	10	802.50
2061360/5	40	60 × 40	Squat	10	971.00
2061360/5A	30	60 × 30	Squat	10	930.50
2061360/6	5	20 × 40	Tall	10	304.00
2061360/7	15	25 × 60	Tall	10	318.00
2061360/8	25	30 × 65	Tall	10	394.00
2061360/9	60	40 × 90	Tall	10	599.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only




BOTTLES, WEIGHING, AMBER SQUAT & TALL

- In accordance with IS 1574 and ASTM-E 438, TYPE-1, Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Suitable for light sensitive substance.

Cat. No.	Capacity (mL)	OD × Height (mm)	Type	Pack of (Pcs)	Price (Each)
2061361/1	15	40 × 30	Squat	10	840.00
2061361/2	20	50 × 25	Squat	10	960.00
2061361/3	35	50 × 35	Squat	10	1,020.00
2061361/4	50	50 × 50	Squat	10	1,160.00
2061361/5	40	60 × 40	Squat	10	1,340.00
2061361/5A	30	60 × 30	Squat	10	1,020.00
2061361/6	5	20 × 40	Tall	10	380.00
2061361/7	15	25 × 60	Tall	10	489.00
2061361/8	25	30 × 65	Tall	10	565.00
2061361/9	60	40 × 90	Tall	10	855.00

- Height indicated is of Bottle only



IMPORTANT

Don't subject
BOROSILICATE GLASS
to temperatures beyond 240°C
except for very short periods.



BOTTLES, GAS WASHING (DRECHSEL) COMPLETE SET WITH INTERCHANGEABLE STOPPER

- In accordance with DIN 12596, 12463, Boro 3.3 glass.
- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Provided with durable matt-finished enameled area for marking, in blue colour.

Cat. No.	Capacity (mL)	Socket Size	Pack of (Pcs)	Price (Each)
2061200/1	125	29/32	1	1,182.00
2061200/2	250	29/32	1	1,274.00
2061200/3	500	29/32	1	1,512.00

- White and Amber Colour Printing also available



STOPPER ONLY FOR GAS WASHING BOTTLE (DRECHSEL)

Cat. No.	Capacity (mL)	Cone Size	Pack of (Pcs)	Price (Each)
2061201/1	125	29/32	1	656.00
2061201/2	250	29/32	1	701.00
2061201/3	500	29/32	1	808.00



BOTTLES ONLY FOR WASHING BOTTLE (DRECHSEL)

Cat. No.	Capacity (mL)	Socket Size	Dia × Height (mm)	Pack of (Pcs)	Price (Each)
2061202/1	125	29/32	50 × 165	6	1,086.00
2061202/2	250	29/32	60 × 190	6	1,171.00
2061202/3	500	29/32	70 × 245	6	1,428.00

- White and Amber Colour Printing also available
- Height indicated is of Bottle only



BOTTLES, WASH COMPLETE SET WITH INTERCHANGEABLE STOPPER

- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	Socket Size	Pack of (Pcs)	Price (Each)
2061230/1	250	24/29	1	787.00
2061230/2	500	24/29	1	1,002.00
2061230/3	1000	29/32	1	1,171.00


- White and Amber Colour Printing also available



STOPPER ONLY FOR WASH BOTTLE

- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	Cone Size	Pack of (Pcs)	Price (Each)
2061231/1	250	24/29	1	525.00
2061231/2	500	24/29	1	559.00
2061231/3	1000	29/32	1	589.00




FLASKS ONLY FOR WASH BOTTLE

- Being chemical resistant and mechanical strength are the prime factors for these bottles.
- Provided with durable matt-finished enameled area for marking in blue colour.

Cat. No.	Capacity (mL)	Height (mm)	Socket Size	Pack of (Pcs)	Price (Each)
2061232/1	250	130	24/29	6	483.00
2061232/2	500	160	24/29	6	758.00
2061232/3	1000	195	29/32	6	1,024.00

- White and Amber Colour Printing also available





Bottle HPLC Mobile Phase PP Screw Cap, USP

Manufactured from the material of choice for solvent bottles- borosilicate 3.3 glass. This material has an exceptional chemical durability offering a very low inorganic ion extractable profile, and the total absence of any organic extractable.

HPLC Solvent Recovery Bottles comes with GL 45 Caps. Bottles have conical cavity base for inlet filter to recover HPLC mobile phases & solvents.

Conical cavity bottom allows a maximum recovery of solvent without manually tilting the bottle, thereby reducing the risk of spillage of solvent.

A safe & more convenient alternative to flat bottom glass media bottles. The larger capacity bottles especially useful during weekend or when large chromatographic analysis is required to be carried out.

Manufactured from 33 expansion, low extractable borosilicate glass conforming to USP Type I, Class A requirements

- Chemically inert glass prevents leaching of any extractable into the mobile phase solvents.
- Conical bottom delivers all of solvent without reservoir tilting.
- Supplied with GL-45 screw thread.
- GL 45 thread fits standard HPLC connection caps.
- Retrace Code, and certificate for manufacturing lot traceability.
- The central cavity can accommodate magnetic stir bars for improved mixing. In higher capacity bottles
- Side vent / drain hole in the base for ultrasonic bath degassing, or water drainage after cleaning.
- Durable white enamel volume graduations (Approximate volumes)
- Autoclavable at 121°C.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2061021/1	500	1	1,800.00
2061021/2	1000	1	2,153.00
2061021/3	2000	1	3,442.00
2061021/4	3000	1	7,200.00
2061021/5	5000	1	11,300.00

• White and Amber Colour Printing also available



arco
scientific

Burettes



- Manufactured from precision bore tubing for accuracy
- With Schellbach tubes for accurate reading of meniscus
- Calibrated on computer controlled machines
- Rechecked on the quality control centre for highest accuracy
- Class A come with conformity batch certificate and with individual work certificate
- Printed in blue colour, waiting time of 30 seconds
- The CLASS-B burettes are printed in amber colour and have no waiting time
- The burettes come with 4 different kind of stopcocks Glass Stopcock, PTFE Needle Valve Stopcock, PTFE Key Stopcock and Detachable Stopcock.



ROTAFLOW



GLASS



PTFE



DETACHABLE

BURETTES Schellbach



We have brought a new innovation to our volumetric glassware range in which we are offering QR CODED labelled products from which you can scan and download all the certificates



PTFE stopcocks have identical keys, hence matching the pairs is not required after cleaning.

PTFE is self-lubricating, hence Key, do not require greasing.



Glass stopcocks are perfectly ground, hence no leakage occurs.

Specially designed solid glass stopcocks are manufactured from 3.3 Low expansion borosilicate glass.



Rotaflow stopcocks have PTFE keys which do not require greasing.

The PTFE keys provide the best drop control during titration process.

Due to the identical shape of the PTFE key, the Burette valve can be closed with a gentle turn.



BURETTES

24/29


BURETTES

ROTAFLOW BORE PTFE NEEDLE VALVE STOPCOCK

- In accordance with IS 1997:2008, DIN/ISO 385 and USP standards with Batch Certificate.
- Used for Titration process.
- Provided with Rotaflow Stopcock with PTFE Key that is highly resistant to chemical attack.
- Available in blue colour printing.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061858/A1	5	0.02	0.01	1	880.00
2061858/1	10	0.05	0.03	1	1,640.00
2061858/2	10	0.02	0.02	1	920.00
2061858/3	25	0.05	0.03	1	1,840.00
2061858/4	25	0.10	0.05	1	1,790.00
2061858/5	50	0.05	0.03	1	2,460.00
2061858/6	50	0.10	0.05	1	1,840.00
2061858/7	100	0.20	0.10	1	3,180.00



BURETTES

ROTAFLOW BORE PTFE NEEDLE VALVE STOPCOCK WITH INDIVIDUAL CERTIFICATE

- In accordance with IS 1997:2008, DIN/ISO 385 with **Individual Certificate**.
- Used for Titration process.
- Provided with Rotaflow Stopcock with PTFE Key that is highly resistant to chemical attack.
- Available in blue colour printing.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
I2061858/A1	5	0.02	0.01	1	1,020.00
I2061858/1	10	0.05	0.03	1	2,234.00
I2061858/2	10	0.02	0.02	1	1,190.00
I2061858/3	25	0.05	0.03	1	2,462.00
I2061858/4	25	0.10	0.05	1	1,910.00
I2061858/5	50	0.05	0.03	1	3,350.00
I2061858/6	50	0.10	0.05	1	2,250.00
I2061858/7	100	0.20	0.10	1	3,698.00



BURETTES

ROTAFLOW BORE PTFE NEEDLE VALVE STOPCOCK CLASS 'B'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061860/A1	10	0.05	0.05	1	540.00
2061860/1	25	0.10	0.10	1	510.00
2061860/2	50	0.10	0.10	1	460.00
2061860/3	100	0.20	0.20	1	480.00

- White and Amber Colour Printing also available



BURETTES, CLASS 'A' SCHELLBACH ROTAFLOW BORE PTFE NEEDLE VALVE STOPCOCK

- Schellbach stripe for accurate meniscus reading.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	Pack of (Pcs)	Price (Each)
2061859/A1	5	0.02	0.01	1	1,400.00
2061859/1	10	0.05	0.03	1	1,763.00
2061859/2	10	0.02	0.02	1	1,940.00
2061859/3	25	0.05	0.03	1	1,816.00
2061859/4	25	0.10	0.05	1	1,750.00
2061859/5	50	0.05	0.03	1	2,081.00
2061859/6	50	0.10	0.05	1	1,910.00
2061859/7	100	0.20	0.10	1	2,916.00

- White and Amber Colour Printing also available

BURETTES

STRAIGHT BORE GLASS STOPCOCK WITH SCREW THREAD

- In accordance with DIN/ISO 385 and USP standards with Individual Certificate.
- Used for Titration process.
- Provided with Glass Stopcock that is highly resistant to chemical attack.
- Available in blue colour printing.


CLASS 'A'


Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061836/A1	5	0.02	0.01	1	1,400.00
2061836/1	10	0.05	0.03	1	2,421.00
2061836/2	10	0.02	0.02	1	3,150.00
2061836/3	25	0.05	0.03	1	2,673.00
2061836/4	25	0.10	0.05	1	1,692.00
2061836/5	50	0.05	0.03	1	2,840.00
2061836/6	50	0.10	0.05	1	1,931.00
2061836/7	100	0.20	0.10	1	4,064.00

CLASS 'B'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061834/1	10	0.05	0.05	1	758.00
2061834/2	25	0.10	0.10	1	743.00
2061834/3	50	0.10	0.10	1	796.00
2061834/4	100	0.20	0.20	1	1,138.00

- White and Amber Colour Printing also available






BURETTES, CLASS 'A' SCHELLBACH STRAIGHT BORE GLASS STOPCOCK WITH SCREW THREAD

- Schellbach stripe for accurate meniscus reading.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	Pack of (Pcs)	Price (Each)
2061838/A1	5	0.02	0.01	1	1,300.00
2061838/1	10	0.05	0.03	1	1,620.00
2061838/2	10	0.02	0.02	1	1,800.00
2061838/3	25	0.05	0.03	1	1,700.00
2061838/4	25	0.10	0.05	1	1,620.00
2061838/5	50	0.05	0.03	1	1,800.00
2061838/6	50	0.10	0.05	1	1,740.00
2061838/7	100	0.20	0.10	1	2,600.00

- White and Amber Colour Printing also available



BURETTES, CLASS 'A' SCHELLBACH STRAIGHT BORE PTFE STOPCOCK

- Schellbach stripe for accurate meniscus reading.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	Pack of (Pcs)	Price (Each)
2061840/A1	5	0.02	0.01	1	1,500.00
2061840/1	10	0.05	0.03	1	1,800.00
2061840/2	10	0.02	0.02	1	1,980.00
2061840/3	25	0.05	0.03	1	1,830.00
2061840/4	25	0.10	0.05	1	1,780.00
2061840/5	50	0.05	0.03	1	1,970.00
2061840/6	50	0.10	0.05	1	1,950.00
2061840/7	100	0.20	0.10	1	2,800.00

- White and Amber Colour Printing also available


BURETTES

STRAIGHT BORE PTFE STOPCOCK

- In accordance with IS 1997:2008, DIN/ISO 385 and USP standards with Individual Certificate.
- Used for Titration process.
- Provided with PTFE Key Stopcock that is highly resistant to chemical attack.
- Available in blue colour printing.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
I2061888/A1	5	0.02	0.01	1	1,910.00
I2061888/1	10	0.05	0.03	1	2,131.00
I2061888/2	10	0.02	0.02	1	2,190.00
I2061888/3	25	0.05	0.03	1	2,261.00
I2061888/4	25	0.10	0.05	1	2,123.00
I2061888/5	50	0.05	0.03	1	2,570.00
I2061888/6	50	0.10	0.05	1	2,299.00
I2061888/7	100	0.20	0.10	1	3,428.00



CLASS 'B'


Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061890/A1	10	0.05	0.05	1	848.00
2061890/1	25	0.10	0.10	1	840.00
2061890/2	50	0.10	0.10	1	893.00
2061890/3	100	0.20	0.20	1	1,112.00

- White and Amber Colour Printing also available

BURETTES, CLASS 'A', AMBER STRAIGHT BORE GLASS STOPCOCK WITH SCREW THREAD

- In accordance with DIN/ISO 385 and USP standards with Individual Certificate.
- Used for Titration process.
- Provided with Glass Stopcock that is highly resistant to chemical attack.
- To prevent contamination with the testing material amber colour is applied only on the external surface.
- Available in white colour printing.


Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061892/A1	5	0.02	0.01	1	1,560.00
2061892/1	10	0.05	0.03	1	1,950.00
2061892/2	10	0.02	0.02	1	2,160.00
2061892/3	25	0.05	0.03	1	2,040.00
2061892/4	25	0.10	0.05	1	1,950.00
2061892/5	50	0.05	0.03	1	2,160.00
2061892/6	50	0.10	0.05	1	2,090.00
2061892/7	100	0.20	0.10	1	3,120.00



BURETTES, CLASS 'A', AMBER STRAIGHT BORE PTFE STOPCOCK

- In accordance with DIN/ISO 385 and USP standards with Batch Certificate.
- Used for Titration process.
- Provided with PTFE Stopcock that is highly resistant to chemical attack.
- To prevent contamination with the testing material amber colour is applied only on the external surface.
- Available in white colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061894/A1	5	0.02	0.01	1	1,800.00
2061894/1	10	0.05	0.03	1	2,160.00
2061894/2	10	0.02	0.02	1	2,376.00
2061894/3	25	0.05	0.03	1	2,196.00
2061894/4	25	0.10	0.05	1	2,136.00
2061894/5	50	0.05	0.03	1	2,364.00
2061894/6	50	0.10	0.05	1	2,340.00
2061894/7	100	0.20	0.10	1	3,360.00



BURETTES

STRAIGHT BORE PTFE STOPCOCK

- In accordance with ASTM E-287 standards with Batch Certificate.
- Used for Titration process.
- Provided with PTFE Key Stopcock that is highly resistant to chemical attack.
- Available in blue colour printing.


CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061901/1	10	0.05	0.02	1	1,800.00
2061901/2	25	0.10	0.03	1	2,100.00
2061901/3	50	0.10	0.05	1	2,560.00
2061901/4	100	0.20	0.10	1	3,200.00

CLASS 'B'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061902/1	10	0.05	0.04	1	980.00
2061902/2	25	0.10	0.06	1	1,040.00
2061902/3	50	0.10	0.10	1	1,100.00
2061902/4	100	0.20	0.20	1	1,240.00

- White and Amber Colour Printing also available



BURETTES, CLASS 'B'


PINCH CLIP STOP COCK

- In accordance with IS 1997:2008, DIN/ISO 385 standards.
- Used for Titration process.

CLASS 'B'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061875/1	10	0.05	0.05	1	960.00
2061875/2	25	0.10	0.10	1	1,010.00
2061875/3	50	0.10	0.10	1	1,080.00
2061875/4	100	0.20	0.20	1	1,130.00

- White and Amber Colour Printing also available



- All Burettes are calibrated to measure the amount of fluid delivered ("Ex").
- Calibration takes into account surface adhesion to the glass / capillary effects.
- Above applicable if the waiting times specified in the product information are observed.

BURETTES WITH DETACHABLE STOP COCK

- In accordance with DIN/ISO 385 and USP standards with Individual Certificate.
- Used for Titration process.
- Provided with Detachable Stopcock that is highly resistant to chemical attack.
- Available in blue colour printing.


CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061948/1	10	0.05	0.03	1	Price on Request
2061948/2	25	0.10	0.05	1	Price on Request
2061948/3	50	0.10	0.05	1	Price on Request
2061948/4	100	0.20	0.10	1	Price on Request

CLASS 'B'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061950/A1	10	0.05	0.05	1	Price on Request
2061950/1	25	0.10	0.10	1	Price on Request
2061950/2	50	0.10	0.10	1	Price on Request
2061950/3	100	0.20	0.20	1	Price on Request

- White and Amber Colour Printing also available




BURETTES, CLASS 'A' SCHELLBACH WITH DETACHABLE STOP COCK

- Schellbach stripe for accurate meniscus reading.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061952/1	10	0.05	0.03	1	Price on Request
2061952/2	25	0.10	0.05	1	Price on Request
2061952/3	50	0.10	0.05	1	Price on Request
2061952/4	100	0.20	0.10	1	Price on Request

- White and Amber Colour Printing also available



Automatic Burettes



DIN/ISO

USP



We have brought a new innovation to our volumetric glassware range in which we are offering QR CODED labelled products from which you can scan and download all the certificates



BURETTES, AUTOMATIC STRAIGHT BORE, GLASS STOPCOCK WITH SCREW THREAD

- In accordance with IS 1997:2008 DIN/ISO 385, USP Standard with Individual Certificate.
- Automatic zero facility given.
- Tested individually for exact volume dispensed at 3 points on the scale.
- Simple operation :
 1. Filling of burette is done by apply a slight positive pressure to lower side arm
 2. Zero setting is done by releasing pressure to allow excess liquid to siphon back into the bottle.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061914/1	10	0.05	0.03	1	6,800.00
2061914/2	25	0.10	0.05	1	7,200.00
2061914/3	50	0.10	0.05	1	7,900.00
2061914/4	100	0.20	0.10	1	9,600.00

- White and Amber Colour Printing also available
- Reservoir Capacity : 500ml for 10ml size and 2000ml for 25, 50, 100ml sizes.



BURETTES, AUTOMATIC, AMBER STRAIGHT BORE, GLASS STOPCOCK WITH SCREW THREAD



- In accordance with IS 1997:2008 DIN/ISO 385, USP Standard with Individual Certificate.
- Automatic zero facility given.
- Tested individually for exact volume dispensed at 3 points on the scale.
- Simple operation :
 1. Filling of burette is done by apply a slight positive pressure to lower side arm
 2. Zero setting is done by releasing pressure to allow excess liquid to siphon back into the bottle.
- Graduations is provided in blue print.
- Amber colour is applied to the external surface to prevent contamination with the testing material.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061916/1	10	0.05	0.03	1	12,710.00
2061916/2	25	0.10	0.05	1	13,500.00
2061916/3	50	0.10	0.05	1	15,050.00
2061916/4	100	0.20	0.10	1	17,800.00



Note :
Ordering QR Code Printing Item use Q for Cat No.
Example (2065765/1 change to 2065765Q/1)





BURETTES, AUTOMATIC STRAIGHT BORE, PTFE STOPCOCK

- In accordance with IS 1997:2008 DIN/ISO 385, USP Standard with Individual Certificate.
- Automatic zero facility given.
- Tested individually for exact volume dispensed at 3 points on the scale.
- Simple operation :
 1. Filling of burette is done by apply a slight positive pressure to lower side arm
 2. Zero setting is done by releasing pressure to allow excess liquid to siphon back into the bottle.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061917/1	10	0.05	0.03	1	7,800.00
2061917/2	25	0.10	0.05	1	8,200.00
2061917/3	50	0.10	0.05	1	9,400.00
2061917/4	100	0.20	0.10	1	10,700.00

- White and Amber Colour Printing also available
- Reservoir Capacity : 500ml for 10ml size and 2000ml for 25, 50, 100ml sizes.




BURETTES, AUTOMATIC, AMBER STRAIGHT BORE, PTFE STOPCOCK

- In accordance with IS 1997:2008 DIN/ISO 385, USP Standard with Individual Certificate.
- Automatic zero facility given.
- Tested individually for exact volume dispensed at 3 points on the scale.
- Simple operation :
 1. Filling of burette is done by apply a slight positive pressure to lower side arm
 2. Zero setting is done by releasing pressure to allow excess liquid to siphon back into the bottle.
- Graduations provided in blue print.
- Amber colour is applied to the external surface to prevent contamination with the testing material.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061919/1	10	0.05	0.03	1	16,852.00
2061919/2	25	0.10	0.05	1	17,992.00
2061919/3	50	0.10	0.05	1	19,702.00
2061919/4	100	0.20	0.10	1	20,616.00



BURETTES, AUTOMATIC, AMBER ROTAFLOW PTFE STOPCOCK

- In accordance with IS 1997:2008 DIN/ISO 385, USP Standard with Individual Certificate.
- Automatic zero facility given.
- Tested individually for exact volume dispensed at 3 points on the scale.
- Simple operation :
 1. Filling of burette is done by apply a slight positive pressure to lower side arm
 2. Zero setting is done by releasing pressure to allow excess liquid to siphon back into the bottle.
- Graduations provided in blue print.
- Amber colour is applied to the external surface to prevent contamination with the testing material.

CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061922/1	10	0.05	0.03	1	15,898.00
2061922/2	25	0.10	0.05	1	17,020.00
2061922/3	50	0.10	0.05	1	18,658.00
2061922/4	100	0.20	0.10	1	19,330.00



BURETTES, AUTOMATIC ROTAFLOW PTFE STOPCOCK

- In accordance with IS 1997:2008 DIN/ISO 385, USP Standard with Individual Certificate.
- Automatic zero facility given.
- Tested individually for exact volume dispensed at 3 points on the scale.
- Simple operation :
 1. Filling of burette is done by apply a slight positive pressure to lower side arm
 2. Zero setting is done by releasing pressure to allow excess liquid to siphon back into the bottle.
- Graduations is provided in blue print.


CLASS 'A'

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2061920/1	10	0.05	0.03	1	7,842.00
2061920/2	25	0.10	0.05	1	7,608.00
2061920/3	50	0.10	0.05	1	8,446.00
2061920/4	100	0.20	0.10	1	9,590.00


- White and Amber Colour Printing also available
- Reservoir Capacity : 500ml for 10ml size and 2000ml for 25, 50, 100ml sizes.



Cone code



CONES, IMHOFF, SEDIMENT SHARP TIP




GLASS
BORO
3.3

- In accordance with DIN 12672, IS-7232.
- Marked with 0.1ml divisions from 0 to 1ml
- Marked with 0.5ml divisions from 1 to 10ml
- Marked with 1.0ml divisions from 10 to 40 ml
- Mark at 1000ml also present.
- Helps in determination of the amount of sediment in sewage or industrial waste.
- Graduation are present in blue print.

Cat. No.	Approx. Height (mm)	Approx. Top OD (mm)	Pack of (Pcs)	Price (Each)
2067400	454	110	1	5,847.00

- White and Amber Colour Printing also available



GLASS
BORO
3.3

CONES, IMHOFF, SEDIMENT BLUNT TIP

- In accordance with DIN 12672, IS-7232.
- Helps in determination of amount of sediment in sewage or industrial waste.
- Graduation are present in blue print.
- Provided with blunt tip to increase ruggedness and cleaning ease.
- Used mostly with heavy sediments where the ability to read small volumes is unimportant.

Cat. No.	Approx. Height (mm)	Approx. Top OD (mm)	Pack of (Pcs)	Price (Each)
2067401	454	110	1	5,970.00

- White and Amber Colour Printing also available



Condensers

CONDENSERS, AIR

- Manufactured from ASTM E-438, Type-1, Class-A, Boro 3.3 Glass.
- These are used for the condensation of material with boiling point above 150°C.
- Available in blue colour printing.

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Pack of (Pcs)	Price (Each)
2062540/1	14/23	14/23	200	1	342.00
2062540/2	19/26	19/26	200	1	423.00
2062540/3	24/29	24/29	250	1	613.00
2062540/4	19/26	19/26	400	1	713.00
2062540/5	24/29	24/29	500	1	869.00
2062540/6	34/35	34/35	500	1	1,734.00
2062540/7	19/26	19/26	600	1	760.00
2062540/8	24/29	24/29	750	1	1,183.00
2062541/1	-	14/23	200	1	310.00
2062541/2	-	19/26	200	1	420.00
2062541/3	-	24/29	250	1	620.00
2062541/4	-	19/26	400	1	725.00
2062541/5	-	24/29	500	1	880.00
2062541/6	-	34/35	500	1	1,800.00
2062541/7	-	19/26	600	1	765.00
2062541/8	-	24/29	750	1	1,180.00

- White and Amber Colour Printing also available

CONDENSERS, LIEBIG WITH SEALED INNER TUBE

- Simple design.
- The light wall of the inner tube facilitates efficient heat transfer.
- Low cooling capacity.
- In accordance with ASTM E-428, Type-1, Class-A, Boro 3.3 Glass.
- Comes with Glass & Plastic screw thread connector.
- Used for distillate separation.
- Available in blue colour printing.

Cat. No.	Jacket Length (mm)	Total Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062580/1	200	345	Screw Thread	1	768.00
2062580/2	300	445	Screw Thread	1	681.00
2062580/3	400	545	Screw Thread	1	700.00
2062580/4	500	645	Screw Thread	1	890.00
2062581/1	200	345	Glass	1	568.00
2062581/2	300	445	Glass	1	483.00
2062581/3	400	545	Glass	1	506.00
2062581/4	500	645	Glass	1	613.00

- White and Amber Colour Printing also available

CONDENSERS, LIEBIG INNER AND OUTER JOINT


- In accordance with DIN 12576, Drip Tip.
- The light wall of the inner tube facilitates efficient heat transfer.
- Low cooling capacity.
- Interchangeable Inner & Outer Joints with comes with glass and plastic screw thread connector.
- Used for distillate separation.
- Available in blue colour printing.

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062610/1	10/19	10/19	150	Screw thread	1	410.00
2062610/2	14/23	14/23	160	Screw thread	1	482.00
2062610/3	19/26	19/26	250	Screw thread	1	482.00
2062610/4	19/26	19/26	300	Screw thread	1	600.00
2062610/5	24/29	24/29	400	Screw thread	1	560.00
2062610/6	29/32	29/32	400	Screw thread	1	790.00
2062610/7	24/29	24/29	500	Screw thread	1	716.00
2062610/8	29/32	29/32	500	Screw thread	1	860.00
2062610/9	29/32	29/32	600	Screw thread	1	980.00
2062610/10	19/26	19/26	200	Screw thread	1	720.00
2062610/11	24/29	24/29	200	Screw thread	1	890.00
2062611/1	10/19	10/19	150	Glass	1	640.00
2062611/2	14/23	14/23	160	Glass	1	499.00
2062611/3	19/26	19/26	250	Glass	1	537.00
2062611/4	19/26	19/26	300	Glass	1	622.00
2062611/5	24/29	24/29	400	Glass	1	749.00
2062611/6	29/32	29/32	400	Glass	1	860.00
2062611/7	24/29	24/29	500	Glass	1	980.00
2062611/8	29/32	29/32	500	Glass	1	1,080.00
2062611/9	29/32	29/32	600	Glass	1	1,600.00
2062611/10	19/26	19/26	200	Glass	1	583.00
2062611/11	24/29	24/29	200	Glass	1	710.00

ASTM

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062612/1	14/20	14/20	120	Screw thread	1	532.00
2062612/2	19/22	19/22	180	Screw thread	1	540.00
2062612/3	24/40	24/40	200	Screw thread	1	576.00
2062612/4	24/40	24/40	300	Screw thread	1	580.00

- White and Amber Colour Printing also available



CONDENSERS, ALLIHN INTERCHANGEABLE INNER AND OUTER JOINT


- In accordance with DIN 12576, Drip Tip.
- The light wall of the inner tube facilitates efficient heat transfer.
- Low cooling capacity.
- Interchangeable Inner & Outer Joints with comes with glass and plastic screw thread connector.
- Used for distillate separation.
- Available in blue colour printing.

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062640/1	14/23	14/23	160	Screw Thread	1	723.00
2062640/2	19/26	19/26	160	Screw Thread	1	723.00
2062640/3	19/26	19/26	250	Screw Thread	1	782.00
2062640/4	24/29	24/29	250	Screw Thread	1	940.00
2062640/5	29/32	29/32	250	Screw Thread	1	1,000.00
2062640/6	19/26	19/26	300	Screw Thread	1	938.00
2062640/7	24/29	24/29	300	Screw Thread	1	1,030.00
2062640/8	29/32	29/32	300	Screw Thread	1	1,120.00
2062640/9	29/32	29/32	400	Screw Thread	1	1,298.00
2062641/1	14/23	14/23	160	Glass	1	760.00
2062641/2	19/26	19/26	160	Glass	1	760.00
2062641/3	19/26	19/26	250	Glass	1	740.00
2062641/4	24/29	24/29	250	Glass	1	782.00
2062641/5	29/32	29/32	250	Glass	1	935.00
2062641/6	19/26	19/26	300	Glass	1	990.00
2062641/7	24/29	24/29	300	Glass	1	883.00
2062641/8	29/32	29/32	300	Glass	1	938.00
2062641/9	29/32	29/32	400	Glass	1	1,076.00

ASTM

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062642/1	24/40	24/40	200	Screw thread	1	817.00
2062642/2	24/40	24/40	300	Screw thread	1	831.00
2062642/3	24/40	24/40	400	Screw thread	1	1,159.00

- White and Amber Colour Printing also available



CONDENSERS, GRAHAM

COILED DISTILLATE TYPE, DRIP TIP, INTERCHANGEABLE INNER AND OUTER JOINT



- In accordance with DIN 12581.
- In accordance with ASTM E-438, Type-1, Class A, Boro 3.3 Glass.
- Comes with glass connectors and with plastic screw thread connector.
- Highly efficient with a large cooling surface.
- Suitable for Distillation & Reflux applications.
- Available in blue colour printing.

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062655/1	10/19	10/19	150	Screw thread	1	760.00
2062655/2	14/23	14/23	160	Screw thread	1	869.00
2062655/3	19/26	19/26	250	Screw thread	1	935.00
2062655/4	19/26	19/26	300	Screw thread	1	974.00
2062655/5	24/29	24/29	400	Screw thread	1	980.00
2062655/6	29/32	29/32	400	Screw thread	1	1,160.00
2062655/7	24/29	24/29	500	Screw thread	1	1,224.00
2062655/8	29/32	29/32	500	Screw thread	1	1,460.00
2062655/9	29/32	29/32	600	Screw thread	1	1,610.00
2062656/1	10/19	10/19	150	Glass	1	760.00
2062656/2	14/23	14/23	160	Glass	1	860.00
2062656/3	19/26	19/26	250	Glass	1	940.00
2062656/4	19/26	19/26	300	Glass	1	960.00
2062656/5	24/29	24/29	400	Glass	1	1,268.00
2062656/6	29/32	29/32	400	Glass	1	1,567.00
2062656/7	24/29	24/29	500	Glass	1	1,221.00
2062656/8	29/32	29/32	500	Glass	1	1,460.00
2062656/9	29/32	29/32	600	Glass	1	1,620.00

ASTM

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062657/1	24/40	24/40	200	Screw thread	1	715.00
2062657/2	24/40	24/40	300	Screw thread	1	903.00
2062657/3	24/40	24/40	400	Screw thread	1	1,034.00

- White and Amber Colour Printing also available



CONDENSERS, DOUBLE SURFACE

- Made From Heat Resistant Low Expansion 3.3 Borosilicate Glass.
- Available in blue colour printing.

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062620/1	19/26	19/26	200	Glass	1	2,322.00
2062620/2	24/29	24/29	200	Glass	1	2,900.00
2062620/3	19/26	19/26	300	Glass	1	2,775.00
2062620/4	24/29	24/29	300	Glass	1	3,341.00

ASTM

Cat. No.	Socket Size	Cone Size	Eff. Length (mm)	Connector	Pack of (Pcs)	Price (Each)
2062621/1	14/20	14/20	110	Screw thread	1	2,138.00
2062621/2	19/22	19/22	110	Screw thread	1	2,138.00
2062621/3	24/40	24/40	200	Screw thread	1	3,069.00
2062621/4	19/22	19/22	110	Screw thread	1	2,840.00

- White and Amber Colour Printing also available




CONDENSERS, FRIEDRICHS

- Specially designed inner spiral tubes ensure a long vapour path.
- Offer better heat transfer and anti-flooding capabilities.
- Available in blue colour printing.

Cat. No.	Socket Size	Cone Size	Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2062690/1	19/26	19/26	150	1	Price on request
2062690/2	19/26	24/29	200	1	Price on request
2062690/3	19/26	24/29	250	1	Price on request
2062690/4	24/29	24/29	350	1	3,620.00

- White and Amber Colour Printing also available





CONDENSERS, REFLUX

- Coil style reflux condenser with tightly wrapped coil providing maximum cooling.
- Available in blue colour printing.

Cat. No.	Socket Size	Cone Size	Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2062692/1	14/22	14/22	205	1	1,173.00
2062692/2	24/40	24/40	365	1	1,449.00

- White and Amber Colour Printing also available



Reflux involves heating the chemical reaction for a specific amount of time, while continuously cooling the vapour produced back into liquid form, using a condenser. The vapours produced above the reaction continuously undergo condensation, returning to the flask as a condensate.

CHROMATOGRAPHY COLUMNS

- With Integral Sintered Disc, without Stopcock.
- Available in blue colour printing.

Cat. No.	Eff. Length (mm)	Disc Diameter (mm)	Pack of (Pcs)	Price (Each)
2062535/1	200	10	1	320.00
2062535/2	300	10	1	390.00
2062535/3	300	18	1	310.00
2062535/4	450	30	1	440.00
2062535/5	500	10	1	690.00
2062535/6	500	18	1	880.00
2062535/7	600	30	1	990.00
2062535/8	600	40	1	940.00
2062535/9	1000	40	1	1,298.00


- White and Amber Colour Printing also available

CHROMATOGRAPHY COLUMNS SINTERED DISC WITH ROTAFLOW STOPCOCK

- The rotaflow stopcock enhances control and facilitate smoother action.
- Columns are added with a Sintered Disc for good results.
- Generally used for purification of individual compound from mixture of compounds.
- Available in blue colour printing.

Cat. No.	Eff. Length (mm)	Disc Diameter (mm)	Socket Size	Pack of (Pcs)	Price (Each)
2062530/1	100	10	14/23	1	Price on request
2062530/2	200	10	14/23	1	510.00
2062530/3	300	10	14/23	1	Price on request
2062530/4	400	10	14/23	1	Price on request
2062530/5	200	20	19/26	1	Price on request
2062530/6	300	20	19/26	1	560.00
2062530/7	400	20	19/26	1	580.00
2062530/8	500	20	19/26	1	Price on request
2062530/9	400	26	24/29	1	Price on request
2062530/10	500	26	24/29	1	Price on request
2062530/11	400	30	29/32	1	740.00
2062530/12	500	30	29/32	1	Price on request
2062530/13	400	30	34/35	1	Price on request
2062530/14	500	30	34/35	1	810.00
2062530/15	400	40	40/38	1	Price on request
2062530/16	500	40	40/38	1	1,130.00

- White and Amber Colour Printing also available



EXTRACTION APPARATUS SOXHLET

COMPLETE WITH ALLIHN CONDENSER INTERCHANGEABLE JOINT

- In accordance with DIN 12602.
- Used for separation of the extract from the liquid or solid.
- This method enables effective separation, with relatively small quantities of solvent.
- Ideal for laboratory scale refluxing.

Cat. No.	Extractor cap.(mL)	Extractor Socket	Extractor Cone	Flask Capacity	Pack of (Pcs)	Price (Each)
2068200/1	60	34/35	24/29	150	1	1,430.00
2068200/2	100	40/38	24/29	150	1	1,610.00
2068200/3	100	45/40	29/32	250	1	1,933.00
2068200/4	200	50/42	24/29	500	1	2,809.00
2068200/5	250	50/42	29/32	500	1	3,073.00
2068200/6	500*	60/46	29/32	1000	1	9,120.00
2068200/7	1000*	70/55	29/32	2000	1	14,985.00

- Blue and Amber Colour Printing also available



EXTRACTOR FOR SOXHLET APPARATUS

COMPLETE WITH ALLIHN CONDENSER WITH SOCKET

- In accordance with DIN 12602.
- Made of borosilicate glass.
- Designed with a bulb in the siphon tube near the top, to aid the siphoning action.
- The vapour tube also protects the siphon tube from accidental damage.

Cat. No.	Capacity (mL)	Socket Size	Cone Size	Pack of (Pcs)	Price (Each)
2068230/1	60	34/35	24/29	1	860.00
2068230/2	100	40/38	24/29	1	910.00
2068230/3	100	45/40	29/32	1	980.00
2068230/4	200	50/42	24/29	1	1,440.00
2068230/5	250	50/42	29/32	1	1,600.00
2068230/6	500	60/46	29/32	1	1,900.00
2068230/7	1000	70/55	29/32	1	3,600.00


- Blue and Amber Colour Printing also available

CONDENSERS, ALLIHN FOR SOXHLET APPARATUS

- In accordance ASTM E-438, Type-1, Class-A.
- This condenser come with glass & plastic screw thread connector.
- Ideal for laboratory scale refluxing.

Cat. No.	Cone Size	Eff. Length (mm)	Extractor (mL)	Connector	Pack of (Pcs)	Price (Each)
2062630/1	45/40	300	100	Screw Thread	1	1,012.00
2062630/2	45/40	400	250	Screw Thread	1	1,065.00
2062630/3	60/46	400	500	Screw Thread	1	1,705.00
2062630/4	70/55	400	1000	Screw Thread	1	2,005.00
2062631/1	45/40	300	100	Glass	1	912.00
2062631/2	45/40	400	250	Glass	1	941.00
2062631/3	60/46	400	500	Glass	1	1,606.00
2062631/4	70/55	400	1000	Glass	1	1,905.00

- White and Amber Colour Printing also available



IMPORTANT


Though glass is resistant to most of the chemicals, it is highly reactive to hydrofluoric acid. So, the later is usually stored in plastic containers.



arco
scientific

GLASSWARE

Cylinders



DIN/ISO

ASTM

USP



CYLINDER, MEASURING, CLASS 'A' WITH DETACHABLE PLASTIC BASE

- In accordance with DIN/ISO 4788 with Individual Certificate.
- Manufactured using Boro 3.3 heat resistance glass.
- With protection collar.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	Pack of (Pcs)	Price (Each)
2063031/1	5	0.1	0.05	2	480.00
2063031/2	10	0.2	0.10	2	490.00
2063031/3	20	1.0	0.25	2	560.00
2063031/4	25	0.5	0.25	2	640.00
2063031/5	50	1.0	0.50	2	690.00
2063031/6	100	1.0	0.50	2	780.00
2063031/7	150	2.0	1.00	2	820.00
2063031/8	250	2.0	1.00	2	990.00
2063031/9	500	5.0	2.50	2	1,980.00
2063031/10	1000	10.0	5.00	1	2,600.00
2063031/11	2000	20.0	10.0	1	3,800.00

- White and Amber Colour Printing also available



CYLINDER, MEASURING, CLASS 'B' WITH DETACHABLE PLASTIC BASE

- In accordance with DIN/ISO 4788 with Batch Certificate
- Manufactured using Boro 3.3 heat resistance glass.
- With protection collar.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	Pack of (Pcs)	Price (Each)
2063030/1A	5	0.1	0.05	2	320.00
2063030/1	10	0.2	0.10	2	380.00
2063030/2A	20	1.0	0.25	2	410.00
2063030/2	25	0.5	0.25	2	410.00
2063030/3	50	1.0	0.50	2	410.00
2063030/4	100	1.0	0.50	2	430.00
2063030/5A	150	2.0	1.00	2	480.00
2063030/5	250	2.0	1.00	2	610.00
2063030/6	500	5.0	2.50	2	840.00
2063030/7	1000	10.0	5.00	1	1160.00
2063030/8	2000	20.0	10.0	1	1800.00

- White and Amber Colour Printing also available




Note :
Ordering QR Code Printing Item use Q for Cat No.
Example (2065765/1 change to 2065765Q/1)

CYLINDER, MEASURING, CLASS 'A' HEXAGONAL BASE

- In accordance with IS 878, DIN/ISO 4788 with Individual Certificate.
- Manufactured using Boro 3.3 heat resistance glass.
- Hexagonal base does not allow roll-over and offer greater stability.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2063050/1	5	0.1	0.05	2	450.00
2063050/2	10	0.2	0.10	2	524.00
2063050/2B	20	1.0	0.25	2	590.00
2063050/3	25	0.5	0.25	2	590.00
2063050/4	50	1.0	0.50	2	696.00
2063050/5	100	1.0	0.50	2	726.00
2063050/5A	150	2.0	1.00	2	840.00
2063050/6	250	2.0	1.00	2	1098.00
2063050/7	500	5.0	2.50	2	1640.00
2063050/8	1000	10.0	5.00	1	1840.00
2063050/9	2000	20.0	10.0	1	3200.00

- White and Amber Colour Printing also available




CYLINDER, MEASURING, CLASS 'B' HEXAGONAL BASE

- In accordance with IS 878, DIN/ISO 4788 with Batch Certificate
- Manufactured using Boro 3.3 heat resistance glass.
- Hexagonal base does not allow roll-over and offer greater stability.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2063040/1	5	0.1	0.05	2	270.00
2063040/2	10	0.2	0.10	2	290.00
2063040/2B	20	1.0	0.25	2	310.00
2063040/3	25	0.5	0.25	2	310.00
2063040/4	50	1.0	0.50	2	338.00
2063040/5	100	1.0	0.50	2	426.00
2063040/5A	150	2.0	1.00	2	510.00
2063040/6	250	2.0	1.00	2	700.00
2063040/7	500	5.0	2.50	2	940.00
2063040/8	1000	10.0	5.00	1	1,474.00
2063040/9	2000	20.0	10.0	1	2,662.00

- White and Amber Colour Printing also available





CYLINDER, MEASURING, CLASS 'A' HEXAGONAL BASE

- In accordance with ASTM E-1272 with Batch Certificate.
- Marking are in blue enamel.
- With Double Metric Scale, TC (To Contain).
- Manufactured using Boro 3.3 heat resistance glass.
- Hexagonal base does not allow roll-over and offer greater stability.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2063052/1	5	0.1	0.05	2	350.00
2063052/2	10	0.2	0.10	2	380.00
2063052/3	25	0.5	0.17	2	450.00
2063052/4	50	1.0	0.25	2	570.00
2063052/5	100	1.0	0.50	2	680.00
2063052/6	250	2.0	1.00	2	970.00
2063052/7	500	5.0	2.00	2	1,440.00
2063052/8	1000	10.0	3.00	1	1,610.00
2063052/9	2000	20.0	6.00	1	2,508.00


- White and Amber Colour Printing also available

CYLINDER, MEASURING, CLASS 'A' HEXAGONAL BASE

- In accordance with USP with Individual Certificate.
- Manufactured using Boro 3.3 heat resistance glass.
- Hexagonal base does not allow roll-over and offer greater stability.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2063092/1	5	0.1	0.05	2	490.00
2063092/2	10	0.2	0.10	2	540.00
2063092/3	25	0.5	0.17	2	620.00
2063092/4	50	1.0	0.25	2	710.00
2063092/5	100	1.0	0.50	2	960.00
2063092/6	250	2.0	1.00	2	1,410.00
2063092/7	500	5.0	2.00	2	1,960.00
2063092/8	1000	10.0	3.00	1	2,200.00
2063092/9	2000	20.0	6.00	1	4,400.00

- White and Amber Colour Printing also available



CYLINDER, MEASURING, SQUAT FORM HEXAGONAL BASE, CLASS 'B'

- In accordance with IS 878, DIN/ISO 4788 with Batch Certificate.
- The article is of squat form type.
- Hexagonal base does not allow roll-over and offer greater stability.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2063090/1	10	1.0	0.30	2	258.00
2063090/2	25	1.0	0.50	2	316.00
2063090/3	50	2.0	1.00	2	388.00
2063090/4	100	2.0	1.00	2	442.00
2063090/5	250	5.0	2.00	2	558.00
2063090/6	500	10.0	5.00	2	670.00
2063090/7	1000	20.0	10.0	1	810.00

- White and Amber Colour Printing also available



CYLINDERS

CYLINDER, NESSLER COLOUR COMPARISON, FLAT BOTTOM

- In accordance with IS 4161.
- The article is manufactured from precision bore 3.3 borosilicate tubing to avoid colour or visible defects.
- Helps in comparing colour of water samples.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	OD x Height (mm)	Pack of (Pcs)	Price (Each)
2063100/1	50	25 & 50	25 x 150	2	208.00
2063100/2	100	50 & 100	34 x 180	2	296.00

- White and Amber Colour Printing also available



CYLINDER, RAIN MEASURE WITH ROUND BASE

- In accordance with IS 4849.
- The cylinders are graduated to indicate rainfall in mm when used with appropriate rain collector.
- Available in blue colour printing.

Cat. No.	Size (mm)	Collector area cm ²	Sub. Div. (mm)	Tolerance (±mL)	Pack of (Pcs)	Price (Each)
2063101/1	20	200	0.2	0.05	2	920.00
2063101/2	20	100	0.2	0.10	2	1,040.00

- White and Amber Colour Printing also available



PROTECTORS FOR CYLINDERS

Made of plastic, hexagonal shape to prevent an overturned cylinder from rolling off the bench.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2063210/1	10	100	6.00
2063210/2	25	100	8.00
2063210/3	50	100	16.00
2063210/4	100	100	20.00
2063210/5	250	50	20.00
2063210/6	500	50	28.00
2063210/7	1000	50	42.00



CYLINDER, MIXING, CLASS 'A' HEXAGONAL BASE WITH STOPPER

- In accordance with IS 878, DIN/ISO 4788 with Individual Certificate.
- Manufactured using Boro 3.3 heat resistance glass.
- Hexagonal base does not allow roll-over and offer greater stability.
- Provided with PP Stopper.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Neck Size	Pack of (Pcs)	Price (Each)
2063075/1	5	0.1	0.05	10/19	2	410.00
2063075/2	10	0.2	0.10	10/19	2	660.00
2063075/3	25	0.5	0.25	14/23	2	780.00
2063075/4	50	1.0	0.50	14/23	2	810.00
2063075/4A	50	1.0	0.50	19/26	2	1,094.00
2063075/5	100	1.0	0.50	19/26	2	960.00
2063075/5A	100	1.0	0.50	24/29	2	1,360.00
2063075/6	250	2.0	1.00	29/32	2	1,400.00
2063075/7	500	5.0	2.50	34/35	2	1,900.00
2063075/8	1000	10.0	5.00	45/40	1	2,560.00
2063075/9	2000	20.0	10.0	45/40	1	4,290.00

- White and Amber Colour Printing also available.
- Order Hexagonal Glass Stopper separately.



CYLINDER, MIXING, CLASS 'B' HEXAGONAL BASE WITH STOPPER

- In accordance with IS 878, DIN/ISO 4788 Batch Certificate
- Manufactured using Boro 3.3 heat resistance glass.
- Hexagonal base does not allow roll-over and offer greater stability.
- Provided with PP Stopper.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Neck Size	Pack of (Pcs)	Price (Each)
2063076/1	5	0.1	0.05	10/19	2	301.00
2063076/2	10	0.2	0.10	10/19	2	328.00
2063076/3	25	0.5	0.25	14/23	2	528.00
2063076/4	50	1.0	0.50	14/23	2	624.00
2063076/4A	50	1.0	0.50	19/26	2	648.00
2063076/5	100	1.0	0.50	19/26	2	875.20
2063076/5A	100	1.0	0.50	24/29	2	768.00
2063076/6	250	2.0	1.00	29/32	2	1,088.00
2063076/7	500	5.0	2.50	34/35	2	1,120.00
2063076/8	1000	10.0	5.00	45/40	1	1,520.00
2063076/9	2000	20.0	10.0	45/40	1	2,048.00


- White and Amber Colour Printing also available.
- Order Hexagonal Glass Stopper separately.





CYLINDER, MIXING, CLASS 'A' ROUND BASE WITH STOPPER

- In accordance with IS 878, DIN/ISO 4788 with Individual Certificate.
- Manufactured using Boro 3.3 heat resistance glass.
- Round base ensure greater stability.
- Provided with PP Stopper.
- Available in blue colour printing.



Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	Neck Size	Pack of (Pcs)	Price (Each)
2063060/1	5	0.1	0.05	10/19	2	270.00
2063060/2	10	0.2	0.10	10/19	2	240.00
2063060/3	25	0.5	0.25	14/23	2	510.00
2063060/4	50	1.0	0.50	14/23	2	590.00
2063060/4A	50	1.0	0.50	19/26	2	590.00
2063060/5	100	1.0	0.50	19/26	2	710.00
2063060/6	250	2.0	1.00	29/32	2	1,069.00
2063060/7	500	5.0	2.50	34/35	2	1,580.00
2063060/8	1000	10.0	5.00	45/40	1	2,180.00
2063060/9	2000	20.0	10.0	45/40	1	3,460.00

- White and Amber Colour Printing also available.
- Order Hexagonal Glass Stopper separately.




CYLINDERS ► MEASURING

- Manufactured From 3.3 Low expansion borosilicate glass with precision bore tubing
- Individually calibrated on automatic calibration machine for precision and high accuracy




We have brought a new innovation to our volumetric glassware range in which we are offering QR CODED labelled products from which you can scan and download all the certificates



Dishes




DISHES, CRYSTALLIZING WITHOUT SPOUT



- In accordance with DIN 12337.
- Provided with reinforced and fire-polished rims which reduces chipping.
- Large labelling field helps in easy marking.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Top OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2060240/A4	25	40 x 25	10	135.00
2060240/A2	50	50 x 30	10	143.00
2060240/1A	90	60 x 35	10	170.00
2060240/1	100	70 x 40	6	250.00
2060240/2	150	80 x 45	6	265.00
2060240/3	300	95 x 55	6	470.00
2060240/3A	330	100 x 50	6	510.00
2060240/4	500	115 x 65	4	560.00
2060240/5	900	140 x 75	1	750.00
2060240/6	2000	190 x 90	1	1,340.00
2060240/6A	2500	190 x 100	1	1,498.00

- White and Amber Colour Printing also available



DISHES, CRYSTALLIZING WITH SPOUT


- In accordance with DIN 12337.
- Provided with reinforced and fire-polished rims which reduces chipping.
- Large labelling field helps in easy marking.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Top OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2060242/1	25	40 x 25	10	145.00
2060242/2	50	50 x 30	10	162.00
2060242/3	90	60 x 35	10	188.00
2060242/4	100	70 x 40	6	260.00
2060242/5	150	80 x 45	6	280.00
2060242/6	300	95 x 55	6	410.00
2060242/7	500	115 x 65	4	302.00
2060242/8	900	140 x 75	1	738.00
2060242/9	2000	190 x 90	1	1,260.00

- White and Amber Colour Printing also available

DISHES, EVAPORATING WITH SPOUT

- In accordance with DIN 12336.
- Manufactured by using Boro 3.3 Glass.
- Highly resistant to chemicals and thermal shocks.
- These Dishes are transparent and can tolerate repeated sterilisation (wet or dry).
- Large labelling field helps in easy marking.
- Spout helps in clean pouring.
- Beaded edges provide greater mechanical strength.
- Useful in routine work.



Cat. No.	Capacity (mL)	Top OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2060270/1	15	50 x 25	10	260.00
2060270/2	45	60 x 30	10	272.00
2060270/2B	60	70 x 35	10	364.00
2060270/3	90	80 x 45	10	447.00
2060270/4	170	95 x 55	6	412.50
2060270/5A	290	105 x 55	6	529.00
2060270/5	320	115 x 65	6	558.00
2060270/6	600	140 x 80	4	530.00
2060270/7A	800	150 x 80	1	1,066.00
2060270/9	1500	190 x 100	1	1,610.00
2060270/9A	1800	200 x 90	1	1,910.00
2060270/10	2500	230 x 130	1	2,400.00


- White and Amber Colour Printing also available




TROUGH, PNEUMATIC

- Made of Soda Glass.

Cat. No.	Dia x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2067590/1	150 x 100	1	510.00
2067590/2	200 x 100	1	810.00
2067590/3	250 x 100	1	750.00
2067590/4	250 x 125	1	1,350.00
2067590/5	300 x 125	1	2,280.00
2067590/6	300 x 150	1	2,760.00





PETRI DISHES


- In accordance with IS 2626.
- Manufactured by using Boro 3.3 Glass.
- These Dishes are transparent and can tolerate repeated sterilisation (wet or dry).
- Large labelling field helps in easy marking.
- Highly resistant to chemicals and thermal shocks.
- Beaded edges provide greater mechanical strength.
- Made by special process to ensure even wall thickness and consistent optical performance.

Cat. No.	Top OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2063570/1	50 x 17	10	177.00
2063570/2	80 x 17	10	190.00
2063570/3	100 x 17	10	240.00
2063570/4	150 x 20	10	680.00
2063570/5	200 x 20	10	1,780.00


- Petri Dishes, Amber glass available.

IMPOTRTANT

Glass has some unique properties compared to other materials - it is transparent, clear in appearance, has a smooth surface, erosion-resistant, chemical resistant, corrosion resistant and can transmit, refract and reflect light.



Distilling Apparatus




Most of the distillation equipment required in an average laboratory can be constructed using standard ARCO components. Distillation assemblies for specific applications are available as complete units, as listed herein.

DISTILLING APPARATUS, AMMONIA WITH GRAHAM CONDENSER, INTERCHANGEABLE JOINTS

- Ideal for determining nitrogen in organic compounds.
- Digestion and distillation stages can be performed in this apparatus.
- The inlet tube allows permanganate solution to be introduced after distillation.
- With Splash Head 24/29, 19/26.
- With Kjeldahl flask 500ml 24/29.
- With Coil condenser 200mm 19/26.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2062800/1	500	1	3,540.00

* White and Amber Colour Printing also available




GLASS
BORO
3.3

DISTILLING APPARATUS WITH GRAHAM CONDENSER, INTERCHANGEABLE JOINTS, INTERCHANGEABLE STOPPER

- Ideal for batch production of high purity distilled water.
- General purpose Batch Distillation Assembly equipped with an interchangeable stoppered neck that facilitates addition.
- The flask has a flat base with a delivery tube on the side.
- Flat bottom distillation flask 500 ml 24/29, 19/26
- With Coil condenser 200mm 19/26

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2062802/1	500	1	3,500.00

* White and Amber Colour Printing also available




GLASS
BORO
3.3

DISTILLING APPARATUS WITH FRIEDRICH'S CONDENSER, INTERCHANGEABLE JOINT AND STOPPER

- Made From Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Interchangeable Joint and Stopper.

Cat. No.	Capacity (mL)	Neck Size	Pack of (Pcs)	Price (Each)
2062805/1	2000	24/29	1	4,843.00

* White and Amber Colour Printing also available





DISTILLING APPARATUS COMPACT WITH FRIEDRICH'S CONDENSER, INTERCHANGEABLE JOINT

- A compact distillation assembly with specially designed Friedrich's Condenser.
- This Condenser is designed with vapour tubing rising at the top.
- A 1000ml Erlenmeyer Flask is provided with an interchangeable 34/35 joint.

Cat. No.	Capacity (mL)	Neck Size	Pack of (Pcs)	Price (Each)
2062808/1	1000	34/35	1	4,405.00

* White and Amber Colour Printing also available





R M VALUE APPARATUS

- Ideally use in dairy industries.
- Facilitates the determination of butter fat, and the analysis of oil, fat and waxes.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2062818/1	300	1	1,990.00

* White and Amber Colour Printing also available



The condenser cools these vapors condensing them back to liquid droplets that flow down the condenser into the receiver flask. A completely filled condenser provides maximum cooling therefore allowing for maximum recovery of the purified liquid during distillation.

Filtration Assembly




arco
1000ml

BOROSILICATE
GLASS 3.3

100%
Borosilicate Glass 3.3
with fritted glass
filter base



ALL GLASS FILTER HOLDER - 47MM FILTRATION ASSEMBLY

- Made of borosilicate Glass with fritted glass filter base.
- The base design has an intergral vacuum connection located above the filtrate drip to prevent contamination of the vacuum line from droplets.
- Anodised aluminium spring clamp.
- The filter size is 47mm.
- The effective filtration area is 9.6cm².
- Use for filtration of HPLC solvents and aqueous mobile phase solutions and buffers.
- The scaled funnels simplify dosing and analysis.

Cat. No.	Capacity (mL)	Socket Size	Funnel Cap. (mL)	Filtration Base Size (mm)	Pack of (Pcs)	Price (Each)
2064783/1	500	45/46	300	47	1	7,200.00
2064783/2	1000	45/46	300	47	1	7,800.00
2064783/3	2000	45/46	300	47	1	9,900.00
2064783/4	5000	45/46	300	90	1	40,600.00

- Blue and Amber Colour Printing also available

ALL GLASS FILTER HOLDER - 47MM SILICON STOPPER, FILTRATION ASSEMBLY

- Made of borosilicate Glass with fritted glass filter base.
- The base design has an intergral vacuum connection located above the filtrate drip to prevent contamination of the vacuum line from droplets.
- The filtration base has a silicon stopper.
- Anodised aluminium spring clamp.
- The filter size is 47mm.
- The effective filtration area is 9.6cm².
- Facilitates analysis of particulate or biological contamination of vacuum filtering liquid.
- The scaled funnels simplify dosing and analysis.

Cat. No.	Capacity (mL)	Funnel Cap. (mL)	Filtration Base Size (mm)	Pack of (Pcs)	Price (Each)
2064785/1	500	300	47	1	5,400.00
2064785/2	1000	300	47	1	5,910.00
2064785/3	2000	300	47	1	9,600.00
2064785/4	5000	300	90	1	35,400.00

- Blue and Amber Colour Printing also available



ALL GLASS FILTER HOLDER - 25MM SILICON STOPPER, FILTRATION ASSEMBLY

- Made of borosilicate Glass with fritted glass filter base.
- The Fritted Glass Base with stopper, 25 mm
- Anodised aluminium spring clamp.
- The filter size is 25mm.
- Facilitates analysis of particulate or biological contamination of vacuum filtering liquid.

Cat. No.	Flask Capacity (mL)	Filtration Base Size (mm)	Funnel (mL)	Pack of (Pcs)	Price (Each)
2064790/1	125	25	15	1	6,250.00

- Blue and Amber Colour Printing also available



MEMBRANE FILTRATION ASSEMBLY FILTRATION ASSEMBLY

- I/C Joint, Cup and Clamp. Supplied without flask & Clamp.

Cat. No.	Capacity (mL)	Funnel Cap. (mL)	Filtration Base Size (mm)	Pack of (Pcs)	Price (Each)
2064782/1	35	13	B 24 or 29	1	6,250.00
2064782/2	35	25	B 24 or 29	1	6,250.00
2064782/3	300	47	B 24	1	7,860.00
2064782/4	1000	90	B 55	1	70,000.00

- Blue and Amber Colour Printing also available





MEMBRANE FILTRATION ASSEMBLY FILTRATION ASSEMBLY

- With Silicon Cork, Cup and Clamp. Supplied without flask & Clamp.

Cat. No.	Capacity (mL)	Membrane Size (mm)	Pack of (Pcs)	Price (Each)
2064784/1	35	13	1	6,250.00
2064784/2	35	25	1	6,250.00
2064784/3	300	47	1	7,860.00

- Blue and Amber Colour Printing also available



MEMBRANE FILTRATION ASSEMBLY FILTRATION ASSEMBLY

- With Silicon Cork, Cup and Clamp. Supplied without flask & Clamp.

Cat. No.	Capacity (mL)	Filtration Base Size (mm)	Pack of (Pcs)	Price (Each)
2064786	15	25	1	6,260.00


- Blue and Amber Colour Printing also available

CRUCIBLE, GOOCH TYPE WITH SINTERED DISC (FILTER CRUCIBLE)

- Made of 3.3 borosilicate glass.
- Suitable for metal casting and analysis.

Cat. No.	Capacity (mL)	Disc Dia (mm)	Porosity	Pack of (Pcs)	Price (Each)
2062855/1	15	22	G-1	10	352.00
2062855/2	15	22	G-2	10	384.00
2062855/3	15	22	G-3	10	388.00
2062855/4	15	22	G-4	10	388.00
2062855/5	15	22	G-5	10	494.00
2062855/6	30	30	G-1	10	524.00
2062855/7	30	30	G-2	10	516.00
2062855/8	30	30	G-3	10	516.00
2062855/9	30	30	G-4	10	514.00
2062855/10	30	30	G-5	10	656.00
2062855/11	50	40	G-1	10	606.00
2062855/12	50	40	G-2	10	596.00
2062855/13	50	40	G-3	10	596.00
2062855/14	50	40	G-4	10	632.00
2062855/15	50	40	G-5	10	770.00

- Blue and Amber Colour Printing also available



CONICAL FUNNEL, HIRSCH TYPE SINTERED DISC


- Sintered glass, with flat sintered glass plate.

Cat. No.	Capacity (mL)	Disc Dia (mm)	Porosity	Pack of (Pcs)	Price (Each)
2064860/1A	20	20	G-1	12	740.00
2064860/1B	20	20	G-2	12	750.00
2064860/1C	20	20	G-3	12	750.00
2064860/1D	20	20	G-4	12	750.00
2064860/1E	20	20	G-5	12	750.00
2064860/2A	60	30	G-1	12	750.00
2064860/2B	60	30	G-2	12	870.00
2064860/2C	60	30	G-3	12	870.00
2064860/2D	60	30	G-4	12	870.00
2064860/2E	60	30	G-5	12	870.00
2064860/3A	175	30	G-1	2	870.00

- Blue and Amber Colour Printing also available



FUNNEL, BUCHNER TYPE WITH SINTERED DISC



- Made of 3.3 borosilicate glass.
- Suitable for qualitative inorganic analysis and preparative chemistry.

Cat. No.	Capacity (mL)	Disc Dia (mm)	Porosity	Pack of (Pcs)	Price (Each)
2064770/1	35	30	G-1	12	520.00
2064770/2	35	30	G-2	12	520.00
2064770/3	35	30	G-3	12	520.00
2064770/3A	35	30	G-4	12	520.00
2064770/3B	35	30	G-5	12	690.00
2064770/3C	50	40	G-1	12	650.00
2064770/3D	50	40	G-2	12	650.00
2064770/3E	50	40	G-3	12	650.00
2064770/3F	50	40	G-4	12	650.00
2064770/3G	50	40	G-5	12	650.00
2064770/4	80	40	G-1	12	1,040.00
2064770/5	80	40	G-2	12	1,040.00
2064770/6	80	40	G-3	12	1,040.00
2064770/7	80	40	G-4	12	1,040.00
2064770/7A	80	40	G-5	12	1,368.00
2064770/7B	100	45	G-1	6	1,410.00
2064770/7C	100	45	G-2	6	1,360.00
2064770/7D	100	45	G-3	6	1,360.00
2064770/7E	100	45	G-4	6	1,360.00
2064770/7F	100	45	G-5	6	1,360.00
2064770/8	125	65	G-1	6	1,440.00
2064770/9	125	65	G-2	6	Price on request
2064770/10	125	65	G-3	6	1,900.00
2064770/11	125	65	G-4	6	Price on request
2064770/11A	125	65	G-5	6	Price on request
2064770/12	200	65	G-1	6	1,620.00
2064770/13	200	65	G-2	6	1,620.00
2064770/14	200	65	G-3	6	1,620.00
2064770/15	200	65	G-4	6	1,620.00
2064770/16	200	65	G-5	6	2,038.00
2064770/17	500	90	G-1	6	3,722.00
2064770/18	500	90	G-2	6	3,722.00
2064770/19	500	90	G-3	6	3,722.00
2064770/20	500	90	G-4	6	3,722.00
2064770/21	500	90	G-5	6	5,400.00
2064770/22	1000	125	G-1	6	7,234.00
2064770/23	1000	125	G-2	6	7,234.00
2064770/24	1000	125	G-3	6	7,234.00
2064770/25	1000	125	G-4	6	7,234.00
2064770/26	1000	125	G-5	6	10,204.00
2064770/27	2000	145	G-1	6	12,000.00
2064770/28	2000	145	G-2	6	12,000.00
2064770/29	2000	145	G-3	6	12,000.00
2064770/30	2000	145	G-4	6	12,000.00
2064770/31	2000	145	G-5	6	12,000.00

• Blue and Amber Colour Printing also available




BUCHNER FUNNEL, SINTERED GLASS WITH I/C CONE AT STEM

- Made of 3.3 borosilicate glass.
- Suitable for qualitative inorganic analysis and preparative chemistry.


Cat. No.	Capacity (mL)	Disc Dia (mm)	Porosity	Cone	Pack of (Pcs)	Price (Each)
2064772/1	35	30	G-1	B 14, 19 or 24	12	816.00
2064772/2	35	30	G-2	B 14, 19 or 24	12	816.00
2064772/3	35	30	G-3	B 14, 19 or 24	12	816.00
2064772/4	35	30	G-4	B 14, 19 or 24	12	816.00
2064772/5	35	30	G-5	B 14, 19 or 24	12	1,000.00
2064772/6	50	40	G-1	B 14, 19 or 24	12	1,000.00
2064772/7	50	40	G-2	B 14, 19 or 24	12	1,000.00
2064772/8	50	40	G-3	B 14, 19 or 24	12	1,000.00
2064772/9	50	40	G-4	B 14, 19 or 24	12	1,000.00
2064772/10	50	40	G-5	B 14, 19 or 24	12	1,210.00
2064772/11	80	40	G-1	B 14, 19 or 24	12	1,210.00
2064772/12	80	40	G-2	B 14, 19 or 24	12	1,210.00
2064772/13	80	40	G-3	B 14, 19 or 24	12	1,220.00
2064772/14	80	40	G-4	B 14, 19 or 24	12	1,220.00
2064772/15	80	40	G-5	B 14, 19 or 24	12	1,460.00
2064772/16	100	45	G-1	B 14, 19 or 24	6	1,420.00
2064772/17	100	45	G-2	B 14, 19 or 24	6	1,420.00
2064772/18	100	45	G-3	B 14, 19 or 24	6	1,420.00
2064772/19	100	45	G-4	B 14, 19 or 24	6	1,420.00
2064772/20	100	45	G-5	B 14, 19 or 24	6	1,510.00
2064772/21	125	50	G-1	B 14, 19 or 24	6	1,510.00
2064772/22	125	50	G-2	B 14, 19 or 24	6	1,510.00
2064772/23	125	50	G-3	B 14, 19 or 24	6	1,510.00
2064772/24	125	50	G-4	B 14, 19 or 24	6	1,510.00
2064772/25	125	50	G-5	B 14, 19 or 24	6	1,510.00
2064772/26	200	65	G-1	B 14, 19 or 24	6	1,800.00
2064772/27	200	65	G-2	B 14, 19 or 24	6	1,800.00
2064772/28	200	65	G-3	B 14, 19 or 24	6	2,338.00
2064772/29	200	65	G-4	B 14, 19 or 24	6	2,338.00
2064772/30	200	65	G-5	B 14, 19 or 24	6	3,200.00
2064772/31	500	90	G-1	B 19, 24 or 29	6	3,600.00
2064772/32	500	90	G-2	B 19, 24 or 29	6	3,600.00
2064772/33	500	90	G-3	B 19, 24 or 29	6	5,570.00
2064772/34	500	90	G-4	B 19, 24 or 29	6	5,570.00
2064772/35	500	90	G-5	B 19, 24 or 29	6	5,570.00
2064772/36	1000	125	G-1	B 24, 29 or 34	6	4,800.00
2064772/37	1000	125	G-2	B 24, 29 or 34	6	8,000.00
2064772/38	1000	125	G-3	B 24, 29 or 34	6	8,000.00
2064772/39	1000	125	G-4	B 24, 29 or 34	6	8,000.00
2064772/40	1000	125	G-5	B 24, 29 or 34	6	8,000.00
2064772/41	2000	145	G-1	B 24, 29 or 34	6	17,000.00
2064772/42	2000	145	G-2	B 24, 29 or 34	6	17,000.00
2064772/43	2000	145	G-3	B 24, 29 or 34	6	17,000.00
2064772/44	2000	145	G-4	B 24, 29 or 34	6	17,000.00
2064772/45	2000	145	G-5	B 24, 29 or 34	6	23,000.00

- Blue and Amber Colour Printing also available



BUCHNER FUNNEL, SINTERED GLASS WITH I/C CONE & VACUUM CONNECTION AT STEM

- Made of 3.3 borosilicate glass.
- Suitable for qualitative inorganic analysis and preparative chemistry.



Cat. No.	Capacity (mL)	Disc Dia (mm)	Porosity	Cone	Pack of (Pcs)	Price (Each)
2064774/1	35	30	G-1	B 14, 19 or 24	1	1,950.00
2064774/2	35	30	G-2	B 14, 19 or 24	1	1,950.00
2064774/3	35	30	G-3	B 14, 19 or 24	1	1,950.00
2064774/4	35	30	G-4	B 14, 19 or 24	1	1,950.00
2064774/5	35	30	G-5	B 14, 19 or 24	1	2,200.00
2064774/6	50	40	G-1	B 14, 19 or 24	1	2,200.00
2064774/7	50	40	G-2	B 14, 19 or 24	1	2,200.00
2064774/8	50	40	G-3	B 14, 19 or 24	1	2,200.00
2064774/9	50	40	G-4	B 14, 19 or 24	1	2,200.00
2064774/10	50	40	G-5	B 14, 19 or 24	1	2,450.00
2064774/11	80	40	G-1	B 14, 19 or 24	1	2,200.00
2064774/12	80	40	G-2	B 14, 19 or 24	1	2,200.00
2064774/13	80	40	G-3	B 14, 19 or 24	1	2,200.00
2064774/14	80	40	G-4	B 14, 19 or 24	1	2,200.00
2064774/15	80	40	G-5	B 14, 19 or 24	1	2,450.00
2064774/16	100	45	G-1	B 14, 19 or 24	1	2,325.00
2064774/17	100	45	G-2	B 14, 19 or 24	1	2,325.00
2064774/18	100	45	G-3	B 14, 19 or 24	1	2,325.00
2064774/19	100	45	G-4	B 14, 19 or 24	1	2,325.00
2064774/20	100	45	G-5	B 14, 19 or 24	1	2,575.00
2064774/21	125	50	G-1	B 14, 19 or 24	1	2,575.00
2064774/22	125	50	G-2	B 14, 19 or 24	1	2,575.00
2064774/23	125	50	G-3	B 14, 19 or 24	1	2,575.00
2064774/24	125	50	G-4	B 14, 19 or 24	1	2,575.00
2064774/25	125	50	G-5	B 14, 19 or 24	1	3,075.00
2064774/26	200	65	G-1	B 14, 19 or 24	1	2,950.00
2064774/27	200	65	G-2	B 14, 19 or 24	1	2,950.00
2064774/28	200	65	G-3	B 14, 19 or 24	1	2,950.00
2064774/29	200	65	G-4	B 14, 19 or 24	1	2,950.00
2064774/30	200	65	G-5	B 14, 19 or 24	1	3,950.00
2064774/31	500	90	G-1	B 19, 24 or 29	1	4,450.00
2064774/32	500	90	G-2	B 19, 24 or 29	1	4,450.00
2064774/33	500	90	G-3	B 19, 24 or 29	1	4,450.00
2064774/34	500	90	G-4	B 19, 24 or 29	1	4,450.00
2064774/35	500	90	G-5	B 19, 24 or 29	1	5,450.00
2064774/36	1000	125	G-1	B 24, 29 or 34	1	8,950.00
2064774/37	1000	125	G-2	B 24, 29 or 34	1	8,950.00
2064774/38	1000	125	G-3	B 24, 29 or 34	1	8,950.00
2064774/39	1000	125	G-4	B 24, 29 or 34	1	8,950.00
2064774/40	1000	125	G-5	B 24, 29 or 34	1	15,950.00
2064774/41	2000	145	G-1	B 24, 29 or 34	1	15,950.00
2064774/42	2000	145	G-2	B 24, 29 or 34	1	15,950.00
2064774/43	2000	145	G-3	B 24, 29 or 34	1	15,950.00
2064774/44	2000	145	G-4	B 24, 29 or 34	1	15,950.00
2064774/45	2000	145	G-5	B 24, 29 or 34	1	20,950.00

• Blue and Amber Colour Printing also available

Flasks



ROUND BOTTOM
FLAT BOTTOM

FLASKS, (VESSELS) REACTION

- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- The flask comprises of a spherical body with a neck of inner diameter 4 inches (approx. 100mm) and outer diameter 150mm.
- Wide Mouth is finely ground to ensure a leak-resistant fit with the cover.

Cat. No.	Capacity (mL)	Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064010/1	1000	170	1	1,810.00
2064010/2	2000	205	1	2,479.00
2064010/3	5000	260	1	5,407.00
2064010/4	10000	335	1	11,411.00
2064010/5	20000	400	1	19,639.00

- White and Amber Colour Printing also available

LIDS, FOR FLASKS REACTION

- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Consist of Flat rim and Interchangeable Joint.

Cat. No.	Interchangeable joint Size					Pack of (Pcs)	Price (Each)
	Centre	Parallel	Side 5°	Side 10°	Side 15°		
2064011/1	19/26	19/26	24/29	19/26	-	1	4,087.00
2064011/2	19/26	14/23	14/23	14/23	29/32	1	4,087.00
2064011/3	29/32	14/23	14/23	14/23	29/32	1	4,087.00



- White and Amber Colour Printing also available

FLASKS-E, WITHOUT SIDE CUT FOR DISSOLUTION APPARATUS

- In accordance with DIN ISO 3585 & USP standard
- These flasks has Smooth hemispherical base with no flaws or defects, straight sides and a flat flange.
- Graduated in intervals of 50ml (in blue)
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Useful in determining the dissolution characteristics of drugs in capsules and tablets

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064012/1	1000	131 x 173	1	2,969.00

- White and Amber Colour Printing also available
- Amber Coating Flasks also available. Use Cat. No. +A (2064012A)



FLASKS-L, WITH SIDE CUT FOR DISSOLUTION APPARATUS

- In accordance with DIN ISO 3585 & USP standard
- These flasks has Smooth hemispherical base with no flaws or defects, straight sides and a flat flange.
- Graduated in intervals of 50ml (in blue).
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Useful in determining the dissolution characteristics of drugs in capsules and tablets.
- This article consist of two side-cuts at the rim.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064013/1	1000	131 x 173	1	3,168.00

- White and Amber Colour Printing also available
- Amber Coating Flasks also available. Use Cat. No. +A (2064013A)



FLASKS-D, WITHOUT SIDE CUT FOR DISSOLUTION APPARATUS

- In accordance with DIN ISO 3585 & USP standard
- These flasks has Smooth hemispherical base with no flaws or defects, straight sides and a flat flange.
- Graduated in intervals of 50ml (in blue).
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Useful in determining the dissolution characteristics of drugs in capsules and tablets.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064014/1	1000	131 x 173	1	10,897.00

- White and Amber Colour Printing also available



FLASKS, KJELDAHL WITHOUT SOCKET

- Manufactured from ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Optimal for determination of Nitrogen/protein.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064350/1	10	30 x 180	2	124.00
2064350/2	30	40 x 180	2	157.00
2064350/3	100	58 x 210	2	Price on request
2064350/4	300	81 x 295	2	Price on request
2064350/5	500	101 x 300	2	668.00
2064350/6	800	113 x 375	2	804.00

- White and Amber Colour Printing also available



FLASKS, KJELDAHL WITH SOCKET

- In accordance with DIN 12360
- Manufactured from ASTM E-438 Type 1, Boro 3.3 heat resistance glass.
- Optimal for determination of Nitrogen/protein.
- Design of the article consists of a tooled neck which offers greater strength and a better stopper fit.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck Size	Pack of (Pcs)	Price (Each)
2064380/1	50	52 x 200	19/26	2	397.00
2064380/2	100	61 x 210	19/26	2	434.00
2064380/3	100	61 x 213	24/29	2	531.00
2064380/4	300	81 x 298	24/29	2	628.00
2064380/5	500	101 x 300	24/29	2	780.00
2064380/6	800	113 x 375	24/29	2	861.00

- White and Amber Colour Printing also available

FLASKS, DISTILLATION WITH SIDE ARM

- In accordance with IS 2620.
- Manufactured from ASTM E-438 Type 1, Boro 3.3 heat resistance glass.
- Optimal for performing distillation process.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck Size	Pack of (Pcs)	Price (Each)
2064050/1	100	64 x 210	21	2	Price on request
2064050/2A	125	70 x 215	21	2	Price on request
2064050/3	250	85 x 230	25	2	446.00
2064050/4	500	105 x 250	28	2	529.00
2064050/5	1000	130 x 305	31	2	689.00


- White and Amber Colour Printing also available

FLASKS, DISTILLATION WITH SIDE ARM & SOCKET

- In accordance with IS 2620.
- Manufactured from ASTM E-438 Type 1, Boro 3.3 heat resistance glass.
- Optimal for performing distillation process.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck Size	Pack of (Pcs)	Price (Each)
2064051/2	125	70 x 215	19/26	2	485.00

- White and Amber Colour Printing also available




FLASKS, BOILING, PEAR SHAPE WITH SOCKET

- In accordance with DIN 12383.
- Conical in shape.
- Manufactured from ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- These flasks are Used in Rotary Evaporator.
- Optimal for performing small scale reaction.

Cat. No.	Capacity (mL)	Socket Size	Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064330/5	25	10/19	90	10	Price on request
2064330/4A	25	14/23	90	10	186.00
2064330/7	50	14/23	110	10	206.00
2064330/8	50	19/26	110	10	Price on request
2064330/9	100	14/23	125	10	Price on request
2064330/10	100	19/26	125	10	259.00
2064330/11	100	24/29	125	10	Price on request
2064330/12	250	29/32	145	10	Price on request

- White and Amber Colour Printing also available




FLASKS, PEAR SHAPE, TWO NECK

- Short neck with sockets.
- Borosilicate Glass.

Cat. No.	Capacity (mL)	Socket Size	Pack of (Pcs)	Price (Each)
2064335	50	14/23	2	374.00
2064335/1	100	14/23	2	396.00

- White and Amber Colour Printing also available




FLASKS, PEAR SHAPE, THREE NECK

- Short neck with sockets.
- Borosilicate Glass.

Cat. No.	Capacity (mL)	Socket Size	Pack of (Pcs)	Price (Each)
2064340/1	50	14/23	2	480.00
2064340/2	100	14/23	2	610.00

- White and Amber Colour Printing also available





FLASKS, BOILING, FLAT BOTTOM NARROW NECK

- In accordance with DIN/ISO 1773.
- Manufactured using ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Provided with a durable matt-finished enameled area for marking.
- These flasks possess beaded rim and uniform wall thickness distribution which makes these flasks ideal for heating.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck OD	Pack of (Pcs)	Price (Each)
2063875/1	50	51 x 90	22	10	118.00
2063875/2	100	64 x 105	22	10	136.00
2063875/2A*	150	75 x 132	28	10	150.00
2063875/3	250	85 x 138	34	6	166.00
2063875/3A*	300	88 x 160	34	6	220.00
2063875/4	500	105 x 163	34	6	270.00
2063875/5	1000	131 x 190	42	6	428.00
2063875/6	2000	166 x 250	50	4	1,100.00
2063875/6A*	3000	185 x 250	50	1	1,980.00
2063875/7	4000	207 x 250	50	1	2,400.00
2063875/6B*	5000	233 x 290	50	1	3,100.00
2063875/9	10000	280 x 360	65	1	7,400.00
2063875/11	20000	350 x 495	75	1	13,400.00

* White and Amber Colour Printing also available



FLASKS, BOILING, FLAT BOTTOM WIDE NECK

- In accordance with DIN/ISO 1773.
- Manufactured using ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Provided with a durable matt-finished enameled area for marking.
- These flasks possess beaded rim and uniform wall thickness distribution which makes these flasks ideal for heating.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck OD	Pack of (Pcs)	Price (Each)
2063990/2	50	51 x 90	34	10	118.00
2063990/3	100	64 x 105	34	10	128.00
2063990/4	150	75 x 132	34	10	136.00
2063990/5	250	85 x 138	50	6	143.00
2063990/6	300	88 x 160	50	6	188.00
2063990/7	500	105 x 163	50	4	242.00
2063990/8	1000	131 x 190	50	2	332.00
2063990/9	2000	166 x 250	70	2	670.00


• White and Amber Colour Printing also available

FLASKS, BOILING, FLAT BOTTOM WITH SOCKET

- In accordance with DIN / ISO 4797 and USP standard.
- Design of these flask include flat bottom, short neck and interchangeable joint.
- Provided with a durable matt-finished enamelled area for marking.
- These flasks are ideal for boiling processes.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck Size	Pack of (Pcs)	Price (Each)
2064020/A1	50	51 x 85	14/23	10	185.00
2064020/1	50	51 x 85	19/26	10	185.00
2064020/2	50	51 x 85	24/29	10	185.00
2064020/2A	50	51 x 85	29/32	10	185.00
2064020/3A	100	64 x 103	14/23	10	185.00
2064020/3	100	64 x 103	19/26	10	185.00
2064020/4	100	64 x 103	24/29	10	185.00
2064020/5	100	64 x 103	29/32	10	185.00
2064020/7A	150	74 x 115	14/23	10	228.00
2064020/7	150	74 x 115	19/26	10	228.00
2064020/8	150	74 x 115	24/29	10	223.00
2064020/9	150	74 x 115	29/32	10	225.00
2064020/11A	250	85 x 130	14/23	6	219.00
2064020/11	250	85 x 130	19/26	6	219.00
2064020/12	250	85 x 130	24/29	6	234.00
2064020/13	250	85 x 130	29/32	6	219.00
2064020/14	250	85 x 130	34/35	6	225.00
2064020/15A	500	105 x 160	14/23	6	225.00
2064020/15	500	105 x 160	19/26	6	335.00
2064020/16	500	105 x 160	24/29	6	331.00
2064020/17	500	105 x 160	29/32	6	335.00
2064020/18	500	105 x 160	34/35	6	345.00
2064020/19A	1000	131 x 185	19/26	6	328.00
2064020/19	1000	131 x 185	24/29	6	451.00
2064020/20	1000	131 x 185	29/32	6	451.00
2064020/21	1000	131 x 185	34/35	6	466.00
2064020/22	2000	166 x 260	24/29	6	835.00
2064020/23	2000	166 x 260	29/32	4	827.00
2064020/24	2000	166 x 260	34/35	4	844.00
2064020/30	3000	185 x 290	29/32	1	2,285.00
2064020/31	3000	185 x 290	34/35	1	2,239.00
2064020/32	3000	185 x 290	45/40	1	2,280.00
2064020/33	5000	223 x 300	29/32	1	3,730.00
2064020/34	5000	223 x 300	34/35	1	3,660.00
2064020/35	5000	223 x 300	45/40	1	3,730.00

- White and Amber Colour Printing also available



FLASKS, BOILING, ROUND BOTTOM NARROW NECK

- In accordance with DIN/ISO 1773.
- Manufactured using ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Provided with a durable matt-finished enamelled area for marking.
- These flasks possess beaded rim and uniform wall thickness distribution which makes these flasks ideal for heating.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck OD	Pack of (Pcs)	Price (Each)
2063880/1	50	51 x 95	22	10	117.00
2063880/2	100	64 x 105	26	10	130.00
2063880/2B*	150	75 x 132	28	10	148.00
2063880/3	250	85 x 144	34	6	146.00
2063880/3A*	300	88 x 160	34	6	190.00
2063880/4*	500	105 x 168	34	6	250.00
2063880/5	1000	131 x 200	42	6	352.00
2063880/6	2000	166 x 250	50	4	745.00
2063880/6A*	3000	185 x 250	50	1	1,860.00
2063880/7	4000	207 x 260	50	1	2,200.00
2063880/7A*	5000	233 x 290	50	1	2,916.00
2063880/9	10000	280 x 380	65	1	6,332.00
2063880/10	20000	350 x 495	75	1	11,415.00

• White and Amber Colour Printing also available



FLASKS, BOILING, ROUND BOTTOM WIDE NECK

- In accordance with DIN/ISO 24450.
- Manufactured using ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Provided with a durable matt-finished enamelled area for marking.
- These flasks possess beaded rim and uniform wall thickness distribution which makes these flasks ideal for heating.

Cat. No.	Capacity (mL)	OD x Height (mm) Approx.	Neck OD	Pack of (Pcs)	Price (Each)
2063885/1	50	51 x 90	34	10	120.00
2063885/2	100	64 x 105	34	10	138.00
2063885/2A	150	75 x 132	34	10	160.00
2063885/3	250	85 x 144	50	6	154.00
2063885/3A	300	88 x 160	50	6	198.00
2063885/4	500	105 x 168	50	6	252.00
2063885/5	1000	131 x 200	50	6	344.00
2063885/6	2000	166 x 250	70	4	730.00

• White and Amber Colour Printing also available



FLASKS, BOILING, ROUND BOTTOM WITH SOCKET

- In accordance with DIN/ISO 4797 and USP standard.
- Manufactured using Boro 3.3 heat resistance glass.
- Uniform wall thickness distribution and the round bottom shape make them ideal for heating.
- Generally used in distillation and extraction processes.




Cat. No.	Capacity (mL)	Neck Size	Pack of (Pcs)	Price (Each)
2063930/5	25	14/23	10	193.00
2063930/6	25	19/26	10	193.00
2063930/7	25	24/29	10	185.00
2063930/8	50	14/23	10	185.00
2063930/9	50	19/26	10	185.00
2063930/10	50	24/29	10	185.00
2063930/11	50	29/32	10	185.00
2063930/12	100	14/23	10	195.00
2063930/13	100	19/26	10	195.00
2063930/14	100	24/29	10	195.00
2063930/15	100	29/32	10	185.00
2063930/17	150	19/26	10	238.00
2063930/18	150	24/29	10	238.00
2063930/19	150	29/32	10	238.00
2063930/21	250	14/23	6	238.00
2063930/22	250	19/26	6	238.00
2063930/23	250	24/29	6	247.00
2063930/24	250	29/32	6	240.00
2063930/25	250	34/35	6	240.00
2063930/26	500	19/26	4	333.00
2063930/27	500	24/29	4	333.00
2063930/28	500	29/32	4	333.00
2063930/29	500	34/35	4	340.00
2063930/30	500	45/40	4	410.00
2063930/31	1000	19/26	2	468.00
2063930/32	1000	24/29	2	460.00
2063930/33	1000	29/32	2	460.00
2063930/34	2000	24/29	2	940.00
2063930/35	2000	29/32	2	890.00
2063930/36	2000	34/35	2	890.00
2063930/37	2000	45/40	2	945.00
2063930/38	3000	24/29	1	2,546.00
2063930/39	3000	29/32	1	2,410.00
2063930/40	3000	45/40	1	2,472.00
2063930/41	4000	45/40	1	3,340.00
2063930/42	5000	24/29	1	3,874.00
2063930/43	5000	29/32	1	3,727.00
2063930/44	5000	34/35	1	3,727.00
2063930/45	5000	45/40	1	3,727.00
2063930/46	10000	29/32	1	7,643.00
2063930/47	10000	34/35	1	7,814.00
2063930/48	10000	45/40	1	7,920.00
2063930/49	10000	55/44	1	7,814.00
2063930/50	20000	55/44	1	13,602.00

• White and Amber Colour Printing also available



FLASKS, BOILING, ROUND BOTTOM TWO NECK, ANGULAR

- In accordance with DIN/ISO 12394 & USP standard.
- Manufactured using Boro 3.3 heat resistance glass
- These flasks possess Uniform wall thickness distribution and the round bottom shape which makes these flasks ideal for heating.
- Instruments like Thermometer, column, dropping funnels, boiling capillaries etc can be fitted depending upon the application.
- Use for processes like distillation and extraction.
- Out of the two necks one is centred and vertical other is inclined at an angle of 20° to the vertical neck.



Cat. No.	Capacity (mL)	Centre Neck	Side Neck	Pack of (Pcs)	Price (Each)
2063865/1	25	14/23	14/23	10	254.00
2063865/2	50	14/23	14/23	10	254.00
2063865/2A	50	24/29	14/23	10	272.00
2063865/2B	50	29/32	14/23	10	272.00
2063865/3	100	24/29	14/23	6	310.00
2063865/4	100	24/29	19/26	6	272.00
2063865/4A	100	19/26	14/23	6	359.00
2063865/4B	100	29/32	14/23	6	359.00
2063865/5	250	24/29	14/23	6	359.00
2063865/6	250	24/29	19/26	6	519.00
2063865/6A	250	29/32	14/23	6	519.00
2063865/7	500	24/29	14/23	6	519.00
2063865/8	500	24/29	19/26	6	645.00
2063865/8A	500	29/32	14/23	6	645.00
2063865/9	1000	24/29	14/23	6	645.00
2063865/10	1000	24/29	19/26	6	1,155.00
2063865/10A	1000	29/32	14/23	6	1,155.00
2063865/11	2000	34/35	19/26	4	1,190.00
2063865/11A	2000	24/29	19/26	4	3,059.00
2063865/11B	2000	24/29	14/23	4	3,059.00
2063865/12	3000	34/35	19/26	1	3,200.00
2063865/12A	3000	34/35	24/29	1	3,200.00
2063865/13	5000	34/35	19/26	1	4,600.00
2063865/13A	5000	34/35	24/29	1	4,600.00
2063865/14	10000	34/35	24/29	1	8,400.00
2063865/14A	10000	55/44	24/29	1	8,400.00
2063865/15	20000	55/44	24/29	1	14,000.00

• White and Amber Colour Printing also available

FLASKS, BOILING, ROUND BOTTOM TWO NECK, PARALLEL

- In accordance with DIN/ISO 12394 & USP standard.
- Manufactured using Boro 3.3 heat resistance glass
- These flasks possess Uniform wall thickness distribution and the round bottom shape which makes these flasks ideal for heating.
- Instruments like Thermometer, column, dropping funnels, boiling capillaries etc can be fitted depending upon the application.
- Use for processes like distillation and extraction.
- Both the necks are vertical, One neck is centred, while the other is the side neck.



Cat. No.	Capacity (mL)	Centre Neck	Side Neck	Pack of (Pcs)	Price (Each)
2063866/1	50	24/29	14/23	10	272.00
2063866/2	50	29/32	14/23	10	272.00
2063866/3	100	24/29	14/23	6	272.00
2063866/4	100	24/29	19/26	6	272.00
2063866/5	100	19/26	14/23	6	290.00
2063866/6	100	29/32	14/23	6	272.00
2063866/7	250	24/29	14/23	6	364.00
2063866/8	250	24/29	19/26	6	364.00
2063866/9	250	29/32	14/23	6	364.00
2063866/10	500	24/29	14/23	6	526.00
2063866/11	500	24/29	19/26	6	526.00
2063866/12	500	29/32	14/23	6	526.00
2063866/13	1000	24/29	14/23	6	657.00
2063866/14	1000	24/29	19/26	6	657.00
2063866/15	1000	29/32	14/23	6	657.00
2063866/16	2000	34/35	19/26	4	1,161.00
2063866/17	2000	24/29	19/26	4	1,161.00
2063866/18	2000	24/29	14/23	4	1,280.00
2063866/19	3000	34/35	19/26	1	3,057.00
2063866/20	3000	34/35	24/29	1	3,057.00
2063866/21	5000	34/35	19/26	1	4,506.00
2063866/22	5000	34/35	24/29	1	4,506.00
2063866/23	10000	34/35	24/29	1	8,104.00
2063866/24	10000	55/44	24/29	1	8,104.00
2063866/25	20000	55/44	24/29	1	13,506.00

- White and Amber Colour Printing also available



FLASKS, BOILING, ROUND BOTTOM THREE NECK, ANGULAR

- In accordance with DIN/ISO 12394.
- Manufactured using Boro 3.3 heat resistance glass
- These flasks possess Uniform wall thickness distribution and the round bottom shape which makes these flasks ideal for heating.
- Instruments like Thermometer, column, dropping funnels, boiling capillaries etc can be fitted depending upon the application.
- Use for processes like distillation and extraction.
- Out of the three necks, the centered neck is vertical and the other two are 180° apart is inclined at an angle of 20° to the vertical neck.



DIN
12394

**THREE
NECK**

**Chemical
Resistant**

**GLASS
BORO
3.3**

Cat. No.	Capacity (mL)	Centre Neck	Side Neck	Pack of (Pcs)	Price (Each)
2063920/6	100	19/26	14/23	6	374.00
2063920/7	100	24/29	14/23	6	374.00
2063920/8	100	24/29	19/26	6	374.00
2063920/9	250	19/26	19/26	6	475.00
2063920/10	250	24/29	14/23	6	475.00
2063920/11	250	24/29	19/26	6	475.00
2063920/12	250	29/32	14/23	6	481.00
2063920/13	250	29/32	19/26	6	481.00
2063920/14	500	24/29	14/23	6	714.00
2063920/15	500	24/29	19/26	6	714.00
2063920/16	500	29/32	14/23	6	723.00
2063920/17	500	29/32	19/26	6	723.00
2063920/18	1000	24/29	14/23	6	928.00
2063920/19	1000	24/29	19/26	6	928.00
2063920/22	1000	34/35	19/26	6	1,000.00
2063920/20	1000	29/32	19/26	6	893.00
2063920/21	1000	29/32	29/32	6	893.00
2063920/23	2000	24/29	19/26	4	1,674.00
2063920/24	2000	34/35	19/26	4	1,810.00
2063920/25	3000	34/35	19/26	1	4,123.00
2063920/26	5000	34/35	19/26	1	5,757.00
2063920/27	10000	34/35	19/26	1	11,695.00
2063920/28	20000	55/44	24/29	1	16,823.00


- White and Amber Colour Printing also available

FLASKS, BOILING, ROUND BOTTOM THREE NECK, PARALLEL


- In accordance with DIN/ISO 12394.
- Manufactured using Boro 3.3 heat resistance glass
- These flasks possess Uniform wall thickness distribution and the round bottom shape which makes these flasks ideal for heating.
- Instruments like Thermometer, column, dropping funnels, boiling capillaries etc can be fitted depending upon the application.
- Use for processes like distillation and extraction.
- Out of the three necks, the centred neck is vertical and the other two are 180° apart and parallel to the centre neck.

Cat. No.	Capacity (mL)	Centre Neck	Side Neck	Pack of (Pcs)	Price (Each)
2063921/6	100	19/26	14/23	6	390.00
2063921/7	100	24/29	14/23	6	390.00
2063921/8	100	24/29	19/26	6	390.00
2063921/9	250	19/26	19/26	6	492.00
2063921/10	250	24/29	14/23	6	513.00
2063921/11	250	24/29	19/26	6	475.00
2063921/12	250	29/32	14/23	6	480.00
2063921/13	250	29/32	19/26	6	560.00
2063921/14	500	24/29	14/23	6	770.00
2063921/15	500	24/29	19/26	6	714.00
2063921/16	500	29/32	14/23	6	723.00
2063921/17	500	29/32	19/26	6	723.00
2063921/18	1000	24/29	14/23	6	950.00
2063921/19	1000	24/29	19/26	6	879.00
2063921/22	1000	34/35	19/26	6	1,000.00
2063921/20	1000	29/32	19/26	6	888.00
2063921/21	1000	29/32	29/32	6	888.00
2063921/23	2000	24/29	19/26	4	1,596.00
2063921/24	2000	34/35	19/26	4	1,596.00
2063921/25	3000	34/35	19/26	1	4,121.00
2063921/27	10000	34/35	19/26	1	11,695.00
2063921/28	20000	55/44	24/29	1	16,815.00

- White and Amber Colour Printing also available



FLASKS, BOILING, ROUND BOTTOM FOUR NECK, ANGULAR



- In accordance with DIN/ISO 12392 using Boro 3.3 heat resistance glass.
- These flasks possess Uniform wall thickness distribution and the round bottom shape which makes these flasks ideal for heating.
- Instruments like Thermometer, column, dropping funnels, boiling capillaries etc can be fitted depending upon the application.
- Use for processes like distillation and extraction.
- Out of the four necks, the centered neck is vertical and the remaining three are inclined at an angle of 20° to the vertical neck.
- Two out of the provided neck are 180° apart, and a third side neck is at 90° from the other two necks.



DIN
12392

FOUR
NECK

Chemical
Resistant


GLASS
BORO
3.3

Cat. No.	Capacity (mL)	Centre Neck	Side Neck	Pack of (Pcs)	Price (Each)
2063923/1	50	24/29	14/23	10	480.00
2063923/2	50	24/29	24/29	10	551.00
2063923/3	50	29/32	14/23	6	580.00
2063923/4	100	19/26	14/23	6	594.00
2063923/5	100	24/29	14/23	6	622.00
2063923/6	100	14/23	14/23	6	594.00
2063923/7	100	24/29	19/26	6	622.00
2063923/8	100	29/32	14/23	6	594.00
2063923/9	250	19/26	19/26	6	732.00
2063923/10	250	19/26	14/23	6	732.00
2063923/11	250	24/29	14/23	6	760.00
2063923/12	250	24/29	19/26	6	760.00
2063923/13	250	29/32	14/23	6	732.00
2063923/14	250	29/32	19/26	6	732.00
2063923/15	250	29/32	29/32	6	732.00
2063923/16	500	24/29	14/23	6	1,078.00
2063923/17	500	24/29	19/26	6	1,078.00
2063923/18	500	24/29	24/29	6	1,078.00
2063923/19	500	29/32	14/23	6	1,036.00
2063923/20	500	29/32	19/26	6	1,036.00
2063923/21	500	29/32	29/32	6	1,036.00
2063923/22	500	34/35	24/29	6	1,078.00
2063923/23	1000	24/29	14/23	4	1,340.00
2063923/24	1000	24/29	19/26	4	1,340.00
2063923/25	1000	24/29	24/29	4	1,340.00
2063923/26	1000	29/32	14/23	4	1,287.00
2063923/27	1000	29/32	19/26	4	1,287.00
2063923/28	1000	29/32	29/32	4	1,287.00
2063923/29	1000	34/35	24/29	4	1,340.00
2063923/30	2000	24/29	19/26	1	2,223.00
2063923/31	2000	24/29	14/23	1	2,223.00
2063923/32	2000	29/32	24/29	1	2,138.00
2063923/33	2000	29/32	29/32	1	2,138.00
2063923/34	2000	34/35	19/26	1	2,223.00
2063923/35	2000	34/35	24/29	1	2,223.00
2063923/36	3000	34/35	19/26	1	5,176.00
2063923/37	3000	34/35	24/29	1	5,176.00
2063923/38	5000	34/35	24/29	1	7,104.00
2063923/39	5000	34/35	19/26	1	7,104.00
2063923/40	10000	34/35	24/29	1	12,695.00
2063923/41	10000	45/40	24/29	1	12,184.00

• White and Amber Colour Printing also available

FLASKS, BOILING, ROUND BOTTOM FOUR NECK, PARALLEL

- In accordance with DIN/ISO 12392 using Boro 3.3 heat resistance glass.
- These flasks possess Uniform wall thickness distribution and the round bottom shape which makes these flasks ideal for heating.
- Instruments like Thermometer, column, dropping funnels, boiling capillaries etc can be fitted depending upon the application.
- Use for processes like distillation and extraction.
- All the four necks are vertical. The two side necks are 180° apart. The third neck is at 90° from the other two necks.



Cat. No.	Capacity (mL)	Centre Neck	Side Neck	Pack of (Pcs)	Price (Each)
2063924/1	50	24/29	14/23	10	544.00
2063924/2	50	24/29	24/29	10	544.00
2063924/3	50	29/32	14/23	6	580.00
2063924/4	100	19/26	14/23	6	580.00
2063924/5	100	24/29	14/23	6	625.00
2063924/6	100	14/23	14/23	6	625.00
2063924/7	100	24/29	19/26	6	625.00
2063924/8	100	29/32	14/23	6	625.00
2063924/9	250	19/26	19/26	6	727.00
2063924/10	250	19/26	14/23	6	727.00
2063924/11	250	24/29	14/23	6	758.00
2063924/12	250	24/29	19/26	6	758.00
2063924/13	250	29/32	14/23	6	727.00
2063924/14	250	29/32	19/26	6	727.00
2063924/15	250	29/32	29/32	6	727.00
2063924/16	500	24/29	14/23	6	1,078.00
2063924/17	500	24/29	19/26	6	1,078.00
2063924/18	500	24/29	24/29	6	1,078.00
2063924/19	500	29/32	14/23	6	1,036.00
2063924/20	500	29/32	19/26	6	1,036.00
2063924/21	500	29/32	29/32	6	1,036.00
2063924/22	500	34/35	24/29	6	6,123.00
2063924/23	1000	24/29	14/23	4	1,328.00
2063924/24	1000	24/29	19/26	4	1,328.00
2063924/25	1000	24/29	24/29	4	1,328.00
2063924/26	1000	29/32	14/23	4	1,264.00
2063924/27	1000	29/32	19/26	4	1,264.00
2063924/28	1000	29/32	29/32	4	1,264.00
2063924/29	1000	34/35	24/29	4	1,328.00
2063924/30	2000	24/29	19/26	1	2,226.00
2063924/31	2000	24/29	14/23	1	2,226.00
2063924/32	2000	29/32	24/29	1	2,226.00
2063924/33	2000	29/32	29/32	1	2,142.00
2063924/34	2000	34/35	19/26	1	2,226.00
2063924/35	2000	34/35	24/29	1	2,226.00
2063924/36	3000	34/35	19/26	1	5,163.00
2063924/37	3000	34/35	24/29	1	5,163.00
2063924/38	5000	34/35	24/29	1	7,104.00
2063924/39	5000	34/35	19/26	1	7,104.00
2063924/40	10000	34/35	24/29	1	12,583.00
2063924/41	10000	45/40	24/29	1	11,961.00
2063924/42	10000	55/44	24/29	1	12,583.00
2063924/43	20000	55/44	24/29	1	18,592.00

- White and Amber Colour Printing also available



DIN
12392

FOUR
NECK

Chemical
Resistant

GLASS
BORO
3.3

FLASKS, ROTARY EVAPORATORS WITH GROUND SOCKET

- Manufactured from ASTM E-438 Type 1, Boro 3.3 heat resistance glass
- Helps in the extraction for key components like odour, oil drugs, natural extract and fragrance.
- These flasks are Used in Rotary Evaporator.
- Optimal for heating sensitive solvent solute combinations .

Cat. No.	Capacity (mL)	Socket Size	Height (mm)	Pack of (Pcs)	Price (Each)
2064342/1	50	24/29	95	6	1,078.00
2064342/2	50	29/32	95	6	1,065.00
2064342/3	100	24/29	110	6	1,578.00
2064342/4	100	29/32	110	6	1,682.00
2064342/5	250	24/29	135	6	2,360.00
2064342/6	250	29/32	135	6	2,499.00
2064342/7	500	24/29	160	6	2,717.00
2064342/8	500	29/32	160	6	2,826.00
2064342/9	1000	24/29	190	6	4,767.00
2064342/10	1000	29/32	190	6	4,914.00
2064342/11	2000	24/29	235	4	6,707.00
2064342/12	2000	29/32	235	4	6,601.00

- White and Amber Colour Printing also available



FLASKS, BOILING, FLAT BOTTOM WITH SOCKET

- In accordance with ASTM E-1403 standard.
- Design of these flask include flat bottom, short neck and interchangeable joint.
- Provided with a durable matt-finished enamelled area for marking.
- These flasks are ideal for boiling processes.

Cat. No.	Capacity (mL)	Height x OD (mm) Approx.	Neck Size	Pack of (Pcs)	Price (Each)
2064020A/1	50	95 x 51	24/40	2	185.00
2064020A/2	100	110 x 64	24/40	2	185.00
2064020A/3	125	110 x 69	24/40	2	190.00
2064020A/4	200	123 x 75	24/40	2	233.00
2064020A/5	250	130 x 85	24/40	2	233.00
2064020A/6	300	140 x 88	24/40	2	233.00
2064020A/7	500	160 x 105	24/40	2	337.00
2064020A/8	1000	178 x 131	29/42	1	447.00
2064020A/9	1000	205 x 166	24/40	1	447.00
2064020A/10	2000	178 x 131	24/40	1	841.00

- White and Amber Colour Printing also available



Volumetric Flasks



ISO

ASTM

USP

DIN/ISO

USP

ASTM

FLASKS, VOLUMETRIC

You can also download it from www.arihantlab.com and by scanning the QR Code from the label of the box or from the volumetric flask.



Use your Smart phone to scan the QR Code on the product or box labels ...





arco
scientific

Elevate Your Lab Standards
With Our Premium Range of



Marked
Glassware



www.arcoscientific.com

FLASK, VOLUMETRIC WITHOUT POUROUT

- In accordance with DIN/ISO 1042 Standards with Individual certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Available in blue colour printing.

CLASS 'A'

Cat. No.	Capacity (mL)	Tolerance (±mL)	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2074390/1	1	0.025	10 × 70	2	1,208.00
2074390/2	2	0.025	13 × 70	2	1,216.00
2074390/3	5	0.025	22 × 70	2	1,080.00
2074390/4	10	0.025	27 × 90	2	952.00
2074390/5	20	0.04	39 × 110	2	952.00
2074390/6	25	0.04	40 × 110	2	867.00
2074390/7	50	0.06	50 × 140	2	864.00
2074390/8	100	0.10	60 × 170	2	858.00
2074390/8B	150	0.10	67 × 200	2	960.00
2074390/9	200	0.15	75 × 210	2	1,148.00
2074390/10	250	0.15	80 × 220	2	1,164.00
2074390/11	500	0.25	100 × 260	2	1,520.00
2074390/12	1000	0.40	125 × 300	2	2,230.00
2074390/13	2000	0.60	160 × 370	1	3,710.00
2074390/14	5000	1.20	215 × 475	1	10,600.00



- In accordance with DIN/ISO 1042 Standards with Batch certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Available in blue colour printing.

CLASS 'B'

Cat. No.	Capacity (mL)	Tolerance (±mL)	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064400/1	1	0.05	10 × 70	2	966.00
2064400/2	2	0.05	13 × 70	2	966.00
2064400/3	5	0.05	22 × 70	2	864.00
2064400/4	10	0.05	27 × 90	2	762.00
2064400/5	20	0.08	39 × 110	2	762.00
2064400/6	25	0.08	40 × 110	2	693.00
2064400/7	50	0.12	50 × 140	2	690.00
2064400/8	100	0.2	60 × 170	2	686.00
2064400/8B	150	0.2	67 × 200	2	848.00
2064400/9	200	0.3	75 × 210	2	918.00
2064400/10	250	0.3	80 × 220	2	918.00
2064400/11	500	0.5	100 × 260	2	1,216.00
2064400/12	1000	0.8	125 × 300	2	1,786.00
2064400/13	2000	1.2	160 × 370	1	2,975.00
2064400/14	5000	2.4	215 × 475	1	8,480.00




- White and Amber Colour Printing also available

FLASK, VOLUMETRIC, CLASS 'A', AMBER WITHOUT POUROUT

- In accordance with DIN/ISO 1042 Standards with Individual certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Ideal to use with light sensitive solutions.
- Available in white colour printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2074405/1	1	0.025	10 × 70	2	1,450.00
2074405/2	2	0.025	13 × 70	2	1,450.00
2074405/3	5	0.025	22 × 70	2	1,296.00
2074405/4	10	0.025	27 × 90	2	1,142.00
2074405/5	20	0.04	39 × 110	2	1,142.00
2074405/6	25	0.04	40 × 110	2	1,040.00
2074405/7	50	0.06	50 × 140	2	1,036.00
2074405/8	100	0.10	60 × 170	2	1,030.00
2074405/8B	150	0.10	67 × 200	2	1,272.00
2074405/9	200	0.15	75 × 210	2	1,378.00
2074405/10	250	0.15	80 × 220	2	1,376.00
2074405/11	500	0.25	100 × 260	2	1,824.00
2074405/12	1000	0.40	125 × 300	2	2,680.00
2074405/13	2000	0.60	160 × 370	1	4,464.00
2074405/14	5000	1.20	215 × 475	1	12,720.00




FLASK, VOLUMETRIC, CLASS 'A' WITHOUT POUROUT

- In accordance with DIN/ISO 1042 Standards with Individual certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Ideal to use with light sensitive solutions.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Pack of (Pcs)	Price (Each)
2064435/1	100/110	0.15	2	560.00

- White and Amber Colour Printing also available



FLASK, VOLUMETRIC WITH INTERCHANGEABLE STOPPER

- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A.
- Low temperature gradient.
- Uniform walls thickness for heating & stirring.
- Autoclavable at 121°C.
- Corresponds to DIN/ISO 1042 Calibration Standards with Individual certificate.
- Provided with each of Polypropylene & Penny Head Glass Stopper with Grounded joint
- Available in blue printing.

CLASS 'A'

Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2074424/1	1	0.025	7/16	10 × 70	2	600.00
2074424/2	2	0.025	7/16	13 × 70	2	600.00
2074424/3	5	0.025	10/19	22 × 70	2	712.00
2074424/4	10	0.025	10/19	27 × 90	2	624.00
2074424/5	20	0.04	10/19	39 × 110	2	624.00
2074424/6	25	0.04	10/19	40 × 110	2	532.00
2074424/7	50	0.06	12/21	50 × 140	2	532.00
2074424/8	50	0.06	14/23	50 × 140	2	568.00
2074424/9	100	0.10	14/23	60 × 170	2	492.00
2074424/10	100	0.10	12/21	60 × 170	2	536.00
2074424/11	150	0.10	14/23	67 × 200	2	607.00
2074424/12	200	0.15	14/23	75 × 210	2	652.00
2074424/13	250	0.15	14/23	80 × 220	2	695.00
2074424/14	500	0.25	19/26	100 × 260	2	800.00
2074424/15	1000	0.40	24/29	125 × 300	2	1,240.00
2074424/16	2000	0.60	29/32	160 × 370	1	1,972.00
2074424/17	5000	1.20	34/35	215 × 475	1	9,328.00

- Option of White Colour Printing.

CLASS 'B'


Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064440/1	1	0.05	7/16	10 × 70	2	296.00
2064440/2	2	0.05	7/16	13 × 70	2	296.00
2064440/3	5	0.05	10/19	22 × 70	2	275.00
2064440/4	10	0.05	10/19	27 × 90	2	250.00
2064440/5	20	0.08	10/19	39 × 110	2	260.00
2064440/6	25	0.08	10/19	40 × 110	2	260.00
2064440/7	50	0.12	12/21	50 × 140	2	290.00
2064440/7A	50	0.12	14/23	50 × 140	2	320.00
2064440/8	100	0.2	14/23	60 × 170	2	300.00
2064440/8C	100	0.2	12/21	60 × 170	2	340.00
2064440/8B	150	0.2	14/23	67 × 200	2	380.00
2064440/9	200	0.3	14/23	75 × 210	2	340.00
2064440/10	250	0.3	14/23	80 × 220	2	380.00
2064440/11	500	0.5	19/26	100 × 260	2	520.00
2064440/12	1000	0.8	24/29	125 × 300	2	890.00
2064440/13	2000	1.2	29/32	160 × 370	1	1280.00
2064440/14	5000	2.4	34/35	215 × 475	1	5600.00

- Available in Blue colour printing. Option of White colour printing.



FLASK, VOLUMETRIC WITH INTERCHANGEABLE STOPPER

- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A.
- Low temperature gradient.
- Uniform walls thickness for heating & stirring.
- Autoclavable at 121°C.
- Corresponds to DIN/ISO 1042 Calibration Standards with Individual certificate.
- Provided with each of Polypropylene & Penny Head Glass Stopper with Grounded joint
- Available in Amber printing.



CLASS 'A'

Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2074426/1	1	0.025	7/16	10 x 70	2	720.00
2074426/2	2	0.025	7/16	13 x 70	2	720.00
2074426/3	5	0.025	10/19	22 x 70	2	810.00
2074426/4	10	0.025	10/19	27 x 90	2	700.00
2074426/5	20	0.04	10/19	39 x 110	2	700.00
2074426/6	25	0.04	10/19	40 x 110	2	624.00
2074426/7	50	0.06	12/21	50 x 140	2	624.00
2074426/8	50	0.06	14/23	50 x 140	2	668.00
2074426/9	100	0.10	14/23	60 x 170	2	572.00
2074426/10	100	0.10	12/21	60 x 170	2	626.00
2074426/11	150	0.10	14/23	67 x 200	2	728.00
2074426/12	200	0.15	14/23	75 x 210	2	768.00
2074426/13	250	0.15	14/23	80 x 220	2	810.00
2074426/14	500	0.25	19/26	100 x 260	2	980.00
2074426/15	1000	0.40	24/29	125 x 300	2	1,380.00
2074426/16	2000	0.60	29/32	160 x 370	1	2,084.00
2074426/17	5000	1.20	34/35	215 x 475	1	10,528.00



FLASKS

FLASK, VOLUMETRIC WITH INTERCHANGEABLE STOPPER WITH BIS MARK

- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A, requirements.
- Low temperature gradient.
- Uniform thickness walls, ideal for heating & stirring.
- Autoclavable at 121°C.
- In accordance with DIN/ISO 1042 standards with Individual certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with each of Polypropylene & Penny Head Glass Stopper.
- Available in Amber colour printing.

CLASS 'A'

Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2094426/1	1	0.025	7/16	10 × 70	2	720.00
2094426/2	2	0.025	7/16	13 × 70	2	720.00
2094426/3	5	0.025	10/19	22 × 70	2	810.00
2094426/4	10	0.025	10/19	27 × 90	2	700.00
2094426/5	20	0.04	10/19	39 × 110	2	700.00
2094426/6	25	0.04	10/19	40 × 110	2	624.00
2094426/7	50	0.06	12/21	50 × 140	2	624.00
2094426/8	50	0.06	14/23	50 × 140	2	668.00
2094426/9	100	0.10	14/23	60 × 170	2	572.00
2094426/10	100	0.10	12/21	60 × 170	2	626.00
2094426/11	150	0.10	14/23	67 × 200	2	728.00
2094426/12	200	0.15	14/23	75 × 210	2	768.00
2094426/13	250	0.15	14/23	80 × 220	2	810.00
2094426/14	500	0.25	19/26	100 × 260	2	980.00
2094426/15	1000	0.40	24/29	125 × 300	2	1,380.00
2094426/16	2000	0.60	29/32	160 × 370	1	2,084.00
2094426/17	5000	1.20	34/35	215 × 475	1	10,528.00

- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A, requirements.
- Low temperature gradient.
- Uniform thickness walls, ideal for heating & stirring.
- Autoclavable at 121°C.
- In accordance with DIN/ISO 1042 standards with Batch certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with each of Polypropylene & Penny Head Glass Stopper.

CLASS 'B'

Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2098426/1	1	0.05	7/16	10 × 70	2	450.00
2098426/2	2	0.05	7/16	13 × 70	2	450.00
2098426/3	5	0.05	10/19	22 × 70	2	534.00
2098426/4	10	0.05	10/19	27 × 90	2	468.00
2098426/5	20	0.08	10/19	39 × 110	2	468.00
2098426/6	25	0.08	10/19	40 × 110	2	399.00
2098426/7	50	0.12	12/21	50 × 140	2	399.00
2098426/8	50	0.12	14/23	50 × 140	2	425.00
2098426/9	100	0.2	14/23	60 × 170	2	369.00
2098426/10	100	0.2	12/21	60 × 170	2	402.00
2098426/11	150	0.2	14/23	67 × 200	2	455.00
2098426/12	200	0.3	14/23	75 × 210	2	488.00
2098426/13	250	0.3	14/23	80 × 220	2	522.00
2098426/14	500	0.5	19/26	100 × 260	2	600.00
2098426/15	1000	0.8	24/29	125 × 300	2	930.00
2098426/16	2000	1.2	29/32	160 × 370	1	1478.00
2098426/17	5000	2.4	34/35	215 × 475	1	6996.00



FLASK, VOLUMETRIC, CLASS 'A', AMBER WITH PLASTIC & PENNY HEAD GLASS STOPPER

- In accordance with USP Standards with Individual certificate.
- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A, requirements.
- Ideal to use with light sensitive solutions.
- Available in white colour printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064425/A1	1	0.025	7/16	10 × 70	2	610.00
2064425/A2	2	0.025	7/16	13 × 70	2	610.00
2064425/1	25	0.04	10/19	40 × 110	2	640.00
2064425/2	50	0.06	12/21	50 × 140	2	680.00
2064425/2A	50	0.06	14/23	50 × 140	2	680.00
2064425/3	100	0.1	14/23	60 × 170	2	710.00
2064425/3B	100	0.1	12/21	60 × 170	2	880.00
2064425/4	150	0.1	14/23	67 × 200	2	794.00
2064425/5	200	0.15	14/23	75 × 210	2	940.00
2064425/6	250	0.15	14/23	80 × 220	2	940.00
2064425/7	500	0.25	19/26	100 × 260	2	1,280.00
2064425/8	1000	0.4	24/29	125 × 300	2	1,900.00
2064425/9	2000	0.6	29/32	160 × 370	1	3,400.00
2064425/10	5000	1.2	34/35	215 × 475	1	19,000.00
2064425/13	20	0.04	10/19	39 × 110	2	640.00
2064425/14	5	0.025	10/19	22 × 70	2	620.00
2064425/15	10	0.025	10/19	27 × 90	2	620.00



FLASK, VOLUMETRIC, CLASS 'A' WITH PLASTIC & PENNY HEAD GLASS STOPPER

- In accordance with ASTM E-288 Standard with Individual certificate.
- The flasks have diamond graduated line and are calibrated TC (To Contain).
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with Penny Head Stopper.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Stopper No.	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064510/1	5	0.02	9	22 × 70	2	680.00
2064510/2	10	0.02	9	27 × 90	2	750.00
2064510/3	20	0.03	9	39 × 110	2	770.00
2064510/4	25	0.03	9	40 × 110	2	690.00
2064510/5	50	0.05	9	50 × 140	2	710.00
2064510/6	100	0.08	13	60 × 170	2	700.00
2064510/7	200	0.10	16	75 × 210	2	816.00
2064510/8	250	0.12	16	80 × 220	2	816.00
2064510/9	500	0.20	19	100 × 260	2	1,140.00
2064510/10	1000	0.30	22	125 × 300	2	1,654.00
2064510/11	2000	0.50	27	160 × 370	1	2,780.00

- White and Amber Colour Printing also available



FLASK, VOLUMETRIC, CLASS 'A', AMBER WITH PLASTIC & PENNY HEAD GLASS STOPPER

- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A.
- Low temperature gradient.
- Uniform walls thickness for heating & stirring.
- Autoclavable at 121°C.
- Corresponds to DIN/ISO 1042 Calibration Standards with Individual certificate.
- Provided with each of Polypropylene & Penny Head Glass Stopper with Grounded joint
- Available in Amber printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064425/A1	1	0.025	7/16	10 × 70	2	
2064425/A2	2	0.025	7/16	13 × 70	2	
2064425/1	25	0.04	10/19	40 × 110	2	
2064425/2	50	0.06	12/21	50 × 140	2	
2064425/2A	50	0.06	14/23	50 × 140	2	
2064425/3	100	0.1	14/23	60 × 170	2	
2064425/3B	100	0.1	12/21	60 × 170	2	
2064425/4	150	0.1	14/23	67 × 200	2	
2064425/5	200	0.15	14/23	75 × 210	2	
2064425/6	250	0.15	14/23	80 × 220	2	
2064425/7	500	0.25	19/26	100 × 260	2	
2064425/8	1000	0.4	24/29	125 × 300	2	
2064425/9	2000	0.6	29/32	160 × 370	1	
2064425/10	5000	1.2	34/35	215 × 475	1	
2064425/13	20	0.04	10/19	39 × 110	2	
2064425/14	5	0.025	10/19	22 × 70	2	
2064425/15	10	0.025	10/19	27 × 90	2	



FLASK, VOLUMETRIC, CLASS 'A', AMBER WITH PLASTIC & PENNY HEAD GLASS STOPPER

- In accordance with ASTM E-288 Standard with Batch certificate.
- The flasks have diamond graduated line and are calibrated TC (To Contain)
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with Penny Head Stopper.
- Available in white colour printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Stopper No.	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064520/1	5	0.02	9	22 × 70	2	782.00
2064520/2	10	0.02	9	27 × 90	2	862.00
2064520/3	20	0.03	9	39 × 110	2	886.00
2064520/4	25	0.03	9	40 × 110	2	794.00
2064520/5	50	0.05	9	50 × 140	2	818.00
2064520/6	100	0.08	13	60 × 170	2	806.00
2064520/7	200	0.10	16	75 × 210	2	938.00
2064520/8	250	0.12	16	80 × 220	2	938.00
2064520/9	500	0.20	19	100 × 260	2	1,312.00
2064520/10	1000	0.30	22	125 × 300	2	1,902.00
2064520/11	2000	0.50	27	160 × 370	1	3,198.00



FLASK, VOLUMETRIC, CLASS 'A' WITH PTFE STOPPER

- In accordance with USP (United States Pharmacopia) Standard with Batch certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with PTFE Stopper.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Neck Size	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064431/1	5	0.02	9	22 × 70	2	1,332.00
2064431/2	10	0.02	9	27 × 90	2	1,174.00
2064431/3	20	0.03	9	39 × 110	2	1,174.00
2064431/4	25	0.03	9	40 × 110	2	1,082.00
2064431/5	50	0.05	9	50 × 140	2	1,032.00
2064431/7	100	0.08	13	60 × 170	2	896.00
2064431/9	200	0.10	16	75 × 210	2	1,426.00
2064431/10	250	0.12	16	80 × 220	2	1,416.00
2064431/11	500	0.15	19	100 × 260	2	1,884.00
2064431/12	1000	0.30	22	125 × 300	2	2,796.00
2064431/13	2000	0.50	27	160 × 370	1	4,424.00



- White and Amber Colour Printing also available

FLASK, VOLUMETRIC, CLASS 'A', AMBER WITH PTFE STOPPER



- In accordance with USP (United States Pharmacopia) Standard with Batch certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Ideal to use with light sensitive solutions.
- Provided with PTFE Stopper.
- Available in white colour printing.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Stopper No.	OD × Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064450/1	5	0.02	9	22 × 70	2	1,598.00
2064450/2	10	0.02	9	27 × 90	2	1,408.00
2064450/3	20	0.03	9	39 × 110	2	1,408.00
2064450/4	25	0.03	9	40 × 110	2	1,298.00
2064450/5	50	0.05	9	50 × 140	2	1,238.00
2064450/7	100	0.08	13	60 × 170	2	1,120.00
2064450/9	200	0.10	16	75 × 210	2	896.00
2064450/10	250	0.12	16	80 × 220	2	840.00
2064450/11	500	0.15	19	100 × 260	2	1,712.00
2064450/12	1000	0.30	22	125 × 300	2	1,698.00
2064450/13	2000	0.50	27	160 × 370	1	2,260.00

STOPPERS, PLASTIC



- Made from PP.
- These stopper comes with Interchangeable Ground Joint.

Cat. No.	Stopper Size	Pack of (Pcs)	Price (Each)
2063065/1	10/19	100	12.00
2063065/2	12/21	100	18.00
2063065/3	14/23	100	18.00
2063065/4	19/26	100	20.00
2063065/5	24/29	100	30.00
2063065/6	29/32	100	42.00
2063065/7	34/35	100	54.00
2063065/8	45/40	100	54.00

STOPPERS, SOLID PENNY HEAD

- In accordance with DIN/ISO Standards.
- These stopper comes with Interchangeable Ground Joint, Solid, Penny Head.

Cat. No.	Stopper Size	Pack of (Pcs)	Price (Each)
2063063/1	10/19	100	
2063063/2	12/21	100	
2063063/3	14/23	100	
2063063/4	19/26	100	
2063063/5	24/29	100	
2063063/6	29/32	100	
2063063/7	34/35	100	
2063063/8	45/40	100	

ASTM

Cat. No.	Stopper Size	Pack of (Pcs)	Price (Each)
2063066/1	13	100	
2063066/2	16	100	
2063066/3	19	100	
2063066/4	22	100	
2063066/5	27	100	



STOPPERS, SOLID, AMBER PENNY HEAD

- In accordance with DIN/ISO Standards.
- These stopper comes in Amber Glass, with Interchangeable Ground Joint, Solid, Penny Head.

Cat. No.	Stopper Size	Pack of (Pcs)	Price (Each)
2063067/1	10/19	100	
2063067/2	12/21	100	
2063067/3	14/23	100	
2063067/4	19/26	100	
2063067/5	24/29	100	
2063067/6	29/32	100	
2063067/7	34/35	100	
2063067/8	45/40	100	

ASTM

Cat. No.	Stopper Size	Pack of (Pcs)	Price (Each)
2063069/1	13	100	
2063069/2	16	100	
2063069/3	19	100	
2063069/4	22	100	
2063069/5	27	100	



STOPPERS, HOLLOW HEXAGONAL

- In accordance with DIN/ISO Standards.
- These stopper comes in with Interchangeable Ground Joint, Hexagonal.

Cat. No.	Stopper Size	Pack of (Pcs)	Price (Each)
2066850/1	10/19	100	
2066850/2	12/21	100	
2066850/3	14/23	100	
2066850/4	19/26	100	
2066850/5	24/29	100	
2066850/6	29/32	100	
2066850/7	34/35	100	
2066850/8	45/40	100	



STOPPERS, HOLLOW, AMBER HEXAGONAL

- In accordance with DIN/ISO Standards.
- These stopper comes in Amber Glass, with Interchangeable Ground Joint, Hexagonal.

Cat. No.	Stopper Size	Pack of (Pcs)	Price (Each)
2066852/1	10/19	100	
2066852/2	12/21	100	
2066852/3	14/23	100	
2066852/4	19/26	100	
2066852/5	24/29	100	
2066852/6	29/32	100	
2066852/7	34/35	100	
2066852/8	45/40	100	



- Plasticware
- Glassware
- Metalware





arco
scientific



GLASSWARE

Erlenmeyer Flasks


www.arcoscientific.com

FLASKS, ERLLENMEYER, (CONICAL) NARROW NECK

- In accordance with IS 1381 (DIN/ISO 1773) standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Uniform wall thickness distribution makes these Flasks ideal for heating.
- The conical form makes them suitable for mixing liquids.
- The easy to read scale and large labeling field facilitate easy marking.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Neck OD (mm)	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064140/1	10	15	37 x 60	10	95.00
2064140/2	25	22	40 x 75	10	94.00
2064140/3	50	22	51 x 90	10	96.00
2064140/4	100	28	64 x 105	6	98.00
2064140/4A	125	28	66 x 110	6	110.00
2064140/5	150	28	72 x 124	6	110.00
2064140/6	250	34	85 x 145	6	146.00
2064140/7	500	34	105 x 180	6	222.00
2064140/8	1000	42	131 x 220	6	358.00
2064140/10	2000	50	166 x 280	4	740.00
2064140/11	3000	50	187 x 310	1	1740.00
2064140/12	5000	50	220 x 365	1	2900.00

• White and Amber Colour Printing also available



FLASKS, ERLLENMEYER, (CONICAL) NARROW NECK

- In accordance with DIN/ISO 1773 and ASTM E-438 standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Uniform wall thickness distribution makes these Flasks ideal for heating.
- The conical form makes them suitable for mixing liquids.
- The easy to read scale and large labeling field facilitate easy marking.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Neck OD (mm)	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064140/1	10	15	37 x 60	10	95.00
2064140/2	25	22	40 x 75	10	94.00
2064140/3	50	22	51 x 90	10	96.00
2064140/4	100	28	64 x 105	6	98.00
2064140/4A	125	28	66 x 110	6	110.00
2064140/5	150	28	72 x 124	6	110.00
2064140/6	250	34	85 x 145	6	146.00
2064140/7	500	34	105 x 180	6	222.00
2064140/8	1000	42	131 x 220	6	358.00
2064140/10	2000	50	166 x 280	4	740.00
2064140/11	3000	50	187 x 310	1	1740.00
2064140/12	5000	50	220 x 365	1	2900.00

• White and Amber Colour Printing also available




FLASKS, ERLLENMEYER, (CONICAL) WIDE NECK

- In accordance with DIN/ISO 1773 and ASTM E-438 standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Uniform wall thickness distribution makes these Flasks ideal for heating.
- The conical form makes them suitable for mixing liquids.
- The easy to read scale and large labeling field facilitate easy marking.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Neck OD (mm)	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064200/1	100	34	64 x 105	6	120.00
2064200/2	250	50	85 x 140	6	170.00
2064200/3	500	50	105 x 180	6	250.00
2064200/4	1000	50	131 x 220	6	438.00
2064200/5	125	34	66 x 110	6	138.00
2064200/5A	150	34	72 x 124	6	188.00
2064200/6	2000	55	166 x 280	4	678.00
2064200/8	50	34	51 x 90	10	98.00

- White and Amber Colour Printing also available



FLASKS, ERLLENMEYER, (CONICAL) NARROW NECK WITH SOCKET

- In accordance with DIN/ISO 4797 and ASTM E-438 standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Uniform wall thickness distribution makes these Flasks ideal for heating.
- The conical form makes them suitable for mixing liquids.
- The easy to read scale and large labeling field facilitate easy marking.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Neck Size	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064170/1	5	10/19	12 x 45	10	180.00
2064170/2	5	14/23	12 x 45	10	210.00
2064170/3	10	10/19	15 x 60	10	240.00
2064170/4	10	14/23	15 x 60	10	290.00
2064170/5	25	10/19	40 x 75	10	230.00
2064170/6	25	14/23	40 x 75	10	172.00
2064170/7	25	19/26	40 x 75	10	192.00
2064170/8	50	14/23	51 x 90	10	176.00
2064170/9	50	19/26	51 x 90	10	178.00
2064170/10	50	24/29	51 x 90	10	176.00
2064170/11	100	14/23	64 x 105	6	202.00
2064170/12	100	19/26	64 x 105	6	202.00
2064170/13	100	24/29	64 x 105	6	206.00
2064170/14	100	29/32	64 x 105	6	256.00
2064170/15	150	19/26	72 x 124	6	220.00
2064170/16	150	24/29	72 x 124	6	220.00
2064170/17	150	29/32	72 x 124	6	220.00
2064170/18	250	19/26	85 x 145	6	226.00
2064170/19	250	24/29	85 x 145	6	228.00
2064170/20	250	29/32	85 x 145	6	278.00
2064170/21	250	34/35	85 x 145	6	360.00
2064170/22	500	19/26	105 x 180	6	390.00
2064170/23	500	24/29	105 x 180	6	326.00
2064170/24	500	29/32	105 x 180	6	322.00
2064170/25	500	34/35	105 x 180	6	460.00
2064170/26	1000	24/29	131 x 220	6	598.00
2064170/27	1000	29/32	131 x 220	6	598.00
2064170/28	1000	34/35	131 x 220	6	632.00
2064170/29	2000	29/32	166 x 280	4	870.00
2064170/30	2000	34/35	166 x 280	4	870.00

• White and Amber Colour Printing also available



IMPOTRTANT

Glass has some unique properties compared to other materials - it is transparent, clear in appearance, has a smooth surface, erosion-resistant, chemical resistant, corrosion resistant and can transmit, refract and reflect light.




FLASKS, ERLLENMEYER, (CONICAL) WITH SCREW CAP

- In accordance with ASTM E-438 standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Uniform wall thickness distribution makes these Flasks ideal for heating.
- The conical form makes them suitable for mixing of liquids.
- These Flasks can be closed with a screw cap.
- The caps are made of PP.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Thread Size	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064210/1	50	GL 32	51 x 90	6	258.00
2064210/2	100	GL 32	64 x 105	6	272.00
2064210/2A	150	GL 32	72 x 124	6	312.00
2064210/3	250	GL 45	85 x 145	6	364.00
2064210/4	500	GL 45	105 x 180	6	448.00
2064210/5	1000	GL 45	131 x 220	6	858.00
2064210/6	2000	GL 45	166 x 280	4	1,288.00
2064210/7	5000	GL 45	220 x 365	1	5,956.00

- White and Amber Colour Printing also available





FLASKS, FILTER (BUCHNER FLASK)

- In accordance with DIN/ISO 3585 standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- These Flasks are blown in special moulds.
- The shape is designed to impart maximum mechanical strength.
- The neck finish is designed for strength and to ensure good stopper fit.
- With Glass Connector.
- Made from heavy wall which can withstand high vacuum.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	OD x Height Approx. (mm)	Pack of (Pcs)	Price (Each)
2064290/A	50	50 x 95	6	236.00
2064290/1	100	64 x 110	6	338.00
2064290/2	250	85 x 155	6	496.00
2064290/3	500	105 x 190	6	592.00
2064290/4	1000	136 x 230	6	959.00
2064290/5	2000	166 x 290	4	1,828.00
2064290/6	5000	220 x 390	1	6,600.00
2064290/7	10000	230 x 488	1	12,350.00
2064290/8	20000	290 x 580	1	19,720.00

- White and Amber Colour Printing also available






FLASKS, IODINE WITH PENNY HEAD STOPPER

- These flasks are made especially for the determination of Iodine value according to the methods of ASTM E-438.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Large labelling fields for easy marking.
- These flasks can be closed with a Penny Head glass stopper.
- The handle of the stopper projects above the liquid seal, facilitating its removal.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Neck Size	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064320/1	100	24/29	64 x 121	6	270.00
2064320/2	250	24/29	145 x 160	6	314.00
2064320/2A	250	29/32	145 x 160	6	311.00
2064320/3	500	24/29	105 x 198	6	391.00
2064320/3A	500	29/32	105 x 198	6	360.00

- White and Amber Colour Printing also available
- Flasks, Iodine, Amber Coated also available



FLASKS, FILTER WITH SOCKET (BUCHNER FLASK)

- In accordance with DIN/ISO 3585 standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- With Glass Connector.
- Made from heavy wall which can withstand high vacuum.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Socket Size	Pack of (Pcs)	Price (Each)
2064300/2A	100	19/26	2	379.00
2064300/2	100	24/29	2	379.00
2064300/3	250	24/29	2	529.00
2064300/3A	250	29/32	2	529.00
2064300/5	500	24/29	2	607.00
2064300/5A	500	29/32	2	607.00
2064300/7	1000	24/29	2	1,771.00
2064300/7A	1000	29/32	2	1,771.00


- White and Amber Colour Printing also available

FLASKS, ERLLENMEYER, (CONICAL) WITHOUT RIM

- In accordance with IS 1381(DIN/ISO 1773) standards.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Ideal for culture work.
- Long neck designed for cotton plugs and metal caps.
- The conical form makes them suitable for mixing liquids.
- The easy to read scale and large labeling field facilitate easy marking in blue colour.

Cat. No.	Capacity (mL)	Neck Size	OD x Height (mm) Approx.	Pack of (Pcs)	Price (Each)
2064141/1	250	28	78 x 154	6	530.00

- White and Amber Colour Printing also available



FLASKS, TILT MEASURE

- Ideal for dispensing fixed volume of liquid.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass
- Easy to use :
Tilt the unit backward to fill.
Tilt the unit forward to dispense.
- Accuracy $\pm 5\%$ can be achieved.
- Available in blue colour printing.

Cat. No.	Capacity (mL)	Flask Capacity (mL)	Pack of (Pcs)	Price (Each)
2064147/1	5	125	6	848.00
2064147/2	10	250	6	894.00
2064147/3	20	250	6	1,008.00
2064147/4	25	250	6	1,078.00
2064147/5	50	250	6	1,268.00

- White and Amber Colour Printing also available
- Ordering separately Tilt Measure



Funnels



NEW ►



FUNNELS, PLAIN LONG STEM

- In accordance with IS 1591, DIN / ISO 4798.
- Manufactured by 3.3 Borosilicate Glass, USP Type I.
- Designed with a bowl angle of 60°, which offers precise fitting of the filter paper.
- Ideally used for filtering and decanting liquids of varied densities.

Cat. No.	Diameter (mm)	Stem Length (mm)	Stem OD (mm)	Pack of (Pcs)	Price (Each)
2064560/A1	25	150	6	10	86.00
2064560/A2	35	150	6	10	86.00
2064560/A3	40	150	6	10	86.00
2064560/1	50	150	7	10	86.00
2064560/1A	55	150	8	10	86.00
2064560/2	60	150	8	10	86.00
2064560/2A	65	150	8	10	120.00
2064560/2B	70	150	8	10	162.00
2064560/3	75	150	8	10	120.00
2064560/3A	80	150	9	10	194.00
2064560/4	100	150	10	10	170.00
2064560/5	125	200	16	10	226.00
2064560/A	150	200	16	6	450.00
2064560/8	90	150	8	10	226.00
2064560/11	200	200	24	6	900.00

- White and Amber Colour Printing also available

FUNNELS, PLAIN SHORT STEM

- In accordance with IS 1591, DIN / ISO 4798.
- Manufactured by 3.3 Borosilicate Glass, USP Type I.
- Designed with a bowl angle of 60°, which offers precise fitting of the filter paper.
- Ideally used for filtering and decanting liquids of varied densities.

Cat. No.	Diameter (mm)	Stem Length (mm)	Stem OD (mm)	Pack of (Pcs)	Price (Each)
2064565/A1	25	25	6	10	88.00
2064565/A2	35	35	6	10	110.00
2064565/A3	40	40	6	10	112.00
2064565/1	50	50	7	10	122.00
2064565/1A	55	55	8	10	126.00
2064565/2	60	60	8	10	90.00
2064565/2A	65	65	8	10	142.00
2064565/2B	70	70	8	10	138.00
2064565/3	75	75	8	10	144.00
2064565/3A	80	80	9	10	156.00
2064565/4	100	100	10	10	194.00
2064565/5	125	125	16	10	400.00
2064565/A	150	150	16	6	450.00
2064565/8	90	90	8	10	150.00
2064565/11	200	200	24	6	600.00

- White and Amber Colour Printing also available




FUNNELS, POWDER

- In accordance with ASTM E-1095.
- Manufactured by 3.3 Borosilicate Glass.
- Designed with a bowl angle of 60°, which offers precise fitting of the filter paper.
- Ideally used for filtering and decanting liquids of varied densities.

Cat. No.	Diameter (mm)	Stem Length (mm)	Pack of (Pcs)	Price (Each)
2064645/1	60	25	10	220.00
2064645/2	80	25	10	244.00
2064645/3	100	25	10	278.00
2064645/4	125	25	10	412.00
2064645/5	150	25	6	440.00
2064645/6	200	25	6	1,284.00
2064645/7	250	25	6	1,848.00

- White and Amber Colour Printing also available



FUNNELS, POWDER STEM WITH CONE


- Manufactured by 3.3 Borosilicate Glass.
- Resistant to chemicals.
- Ideally used for transferring powders.

Cat. No.	Diameter (mm)	Cone Size	Pack of (Pcs)	Price (Each)
2064650/1A	45	14/23	10	232.00
2064650/1B	50	14/23	10	476.00
2064650/1C	70	14/23	10	302.00
2064650/1D	70	29/32	10	336.00
2064650/1E	75	14/23	10	500.00
2064650/1F	75	29/32	10	500.00
2064650/1G	80	29/32	10	384.00
2064650/1H	100	14/23	10	420.00
2064650/1I	100	29/32	10	456.00
2064650/1	125	29/32	10	670.00
2064650/2	150	29/32	6	770.00
2064650/3	200	29/32	6	1,488.00
2064650/4	250	29/32	6	2,134.00

- White and Amber Colour Printing also available



The suspension of solid and liquid is then poured through the funnel. The solid particles are too large to pass through the filter paper (Cat. No. 2063750) and are left on the paper, while the much smaller liquid molecules pass through the paper to a vessel positioned below the funnel, producing a filtrate.



FUNNELS, DROPPING, OPEN TYPE WITHOUT SOCKET

- Made 3.3 Borosilicate Glass.
- Cylindrical shape with Stopcock.

Cat. No.	Capacity (mL)	OD × Height (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2064670/1	50	25 × 310	PTFE	2	820.00
2064670/2	100	32 × 350	PTFE	2	858.00
2064670/3	250	42 × 400	PTFE	2	884.00
2064670/4	500	55 × 480	PTFE	2	1,136.00
2064675/1	50	25 × 310	Glass	2	514.00
2064675/2	100	32 × 350	Glass	2	552.00
2064675/3	250	42 × 400	Glass	2	588.00
2064675/4	500	55 × 480	Glass	2	998.00

- White and Amber Colour Printing also available




FUNNELS, DROPPING WITH PP STOPPER

- In accordance with DIN/ISO 3585 standard.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with PP Stopper.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2064612/1	50	14/23	2.5	Needle Valve	2	608.00
2064612/2	100	19/26	2.5	Needle Valve	2	622.00
2064612/3	250	24/29	4	Needle Valve	2	746.00
2064612/4	500	29/32	4	Needle Valve	2	1,394.00
2064612/5	1000	29/32	6	Needle Valve	2	1,950.00
2064615/1	50	14/23	2.5	PTFE	2	1,106.00
2064615/2	100	19/26	2.5	PTFE	2	1,186.00
2064615/3	250	24/29	4	PTFE	2	1,146.00
2064615/4	500	29/32	4	PTFE	2	1,536.00
2064615/5	1000	29/32	6	PTFE	2	2,574.00
2064680/1	50	14/23	2.5	Glass	2	678.00
2064680/2	100	19/26	2.5	Glass	2	690.00
2064680/3	250	24/29	4	Glass	2	806.00
2064680/4	500	29/32	4	Glass	2	1,394.00
2064680/5	1000	29/32	6	Glass	2	2,018.00

- White and Amber Colour Printing also available
- Graduated / Un-Graduated order separately.
- Hexagonal Glass Stopper order separately.




FUNNELS, DROPPING STEM WITH CONE, PP STOPPER

- In accordance with DIN/ISO 3585 standard.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with PP Stopper.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2064685/1	50	14/23	2.5	Needle Valve	2	578.00
2064685/2	100	19/26	2.5	Needle Valve	2	552.00
2064685/3	250	24/29	4	Needle Valve	2	788.00
2064685/4	500	29/32	4	Needle Valve	2	1,178.00
2064685/5	1000	29/32	6	Needle Valve	2	2,084.00
2064686/1	50	14/23	2.5	PTFE	2	1,134.00
2064686/2	100	19/26	2.5	PTFE	2	1,108.00
2064686/3	250	24/29	4	PTFE	2	1,292.00
2064686/4	500	29/32	4	PTFE	2	1,656.00
2064686/5	1000	29/32	6	PTFE	2	2,678.00
2064687/1	50	14/23	2.5	Glass	2	648.00
2064687/2	100	19/26	2.5	Glass	2	728.00
2064687/3	250	24/29	4	Glass	2	884.00
2064687/4	500	29/32	4	Glass	2	1,228.00
2064687/5	1000	29/32	6	Glass	2	1,820.00

- White and Amber Colour Printing also available
- Graduated / Un-Graduated order separately.
- Hexagonal Glass Stopper order separately.




FUNNELS, DROPPING STEM INSIDE CONE, PP STOPPER

- In accordance with DIN/ISO 4800 standard.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with PP Stopper.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2064710/1	50	14/23	2.5	Needle Valve	2	226.00
2064710/2	100	19/26	2.5	Needle Valve	2	276.00
2064710/3	250	24/29	4	Needle Valve	2	326.00
2064710/4	500	29/32	4	Needle Valve	2	476.00
2064710/5	1000	29/32	6	Needle Valve	2	1,000.00
2064712/1	50	14/23	2.5	PTFE	2	1,208.00
2064712/2	100	19/26	2.5	PTFE	2	700.00
2064712/3	250	24/29	4	PTFE	2	800.00
2064712/4	500	29/32	4	PTFE	2	1,730.00
2064712/5	1000	29/32	6	PTFE	2	2,696.00
2064714/1	50	14/23	2.5	Glass	2	748.00
2064714/2	100	19/26	2.5	Glass	2	476.00
2064714/3	250	24/29	4	Glass	2	600.00
2064714/4	500	29/32	4	Glass	2	1,282.00
2064714/5	1000	29/32	6	Glass	2	1,908.00

- White and Amber Colour Printing also available
- Graduated / Un-Graduated order separately.
- Hexagonal Glass Stopper order separately.



FUNNEL, PRESSURE EQUILISING CYLINDRICAL, PTFE STOPCOCK

- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Provided with drip stem.
- These funnel are provided with PTFE Stopcock ,which is totally grease free and self lubricating.
- Stopper type is PP.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2064716/1	50	14/23	2.5	310	2	1,322.00
2064716/2	100	19/26	2.5	350	2	1,588.00
2064716/3	250	24/29	4	400	2	1,816.00
2064716/4	500	29/32	4	480	2	2,812.00
2064716/5	1000	29/32	6	570	2	4,410.00

- White and Amber Colour Printing also available
- Hexagonal Glass Stopper order separately.




FUNNEL, SEPARATING, SQUIBBB SHAPE WITH PP STOPPER

- In accordance with ISO 4800 standard.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Generally used in the separation phase.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2064950/1	50	19/26	2.5	Needle Valve	2	860.00
2064950/2	100	19/26	2.5	Needle Valve	2	910.00
2064950/3	250	24/29	4	Needle Valve	2	1,138.00
2064950/4	250	29/32	4	Needle Valve	2	1,132.00
2064950/5	500	24/29	4	Needle Valve	2	1,394.00
2064950/6	500	29/32	4	Needle Valve	2	1,464.00
2064950/7	1000	29/32	6	Needle Valve	2	1,620.00
2064980/1	50	19/26	2.5	PTFE	2	1,144.00
2064980/2	100	19/26	2.5	PTFE	2	1,186.00
2064980/3	250	24/29	4	PTFE	2	1,288.00
2064980/4	250	29/32	4	PTFE	2	1,283.00
2064980/5	500	24/29	4	PTFE	2	1,444.00
2064980/6	500	29/32	4	PTFE	2	1,652.00
2064980/7	1000	29/32	6	PTFE	2	2,000.00
2064920/1	50	19/26	2.5	Glass	2	970.00
2064920/2	100	19/26	2.5	Glass	2	1,010.00
2064920/3	250	24/29	4	Glass	2	1,082.00
2064920/4	250	29/32	4	Glass	2	1,106.00
2064920/5	500	24/29	4	Glass	2	1,474.00
2064920/6	500	29/32	4	Glass	2	1,464.00
2064920/7	1000	29/32	6	Glass	2	1,980.00


- White and Amber Colour Printing also available
- Graduated / Un-Graduated order separately.
- Hexagonal Glass Stopper order separately.



FUNNELS, THISTLE

- Stout walled. Pitcher shaped funnel.
- Made of Borosilicate Glass.

Cat. No.	Stem Length (mm)	Pack of (Pcs)	Price (Each)
2065190/1	200	5	200.00
2065190/2	250	5	300.00
2065190/3	300	5	500.00



FUNNELS, SAFETY

- With bent & safety bulb to prevent splashing back of pouring liquid.
- Made of Borosilicate Glass.

Cat. No.	Stem Length (mm)	Pack of (Pcs)	Price (Each)
2065220/2	300	5	240.00



FUNNEL, SEPARATING, PEAR SHAPE WITH PP STOPPER

- In accordance with ISO 4800 standard.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Generally used in the separation phase.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2065040/1	50	19/26	2.5	Needle Valve	2	732.00
2065040/2	100	19/26	2.5	Needle Valve	2	732.00
2065040/3	250	24/29	4	Needle Valve	2	720.00
2065040/4	250	29/32	4	Needle Valve	2	852.00
2065040/5	500	24/29	4	Needle Valve	2	960.00
2065040/6	500	29/32	4	Needle Valve	2	1,044.00
2065040/7	1000	29/32	6	Needle Valve	2	1,544.00
2065010/1	50	19/26	2.5	PTFE	2	1,088.00
2065010/2	100	19/26	2.5	PTFE	2	1,098.00
2065010/3	250	24/29	4	PTFE	2	1,512.00
2065010/4	250	29/32	4	PTFE	2	1,224.00
2065010/5	500	24/29	4	PTFE	2	1,968.00
2065010/6	500	29/32	4	PTFE	2	1,390.00
2065010/7	1000	29/32	6	PTFE	2	2,156.00
2065070/1	50	19/26	2.5	Glass	2	858.00
2065070/2	100	19/26	2.5	Glass	2	972.00
2065070/3	250	24/29	4	Glass	2	1,316.00
2065070/4	250	29/32	4	Glass	2	1,166.00
2065070/5	500	24/29	4	Glass	2	1,734.00
2065070/6	500	29/32	4	Glass	2	1,470.00
2065070/7	1000	29/32	6	Glass	2	2,062.00



- White and Amber Colour Printing also available
- Graduated / Un-Graduated order separately.
- Hexagonal Glass Stopper order separately.



FUNNEL, SEPARATING, PEAR SHAPE STEM WITH CONE, PP STOPPER

- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Generally used in the separation phase.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2064975/1	50	19/26	2.5	Needle Valve	2	528.00
2064975/2	100	19/26	2.5	Needle Valve	2	622.00
2064975/3	250	24/29	4	Needle Valve	2	784.00
2064975/4	250	29/32	4	Needle Valve	2	784.00
2064975/5	500	24/29	4	Needle Valve	2	1,072.00
2064975/6	500	29/32	4	Needle Valve	2	1,072.00
2064975/7	1000	29/32	6	Needle Valve	2	1,552.00
2064985/1	50	19/26	2.5	PTFE	2	1,192.00
2064985/2	100	19/26	2.5	PTFE	2	1,286.00
2064985/3	250	24/29	4	PTFE	2	1,390.00
2064985/4	250	29/32	4	PTFE	2	1,406.00
2064985/5	500	24/29	4	PTFE	2	1,670.00
2064985/6	500	29/32	4	PTFE	2	1,704.00
2064985/7	1000	29/32	6	PTFE	2	2,372.00
2064990/1	50	19/26	2.5	Glass	2	648.00
2064990/2	100	19/26	2.5	Glass	2	720.00
2064990/3	250	24/29	4	Glass	2	894.00
2064990/4	250	29/32	4	Glass	2	894.00
2064990/5	500	24/29	4	Glass	2	1,120.00
2064990/6	500	29/32	4	Glass	2	1,118.00
2064990/7	1000	29/32	6	Glass	2	1,584.00

- White and Amber Colour Printing also available
- Hexagonal Glass Stopper order separately.



Advantages of Borosilicate Glass

- It expands very small as that of regular glass when exposed to heat, making it better resistant to thermal shocks.
- It is much harder and stronger than normal glass.
- It is much more malleable than regular glass, allowing you to make more complex shapes.
- It has better chemical resistance than ordinary glass.




FUNNEL, SEPARATING, PEAR SHAPE STEM INSIDE CONE, PP STOPPER

- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Generally used in the separation phase.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2064965/1	50	19/26	2.5	Needle Valve	2	1,292.00
2064965/2	100	19/26	2.5	Needle Valve	2	1,390.00
2064965/3	250	24/29	4	Needle Valve	2	1,500.00
2064965/4	250	29/32	4	Needle Valve	2	1,500.00
2064965/5	500	24/29	4	Needle Valve	2	1,814.00
2064965/6	500	29/32	4	Needle Valve	2	1,814.00
2064965/7	1000	29/32	6	Needle Valve	2	2,528.00
2064955/1	50	19/26	2.5	PTFE	2	1,292.00
2064955/2	100	19/26	2.5	PTFE	2	1,390.00
2064955/3	250	24/29	4	PTFE	2	1,500.00
2064955/4	250	29/32	4	PTFE	2	1,500.00
2064955/5	500	24/29	4	PTFE	2	1,814.00
2064955/6	500	29/32	4	PTFE	2	1,814.00
2064955/7	1000	29/32	6	PTFE	2	2,528.00
2064945/1	50	19/26	2.5	Glass	2	774.00
2064945/2	100	19/26	2.5	Glass	2	816.00
2064945/3	250	24/29	4	Glass	2	982.00
2064945/4	250	29/32	4	Glass	2	982.00
2064945/5	500	24/29	4	Glass	2	1,234.00
2064945/6	500	29/32	4	Glass	2	1,234.00
2064945/7	1000	29/32	6	Glass	2	1,698.00

- White and Amber Colour Printing also available
- Hexagonal Glass Stopper order separately.




The suspension of solid and liquid is then poured through the funnel. The solid particles are too large to pass through the filter paper and are left on the paper, while the much smaller liquid molecules pass through the paper to a vessel position.

FUNNEL, SEPARATING, GILSON WITH PP STOPPER

- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Generally used in the separation phase.

Cat. No.	Capacity (mL)	Neck Size	Bore Size (mm)	Stopcock	Pack of (Pcs)	Price (Each)
2065000/1	50	19/26	2.5	Needle Valve	2	Price on request
2065000/2	100	19/26	2.5	Needle Valve	2	Price on request
2065000/3	250	24/29	4	Needle Valve	2	Price on request
2065000/4	250	29/32	4	Needle Valve	2	Price on request
2065000/5	500	24/29	4	Needle Valve	2	Price on request
2065000/6	500	29/32	4	Needle Valve	2	Price on request
2065000/7	1000	29/32	6	Needle Valve	2	Price on request
2065005/1	50	19/26	2.5	PTFE	2	1,088.00
2065005/2	100	19/26	2.5	PTFE	2	1,128.00
2065005/3	250	24/29	4	PTFE	2	Price on request
2065005/4	250	29/32	4	PTFE	2	1,164.00
2065005/5	500	24/29	4	PTFE	2	Price on request
2065005/6	500	29/32	4	PTFE	2	1,340.00
2065005/7	1000	29/32	6	PTFE	2	1,964.00
2065015/1	50	19/26	2.5	Glass	2	726.00
2065015/2	100	19/26	2.5	Glass	2	764.00
2065015/3	250	24/29	4	Glass	2	Price on request
2065015/4	250	29/32	4	Glass	2	908.00
2065015/5	500	24/29	4	Glass	2	Price on request
2065015/6	500	29/32	4	Glass	2	1,014.00
2065015/7	1000	29/32	6	Glass	2	1,452.00

- White and Amber Colour Printing also available
- Hexagonal Glass Stopper order separately.



We all know glass is quite fragile and can break easily. Interestingly, the cracks of glass move at an incredible speed of about 5000 kilometers/hour. Compared to that speed of sound in dry air is about just 767 miles/hour.



arco
scientific

Pipettes

GLASSWARE



Volumetric /Graduated PIPETTE

DIN/ISO

ASTM

USP



We have brought a new innovation to our volumetric glassware range in which we are offering QR CODED labelled products from which you can scan and download all the certificates



PIPETTES, GRADUATED, CLASS 'A' SEROLOGICAL TYPE

- In accordance with DIN/ISO 835 Standard with Individual Certificate.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipette is calibrated to deliver from any graduation line down to tip.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065765/A	0.1	0.01	0.006	6.5 × 300	10	532.00
2065765/B	0.2	0.01	0.006	6.5 × 340	10	532.00
2065765/1	1	0.01	0.007	6 × 355	10	468.00
2065765/1A	1	0.10	0.007	6 × 355	10	436.00
2065765/2	2	0.02	0.01	8 × 355	10	416.00
2065765/2A	2	0.10	0.01	8 × 355	10	454.00
2065765/3	5	0.05	0.03	8 × 355	10	470.00
2065765/3A	5	0.10	0.03	8 × 355	10	532.00
2065765/4	10	0.10	0.05	10 × 355	10	500.00
2065765/5	25	0.20	0.10	15 × 355	10	380.00
2065765/6	25	0.10	0.10	15 × 355	10	718.00



PIPETTES, GRADUATED, CLASS 'B' SEROLOGICAL TYPE

- In accordance with DIN/ISO 835 Standard.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipette is calibrated to deliver from any graduation line down to tip.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065750/A	0.1	0.01	0.01	6.5 × 300	10	184.00
2065750/B	0.2	0.01	0.01	6.5 × 340	10	166.00
2065750/1	1	0.01	0.01	6 × 355	10	166.00
2065750/1A	1	0.10	0.01	6 × 355	10	156.00
2065750/2	2	0.02	0.02	8 × 355	10	180.00
2065750/2A	2	0.10	0.02	8 × 355	10	162.00
2065750/3	5	0.05	0.05	8 × 355	10	190.00
2065750/3A	5	0.10	0.05	8 × 355	10	178.00
2065750/4	10	0.10	0.10	10 × 355	10	190.00
2065750/5	25	0.20	0.20	15 × 355	10	280.00
2065750/5A	25	0.10	0.20	15 × 355	10	308.00



- White and Amber Colour Printing also available.



- In accordance with DIN/ISO 835 Standard with Individual Certificate.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipette is calibrated to deliver from any graduation line down to tip.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065850/1	0.1	0.01	0.006	6.5 × 300	10	Price on request
2065850/2	0.2	0.01	0.006	6.5 × 340	10	Price on request
2065850/4	1	0.01	0.007	6 × 355	10	Price on request
2065850/4A	1	0.10	0.007	6 × 355	10	Price on request
2065850/5	2	0.02	0.01	8 × 355	10	Price on request
2065850/5A	2	0.10	0.01	8 × 355	10	Price on request
2065850/6A	5	0.05	0.03	8 × 355	10	Price on request
2065850/6	5	0.10	0.03	8 × 355	10	Price on request
2065850/7	10	0.10	0.05	10 × 355	10	Price on request
2065850/8A	25	0.20	0.10	15 × 355	10	Price on request
2065850/8	25	0.10	0.10	15 × 355	10	Price on request

PIPETTES, GRADUATED, CLASS 'A'

- In accordance with USP Standard with Individual Certificate.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipette is calibrated to deliver from any graduation line down to tip.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065730/1	0.1	0.01	0.010	6.5 × 300	10	640.00
2065730/2	0.2	0.01	0.010	6.5 × 340	10	640.00
2065730/3	1	0.01	0.010	6 × 355	10	530.00
2065730/4	2	0.02	0.010	8 × 355	10	530.00
2065730/5	5	0.05	0.020	8 × 355	10	610.00
2065730/6	10	0.1	0.030	10 × 355	10	640.00
2065730/7	25	0.1	0.050	15 × 355	10	790.00


- White and Amber Colour Printing also available.

PIPETTES, GRADUATED, CLASS 'A' SEROLOGICAL TYPE

- In accordance with ASTM E-1044 Standard with Individual Certificate.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipette is calibrated to deliver from any graduation line down to tip.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	O.D. $\times$ Height (mm)	Pack of (Pcs)	Price (Each)
2065736/1	0.1	0.01	0.0025	6.5 $\times$ 300	10	Price on request
2065736/2	0.2	0.01	0.004	6.5 $\times$ 340	10	Price on request
2065736/3	1	0.1	0.010	6 $\times$ 355	10	Price on request
2065736/4	1	0.01	0.010	6 $\times$ 355	10	Price on request
2065736/5	2	0.1	0.010	8 $\times$ 355	10	Price on request
2065736/6	5	0.1	0.020	8 $\times$ 355	10	Price on request
2065736/7	10	0.1	0.030	10 $\times$ 355	10	Price on request
2065736/8	25	0.1	0.050	15 $\times$ 355	10	Price on request

- White and Amber Colour Printing also available.



PIPETTES, GRADUATED, CLASS 'B' SEROLOGICAL TYPE

- In accordance with ASTM E-1044 Standard.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipette is calibrated to deliver from any graduation line down to tip.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	O.D. $\times$ Height (mm)	Pack of (Pcs)	Price (Each)
2065741/1	0.1	0.01	0.005	6.5 $\times$ 300	10	Price on request
2065741/2	0.2	0.01	0.008	6.5 $\times$ 340	10	Price on request
2065741/3	1	0.1	0.020	6 $\times$ 355	10	Price on request
2065741/4	1	0.01	0.020	6 $\times$ 355	10	Price on request
2065741/5	2	0.1	0.020	8 $\times$ 355	10	Price on request
2065741/6	5	0.1	0.040	8 $\times$ 355	10	Price on request
2065741/7	10	0.1	0.060	10 $\times$ 355	10	Price on request
2065741/8	25	0.1	0.100	15 $\times$ 355	10	Price on request

- White Printing also available.



IMPORTANT

Glassware is a regular appearance in the Botany Laboratory because it has a relatively low cost, extreme durability and specific level of precision.



PIPETTES, GRADUATED, CLASS 'A' MOHR TYPE

- In accordance with DIN/ISO 835 Standard with Individual Certificate.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipettes are graduated to deliver from zero mark to the last graduation mark.


Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065794/A	0.1	0.01	0.006	6.5 × 300	10	532.00
2065794/B	0.2	0.01	0.006	6.5 × 340	10	532.00
2065794/1	1	0.01	0.007	6 × 355	10	788.00
2065794/1A	1	0.10	0.007	6 × 355	10	786.00
2065794/2	2	0.02	0.01	8 × 355	10	488.00
2065794/2A	2	0.10	0.01	8 × 355	10	454.00
2065794/3	5	0.05	0.03	8 × 355	10	880.00
2065794/3A	5	0.10	0.03	8 × 355	10	532.00
2065794/4	10	0.10	0.05	10 × 355	10	940.00
2065794/5	25	0.20	0.10	15 × 355	10	1,544.00
2065794/5A	25	0.10	0.10	15 × 355	10	718.00

PIPETTES, GRADUATED, CLASS 'B' MOHR TYPE

- In accordance with DIN/ISO 835 Standard.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipette is calibrated to deliver from any graduation line down to tip.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065790/A	0.1	0.01	0.01	6.5 × 300	10	648.00
2065790/B	0.2	0.01	0.01	6.5 × 340	10	640.00
2065790/1	1	0.01	0.01	6 × 355	10	530.00
2065790/1A	1	0.10	0.01	6 × 355	10	150.00
2065790/2	2	0.02	0.02	8 × 355	10	562.00
2065790/2A	2	0.10	0.02	8 × 355	10	170.00
2065790/3	5	0.05	0.05	8 × 355	10	650.00
2065790/3A	5	0.10	0.05	8 × 355	10	178.00
2065790/4	10	0.10	0.10	10 × 355	10	194.00
2065790/5	25	0.20	0.20	15 × 355	10	260.00
2065790/5A	25	0.10	0.20	15 × 355	10	308.00

- White and Amber Colour Printing also available.



PIPETTES, GRADUATED, CLASS 'A', AMBER MOHR TYPE

- In accordance with DIN/ISO 835 Standard with Individual Certificate.
- Markings are provided in permanent white stain diffused into the surface of the glass for better visibility and durability.
- Pipettes are graduated to deliver from zero mark to the last graduation mark.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065745/A	0.1	0.01	0.006	6.5 × 300	10	Price on request
2065745/B	0.2	0.01	0.006	6.5 × 340	10	Price on request
2065745/1	1	0.01	0.007	6 × 355	10	Price on request
2065745/1A	1	0.1	0.007	6 × 355	10	Price on request
2065745/2	2	0.02	0.01	8 × 355	10	Price on request
2065745/2A	2	0.1	0.01	8 × 355	10	Price on request
2065745/3	5	0.05	0.03	8 × 355	10	Price on request
2065745/3A	5	0.1	0.03	8 × 355	10	Price on request
2065745/4	10	0.1	0.05	10 × 355	10	Price on request
2065745/5	25	0.2	0.1	15 × 355	10	Price on request
2065745/5A	25	0.1	0.1	15 × 355	10	Price on request



PIPETTES, GRADUATED, CLASS 'A' MOHR TYPE

- In accordance with ASTM E-1293 Standard with Batch Certificate.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipettes are graduated to deliver from zero mark to the last graduation mark.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance (±mL)	O.D. × Height (mm)	Pack of (Pcs)	Price (Each)
2065756/1	0.1	0.01	0.01	6.5 × 300	10	310.00
2065756/2	0.2	0.01	0.015	6.5 × 340	10	310.00
2065756/3	1	0.1	0.01	6 × 355	10	310.00
2065756/4	1	0.01	0.01	6 × 355	10	310.00
2065756/5	2	0.1	0.01	8 × 355	10	310.00
2065756/6	5	0.1	0.02	8 × 355	10	310.00
2065756/7	10	0.1	0.03	10 × 355	10	310.00
2065756/8	25	0.1	0.05	15 × 355	10	310.00



- White and Amber Colour Printing also available.

PIPETTES, GRADUATED, CLASS 'B' MOHR TYPE

- In accordance with ASTM E-1293 Standard.
- Markings are provided in permanent blue stain diffused into the surface of the glass for better visibility and durability.
- Pipettes are graduated to deliver from zero mark to the last graduation mark.

Cat. No.	Capacity (mL)	Sub. Div. (mL)	Tolerance ($\pm$ mL)	O.D. $\times$ Height (mm)	Pack of (Pcs)	Price (Each)
2065755/1	0.1	0.01	0.005	6.5 $\times$ 300	10	240.00
2065755/2	0.2	0.01	0.008	6.5 $\times$ 340	10	240.00
2065755/3	1	0.1	0.02	6 $\times$ 355	10	240.00
2065755/4	1	0.01	0.02	6 $\times$ 355	10	240.00
2065755/5	2	0.1	0.02	8 $\times$ 355	10	240.00
2065755/6	5	0.1	0.05	8 $\times$ 355	10	240.00
2065755/7	10	0.1	0.10	10 $\times$ 355	10	240.00
2065755/8	25	0.2	0.20	15 $\times$ 355	10	240.00

- White and Amber Colour Printing also available.



Pipette, Graduated

Type of Glass					
arco	Manufacturer	0.1 $\times$ 0.01	White		2 $\times$ 0.1
25	Nominal Capacity	0.2 $\times$ 0.01	Black		5 $\times$ 0.05
0.1	Graduation	1 $\times$ 0.01	Yellow		5 $\times$ 0.1
A001	Serial No.	1 $\times$ 0.1	Red		10 $\times$ 0.1
DIN 835	Standards	2 $\times$ 0.02	Black		25 $\times$ 0.2
A	Mfg. Month (Batch)				
Ex 20°C	Calibration & Ref. Temp.				
$\pm$ 0.10	Tolerance				

PIPETTES, VOLUMETRIC, CLASS 'A' ONE MARK

- In accordance with DIN/ISO 648 Standard with Individual Certificate.
- Comes in blue colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065785/1A	0.5	0.005	310	10	
2065785/1	1	0.008	320	10	478.00
2065785/2	2	0.01	320	10	488.00
2065785/3	3	0.01	320	10	218.00
2065785/4	4	0.01	370	10	218.00
2065785/5	5	0.015	370	10	516.00
2065785/5A	6	0.01	370	10	266.00
2065785/5B	7	0.01	375	10	266.00
2065785/5C	8	0.02	385	10	266.00
2065785/5D	9	0.02	395	10	266.00
2065785/6	10	0.02	405	10	632.00
2065785/7	15	0.02	450	10	342.00
2065785/8	20	0.03	500	10	828.00
2065785/9	25	0.03	500	10	896.00
2065785/9A	30	0.03	512	10	Price on request
2065785/9B	40	0.05	542	10	Price on request
2065785/10	50	0.05	542	5	1,000.00
2065785/11	100	0.08	523	5	1,556.00

- White and Amber Colour Printing also available.



PIPETTES, VOLUMETRIC, CLASS 'B' ONE MARK

- In accordance with DIN/ISO 648 Standard.
- Comes in blue colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065760/A1	1	0.015	320	10	154.00
2065760/1	2	0.02	320	10	154.00
2065760/2	5	0.03	370	10	156.00
2065760/3	10	0.04	405	10	188.00
2065760/4	15	0.04	450	10	218.00
2065760/5	20	0.06	500	10	224.00
2065760/6	25	0.06	500	10	228.00
2065760/7	50	0.10	542	5	268.00
2065760/8	100	0.15	523	5	396.00

- White and Amber Colour Printing also available.



GLASS
BORO
3.3



PIPETTES, VOLUMETRIC, CLASS 'A', AMBER
ONE MARK

- In accordance with DIN/ISO 648 Standard with Individual Certificate.
- Comes in white colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065770/1	1	0.008	320	10	Price on request
2065770/2	2	0.01	320	10	Price on request
2065770/5	5	0.015	370	10	Price on request
2065770/6	10	0.02	405	10	Price on request
2065770/7	15	0.02	450	10	Price on request
2065770/8	20	0.03	500	10	Price on request
2065770/9	25	0.03	500	10	Price on request
2065770/10	50	0.05	542	5	Price on request
2065770/11	100	0.08	523	5	Price on request





PIPETTES, VOLUMETRIC, CLASS 'A' ONE MARK

- In accordance with USP Standard with Individual Certificate.
- Comes in blue colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065786/1	0.5	0.006	310	10	490.00
2065786/2	1	0.006	320	10	530.00
2065786/3	1.5	0.006	320	10	580.00
2065786/4	2	0.006	320	10	530.00
2065786/5	2.5	0.006	320	10	600.00
2065786/6	3	0.01	320	10	660.00
2065786/7	4	0.01	370	10	700.00
2065786/8	5	0.01	370	10	780.00
2065786/9	6	0.01	370	10	890.00
2065786/10	7	0.01	375	10	1,020.00
2065786/11	8	0.02	385	10	1,020.00
2065786/12	9	0.02	395	10	1,020.00
2065786/13	10	0.02	405	10	1,020.00
2065786/14	15	0.03	450	10	1,080.00
2065786/15	20	0.03	500	10	1,140.00
2065786/16	25	0.03	500	10	1,140.00
2065786/17	30	0.03	512	10	1,140.00
2065786/18	40	0.05	542	10	1,190.00
2065786/19	50	0.05	542	5	1,210.00
2065786/20	100	0.08	523	5	1,800.00

- White and Amber Colour Printing also available.



PIPETTES, VOLUMETRIC, CLASS 'A', AMBER
ONE MARK

- In accordance with USP Standard with Individual Certificate.
- Comes in blue colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065787/1	0.5	0.006	310	10	568.00
2065787/2	1	0.006	320	10	614.00
2065787/3	1.5	0.006	320	10	672.00
2065787/4	2	0.006	320	10	614.00
2065787/5	2.5	0.006	320	10	696.00
2065787/6	3	0.01	320	10	766.00
2065787/7	4	0.01	370	10	812.00
2065787/8	5	0.01	370	10	904.00
2065787/9	6	0.01	370	10	1,032.00
2065787/10	7	0.01	375	10	1,182.00
2065787/11	8	0.02	385	10	1,182.00
2065787/12	9	0.02	395	10	1,182.00
2065787/13	10	0.02	405	10	1,182.00
2065787/14	15	0.03	450	10	1,252.00
2065787/15	20	0.03	500	10	1,322.00
2065787/16	25	0.03	500	10	1,322.00
2065787/17	30	0.03	512	10	1,322.00
2065787/18	40	0.05	542	10	1,380.00
2065787/19	50	0.05	542	5	1,402.00
2065787/20	100	0.08	523	5	2,088.00



PIPETTES, VOLUMETRIC, CLASS 'A' ONE MARK


- In accordance with ASTM E-438 Standard with Individual Certificate.
- Comes in blue colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance ($\pm$ mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065788/1	0.5	0.006	310	10	420.00
2065788/2	1	0.006	320	10	346.00
2065788/3	1.5	0.006	320	10	390.00
2065788/4	2	0.006	320	10	338.00
2065788/5	2.5	0.006	320	10	430.00
2065788/6	3	0.01	320	10	390.00
2065788/7	4	0.01	370	10	390.00
2065788/8	5	0.01	370	10	390.00
2065788/9	6	0.01	370	10	472.00
2065788/10	7	0.01	375	10	472.00
2065788/11	8	0.02	385	10	472.00
2065788/12	9	0.02	395	10	472.00
2065788/13	10	0.02	405	10	472.00
2065788/14	15	0.03	450	10	532.00
2065788/15	20	0.03	500	10	618.00
2065788/16	25	0.03	500	10	654.00
2065788/17	30	0.03	512	10	660.00
2065788/18	40	0.05	542	10	710.00
2065788/19	50	0.05	542	5	722.00
2065788/20	100	0.08	523	5	1,128.00

- White and Amber Colour Printing also available.



Pipette, Volumetric



PIPETTES, VOLUMETRIC, CLASS 'B' ONE MARK

- In accordance with ASTM E-438 Standard.
- Comes in blue colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance (±mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065789/1	0.5	0.012	310	10	168.00
2065789/2	1	0.012	320	10	138.00
2065789/3	1.5	0.012	320	10	156.00
2065789/4	2	0.012	320	10	136.00
2065789/5	2.5	0.012	320	10	172.00
2065789/6	3	0.02	320	10	156.00
2065789/7	4	0.02	370	10	156.00
2065789/8	5	0.02	370	10	156.00
2065789/9	6	0.03	370	10	188.00
2065789/10	7	0.03	375	10	188.00
2065789/11	8	0.04	385	10	188.00
2065789/12	9	0.04	395	10	188.00
2065789/13	10	0.04	405	10	188.00
2065789/14	15	0.06	450	10	212.00
2065789/15	20	0.06	500	10	246.00
2065789/16	25	0.06	500	10	262.00
2065789/17	30	0.06	512	10	264.00
2065789/18	40	0.10	542	10	284.00
2065789/19	50	0.10	542	5	288.00
2065789/20	100	0.16	523	5	450.00

- White and Amber Colour Printing also available.



Colour Code

1 mL	Blue		9 mL	Black	
2 mL	Orange		10 mL	Red	
3 mL	Black		15 mL	Green	
4 mL	2 Red Rings		20 mL	Yellow	
5 mL	White		25 mL	Blue	
6 mL	2 Orange		30 mL	Black	
7 mL	2 Green Rings		40 mL	White	
8 mL	Blue		50 mL	Red	
			100 mL	Yellow	

PIPETTES, VOLUMETRIC, CLASS 'A', AMBER ONE MARK

- In accordance with ASTM E-438 Standard with Individual Certificate.
- Comes in blue colour enamel printing.
- Ideally used for accurate measurement and decanting of liquid.

Cat. No.	Capacity (mL)	Tolerance ($\pm$ mL)	Height (mm)	Pack of (Pcs)	Price (Each)
2065791/1	0.5	0.006	310	10	568.00
2065791/2	1	0.006	320	10	614.00
2065791/3	1.5	0.006	320	10	672.00
2065791/4	2	0.006	320	10	614.00
2065791/5	2.5	0.006	320	10	696.00
2065791/6	3	0.01	320	10	766.00
2065791/7	4	0.01	370	10	812.00
2065791/8	5	0.01	370	10	904.00
2065791/9	6	0.01	370	10	1,032.00
2065791/10	7	0.01	375	10	1,184.00
2065791/11	8	0.02	385	10	1,184.00
2065791/12	9	0.02	395	10	1,184.00
2065791/13	10	0.02	405	10	1,184.00
2065791/14	15	0.03	450	10	1,252.00
2065791/15	20	0.03	500	10	1,322.00
2065791/16	25	0.03	500	10	1,322.00
2065791/17	30	0.03	512	10	1,322.00
2065791/18	40	0.05	542	10	1,380.00
2065791/19	50	0.05	542	5	1,404.00
2065791/20	100	0.08	523	5	2,088.00

- White and Amber Colour Printing also available.

PIPETTES, MILK

- Accuracy as per Class 'B'.
- Used for testing milk by the Gerber method.
- Comes in white colour enamel printing.
- Also be used in rural Milk Collection Centres.

Cat. No.	Capacity (mL)	Tolerance ($\pm$ mL)	Pack of (Pcs)	Price (Each)
2065880/1	10.75	0.03	10	216.00

- White and Amber Colour Printing also available.



GENERAL

GLASSWARE



DESICCATORS WITH LID SODA GLASS

- Soda glass with Porcelain perforated plate.
- Die pressed ideal for drying under atmospheric pressure.

Cat. No.	Ground Flange ID (mm)	Pack of (Pcs)	Price (Each)
2063330/A	100	1	8,498.00
2063330/B	150	1	6,820.00
2063330/C	200	1	6,249.00
2063330/D	250	1	13,198.00
2063330/E	300	1	21,000.00



DESICCATORS WITH LID VACUUM SODA GLASS

- Soda glass with Porcelain perforated plate and glass sleeve.
- Die pressed ,Ideal to use under vacuum.

Cat. No.	Ground Flange ID (mm)	Pack of (Pcs)	Price (Each)
2063340/A	100	1	13,020.00
2063340/B	150	1	13,228.00
2063340/C	200	1	10,550.00
2063340/D	250	1	23,738.00
2063340/E	300	1	30,486.00



WEIGHING SCOOP

- Provided with open tubular arm.
- Used for weighing small quantities of dyes and powders.


Cat. No.	Capacity (mL)	Length (mm) Approx.	Pack of (Pcs)	Price (Each)
2061255/A1	1	31	10	224.00
2061255/A2	2	40	10	224.00
2061255/1	3	72	10	216.00
2061255/2	6	82	10	238.00
2061255/3	10	105	10	266.00



WATCH GLASS

- Made from selected glass sheet.
- Designed with an absolutely flat curved surface.
- Key features of the article include High clarity, free of bubbles, convenient stacking due to moulding to the same radius of curvature.

Cat. No.	Diameter (mm)	Pack of (Pcs)	Price (Each)
2068220/1	50	10	28.00
2068220/2	60	10	34.00
2068220/3	75	10	42.00
2068220/4	90	10	96.00
2068220/5	100	10	100.00
2068220/6	125	10	74.00
2068220/7	150	10	128.00
2068220/8	200	10	300.00



PIPETTES, DROPPING

- Made from Borosilicate Glass 3.3.
- Supplied with soft rubber teat.
- Useful for dispensing liquid from test tubes.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2065941/1	110	10	90.00
2065941/2	125	10	90.00
2065941/3	150	10	100.00
2065941/4	200	10	120.00



GAS GENERATOR, KIPPS

Gas generation is another important work in chemistry laboratory and scientific experiments, this requirement is fulfilled by the introduction of gas generator. It is the perfect solution for scientific purpose and promise high quality precision. It is a rapid and effective apparatus to produce controllable amounts of common gases such as hydrogen sulphide, carbon dioxide etc.

- The article is made up of 3.3 Borosilicate glass USP Type 1.
- Key feature for this article are simple operation, quick charging and assembly.
- Ideal to produce common gases.

Cat. No.	Capacity (mL)	Socket Size	Cone Size	Funnel (mm)	Pack of (Pcs)	Price (Each)
2080520/1	250	24/29	24/29	200	1	4,048.00
2080520/2	500	24/29	24/29	200	1	7,982.00
2080520/3	1000	24/29	24/29	200	1	11,398.00



TUBES, COMBUSTION

- Made of Borosilicate Glass.
- Open at both ends.
- For oxidation and reduction of chemical substances.
- Length: 300mm

Cat. No.	OD x ID (mm)	Pack of (Pcs)	Price (Each)
2067680/1	17 x 11	10	72.00
2067680/2	22 x 17	10	120.00
2067680/3	24 x 20	10	270.00



TUBES, COMBUSTION, NUFFIELD


With short glass tube of smaller diameter mounted at the ends of the combustion tube (Cat No 2067680) through holed rubber stoppers to enable the collection of reacting gases. Suitable for the reduction of metal oxides which is accompanied by the liberation of hydrogen. Approximate dimensions - 150mm length and 15mm diameter.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2067710	Tubes, Combustion, Nuffield	10	310.00

TUBES, ABSORPTION, STRAIGHT

- Borosilicate Glass 3.3.
- With one bulb.

Cat. No.	Approx. OD (mm)	Length (mm) Approx.	Pack of (Pcs)	Price (Each)
2068400/1	12	100	10	90.00
2068400/2	20	150	10	150.00
2068400/3	25	200	10	300.00



TUBES, ABSORPTION, U-FORM

- Borosilicate Glass 3.3.

Cat. No.	Approx. OD (mm)	Length (mm) Approx.	Pack of (Pcs)	Price (Each)
2068430/1	12	100	10	140.00
2068430/2	15	125	10	350.00
2068430/3	20	150	10	450.00




TUBES, ABSORPTION, U-FORM WITH SLOPING END

- Borosilicate Glass 3.3.
- Side tubes near top of each arm.

Cat. No.	Approx. OD (mm)	Length (mm) Approx.	Pack of (Pcs)	Price (Each)
2068460/1	12	100	1	190.00
2068460/2	15	125	1	220.00
2068460/3	20	150	1	400.00





TUBES, ABSORPTION, U-FORM WITH SIDE TUBES, STOPPERED

- Borosilicate Glass 3.3.
- Side tubes near top of each arm.


Cat. No.	OD (mm) Approx.	Length (mm) Approx.	Pack of (Pcs)	Price (Each)
2068490/1	12	100	1	600.00
2068490/2	15	125	1	600.00
2068490/3	20	150	1	800.00



SPHERICAL JOINT, BALL

- In accordance with DIN-12264.
- Provided with smooth grinding surface to avoid leakage.

Cat. No.	Joint Size	ID (mm)	OD (mm)	Pack of (Pcs)	Price (Each)
2068672/A	S-13 Capillary	2	7.5	10	500.00
2068672/1	S-13 Tube	5	8	10	376.00
2068672/2	S-19	9	13	10	500.00
2068672/3	S-29	16	20	10	750.00
2068672/4	S-35	22	26	10	876.00
2068672/5	S-41	28	32	10	1,250.00
2068672/6	S-51	33	38	10	1,500.00



SPHERICAL JOINT, CUP

- In accordance with DIN-12264.

Cat. No.	Joint Size	ID (mm)	OD (mm)	Pack of (Pcs)	Price (Each)
2068674/A	S-13 Capillary	2	7.5	10	500.00
2068674/1	S-13 Tube	5	8	10	376.00
2068674/2	S-19	9	13	10	500.00
2068674/3	S-29	16	20	10	750.00
2068674/4	S-35	22	26	10	876.00
2068674/5	S-41	28	32	10	1,250.00
2068674/6	S-51	33	38	10	1,500.00

JOINT CLIP FOR BALL CUP JOINT

2068674P Plastic

Cat. No.	Size	Pack of (Pcs)	Price (Each)
1	S-13	10	25.00
2	S-19	10	25.00
3	S-29	10	25.00
4	S-35	10	50.00
5	S-41	10	50.00
6	S-51	10	50.00

2068674S SS

Cat. No.	Size	Pack of (Pcs)	Price (Each)
1	S-13	10	250.00
2	S-19	10	375.00
3	S-29	10	500.00
4	S-35	10	625.00
5	S-41	10	1,000.00
6	S-51	10	1,400.00



VISCOMETER 'U-TUBE'

- As per BS/U & ASTM D 446. For transparent liquids.

Cat. No.	Size	Nominal Constant	Viscosity Range (BS/U)	Viscosity Range (ASTM)	Pack of (Pcs)	Price (Each)
2068192/1	O	0.001	0.3-3	NIL	1	9,720.00
2068192/2	A	0.003	01-5	0.9-3	1	6,048.00
2068192/3	B	0.01	2-15	2-10	1	6,048.00
2068192/4	C	0.03	6-45	6-30	1	6,048.00
2068192/5	D	0.1	20-120	20-100	1	6,048.00
2068192/6	E	0.3	60-500	60-300	1	6,048.00
2068192/7	F	1	200-1000	200-1000	1	6,048.00
2068192/8	G	3	600-4000	600-3000	1	6,048.00
2068192/9	H	10	2000-15000	2000-10000	1	6,048.00



TUBES, DELIVERY, SET OF 6

- Borosilicate Glass 3.3.
- Outer diameter 6mm.
- In different lengths and bent in different shapes.

Cat. No.	Particular	Pack of (Pcs)	Price (Each)
2067740	Tubes, Delivery, Set of 6	1	350.00



TUBES, GLASS

- Borosilicate Glass 3.3.

Cat. No.	Outer Dia (mm)	Length (mm) Approx.	Pack of (Pcs)	Price (Each)
2067830/1	4	500	10	64.00
2067830/2	5	500	10	56.00
2067830/3	6	500	10	56.00
2067830/4	7	500	10	56.00
2067830/5	8	500	10	60.00
2067830/6	10	500	10	64.00
2067830/7	13	500	10	96.00
2067830/8	15	500	10	136.00

STIRRER

- Borosilicate Glass 3.3.

Cat. No.	Outer Dia (mm)	Length (mm) Approx.	Pack of (Pcs)	Price (Each)
2067840/1	7	150	20	28.00
2067840/2	7	200	20	40.00
2067840/3	7	250	20	40.00
2067840/4	7	300	20	52.00
2067840/5	9	150	20	40.00
2067840/6	9	200	20	52.00
2067840/7	9	250	20	60.00
2067840/8	9	300	20	60.00
2067840/9	3	200	20	60.00

KECK CLIPS FOR JOINTS

- Manufactured from PP
- Outstanding chemical resistant.
- Autoclavable with maximum operating temp of 135°C.

Cat. No.	Size	Colour	Pack of (Pcs)	Price (Each)
2063815/1	10/19	Mint	50	50.00
2063815/2	12/21	Violet	50	50.00
2063815/3	14/23	Yellow	50	50.00
2063815/4	19/26	Blue	50	50.00
2063815/5	24/29	Green	50	50.00
2063815/6	29/32	Red	50	50.00
2063815/7	34/35	Orange	50	50.00
2063815/8	40/38	Orange	50	50.00
2063815/9	45/40	Brown	150	150.00

Test Tube

GLASSWARE





DIN
4142



GLASS
BORO
3.3

TEST TUBE WITH RIM

- In accordance with ISO/DIN 4142.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- The design of the tube include round bottom, thick walled and provided with rim.
- Uniformly drawn high quality tubing make the tube durable.

Cat. No.	Capacity (mL)	OD x Length (mm)	Thickness (mm)	Pack of (Pcs)	Price (Each)
2067380/A1	3	10 x 75	1.0	100	9.00
2067380/1	5	12 x 75	1.0	100	9.00
2067380/2	6	12 x 100	1.0	100	13.00
2067380/3	13	15 x 125	1.2	100	14.00
2067380/4	15	15 x 150	1.2	100	17.00
2067380/5	27	18 x 150	1.2	100	19.00
2067380/6	45	20 x 150	1.2	50	27.00
2067380/6A	38	25 x 100	1.2	50	25.00
2067380/7	55	25 x 150	1.2	50	30.00
2067380/7A	60	25 x 200	1.2	50	39.00
2067380/8	100	32 x 200	1.5	50	59.00
2067380/9	150	38 x 200	1.5	50	71.00

- White and Amber Colour Printing also available.



DIN
4142



GLASS
BORO
3.3

TEST TUBE WITHOUT RIM

- In accordance with ISO/DIN 4142.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- The design of the tube include round bottom, thick walled and provided with rim.
- Uniformly drawn high quality tubing make the tube durable.

Cat. No.	Capacity (mL)	OD x Length (mm)	Thickness (mm)	Pack of (Pcs)	Price (Each)
2067410/1	3	10 x 75	1.0	100	10.00
2067410/2	5	12 x 75	1.0	100	9.00
2067410/3	6	12 x 100	1.0	100	13.00
2067410/4	13	15 x 125	1.2	100	14.00
2067410/5	15	15 x 150	1.2	100	17.00
2067410/6	27	18 x 150	1.2	100	25.00
2067410/7	45	20 x 150	1.2	100	36.00
2067410/8	38	25 x 100	1.2	50	23.00
2067410/9	55	25 x 150	1.2	50	29.00
2067410/10	60	25 x 200	1.2	50	32.00
2067410/11	100	32 x 200	1.5	50	59.00
2067410/12	150	38 x 200	1.5	50	71.00

- White and Amber Colour Printing also available.

TEST TUBE WITH RIM

- In accordance with ISO/DIN 4142, IS 2618
- Manufactured from Heat Resistant, [Low Expansion 5.1 Borosilicate Glass](#).
- The design of the tube include round bottom, thick walled and provided with rim.
- Uniformly drawn high quality tubing make the tube durable.

Cat. No.	Capacity (mL)	OD × Length (mm)	Thickness (mm)	Pack of (Pcs)	Price (Each)
2067415/1	3	10 × 75	1.0	100	8.00
2067415/2	5	12 × 75	1.0	100	8.00
2067415/3	7	12 × 100	1.0	100	12.00
2067415/4	10	15 × 100	1.0	100	12.00
2067415/5	13	15 × 125	1.0	100	14.00
2067415/6	15	15 × 150	1.0	100	16.00
2067415/7	55	18 × 150	1.0	100	20.00
2067415/8	70	25 × 100*	1.0	100	30.00

*Not covered in standard.

- White and Amber Colour Printing also available.



TEST TUBE WITH ARM

- In accordance with ISO/DIN 4142.
- These tubes comes with round bottom.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.

Cat. No.	OD × Length (mm)	Pack of (Pcs)	Price (Each)
2067440/1	16 × 125	10	58.00
2067440/2	18 × 150	10	64.00
2067440/3	24 × 150	10	78.00
2067440/4	30 × 200	10	88.00
2067440/5	25 × 150	10	78.00

- White and Amber Colour Printing also available.





TUBES, CULTURE ROUND BOTTOM WITH PP SCREW CAP

- Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass.
- These tubes comes with round bottom and screw cap.
- Screw cap facilitate handling and make the tube leak proof.
- Uniformly drawn high quality tubing make the tube durable.

Cat. No.	OD × Length (mm)	Pack of (Pcs)	Price (Each)
2067660/1	14 × 100	100	37.00
2067660/1A	16 × 75	100	56.00
2067660/2	16 × 100	100	57.00
2067660/3	16 × 125	100	61.00
2067660/4	16 × 160	100	66.00
2067660/5	18 × 100	100	66.00
2067660/6	18 × 180	100	67.00
2067660/7	20 × 100	100	67.00
2067660/8	20 × 200	100	69.00
2067660/9	22 × 200	100	73.00
2067660/10	26 × 100	100	77.00
2067660/10A	25 × 150	50	81.00
2067660/11	25 × 200	50	83.00
2067660/12B	38 × 200	50	350.00

- White and Amber Colour Printing also available.
- Amber Coating Tube also available. (Use Cat. No. 2067660A)



TUBES, CULTURE FLAT BOTTOM WITH PP SCREW CAP

- In accordance with ISO/DIN 4142.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- These tubes comes with flat bottom, uniform wall thickness and screw cap.
- Screw cap facilitate handling and make the tube leak proof.
- Tubes caps comes PP Screw Cap & PTFE Liner.

Cat. No.	Capacity (mL)	OD × Length (mm)	Pack of (Pcs)	Price (Each)
2067662/1	5	16 × 50	100	53.00
2067662/2	10	25 × 50	100	68.00
2067662/3	15	25 × 57	100	64.00
2067662/4	20	25 × 72	100	73.00
2067662/5	30	25 × 95	100	78.00
2067662/6	40	25 × 145	50	83.00

- White and Amber Colour Printing also available.
- Amber Coating Tube also available. (Use Cat. No. 2067662A)

TEST TUBES, GRADUATED WITH GLASS STOPPER

- In accordance with ISO/DIN 4142.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- These tube comes with round bottom, thick-walled and glass stopper.
- Mechanical and Thermal shock resistant.
- Provided with graduation for greater precision.
- Marking are in blue enamel.

Cat. No.	Neck Size	OD × Length (mm)	Pack of (Pcs)	Price (Each)
2067420/1	10/19	12 × 100	100	167.00
2067420/1A	12/21	15 × 125	100	183.00
2067420/2	10/15	17 × 160	100	224.00
2067420/2A	14/15	15 × 150	100	224.00
2067420/3	14/15	19 × 160	100	224.00
2067420/4	19/26	25 × 155	50	242.00
2067420/5	14/23	18 × 150	100	200.00
2067420/6	19/26	25 × 200	50	291.00
2067420/7	24/25	34 × 210	50	308.00
2067420/8	24/29	28 × 150	50	252.00
2067420/9	24/29	32 × 200	50	398.00
2067420/10	24/29	38 × 200	50	455.00

- White and Amber Colour Printing also available.
- Test tube Un-Graduated also available.



COD DIGESTION TUBE

- Used in COD Disintegration
- Printed in Blue Enamel.

Cat. No.	OD × Length (mm)	Pack of (Pcs)	Price (Each)
2067323/1	26 × 205	10	260.00
2067323/2	39 × 205	10	300.00

- White and Amber Colour Printing also available.



TUBES, CENTRIFUGE CONICAL BOTTOM, GRADUATED

- Manufactured from ASTM E-438, Boro 3.3 glass.
- Ideal for collecting and separating small amounts of solids.
- Uniformly drawn high quality tubing make the tube durable and safer to use.
- Pointed centre of the base collects higher density fraction.
- Uniformly drawn high quality tubing make the tube durable.
- These tube comes with conical bottom
- Provided with graduation for greater precision.
- Marking are in blue enamel.

Cat. No.	Capacity (mL)	OD × Length (mm)	Pack of (Pcs)	Price (Each)
2051043/1	5	13 × 100	100	80.00
2051043/2	10	15 × 110	100	84.00
2051043/3	15	17 × 120	100	146.00
2051043/4	25	22 × 125	100	179.00
2051043/5	50	28 × 140	50	282.00

- White and Amber Colour Printing also available.



TUBES, CENTRIFUGE CONICAL BOTTOM, PLAIN

- Manufactured from ASTM E-438, Boro 3.3 glass
- These tube comes with conical bottom, uniform wall thickness.
- Ideal for collecting and separating small amount of solids.
- Uniformly drawn high quality tubing make the tube durable and safer to use.
- Pointed centre of the base collects higher density fraction.

Cat. No.	Capacity (mL)	OD × Length (mm)	Pack of (Pcs)	Price (Each)
2051041/1	5	13 × 100	100	160.00
2051041/2	10	15 × 110	100	220.00
2051041/3	15	17 × 120	100	320.00
2051041/4	25	22 × 125	100	370.00
2051041/5	50	28 × 140	50	420.00

- White and Amber Colour Printing also available.



TUBES, CENTRIFUGE WITH PENNY HEAD GLASS STOPPER

- Manufactured from ASTM E-438 Type-1 Class 'A', Boro 3.3 glass.
- Ideal for collecting and separating small amounts of solids.
- Uniformly drawn high quality tubing make the tube durable and safer to use.
- Pointed centre of the base collects higher density fraction.
- Uniformly drawn high quality tubing make the tube durable.
- These tube comes with conical bottom and stopper.
- Provided with graduation for greater precision.
- Marking are in blue enamel.

Cat. No.	Capacity (mL)	OD x Length (mm)	Pack of (Pcs)	Price (Each)
2051042/4	15	17 x 139	100	613.00
2051042/5	50	29 x 165	50	808.00

- White and Amber Colour Printing also available.



TUBES, CENTRIFUGE WITH SCREW CAP

- Manufactured from ASTM E-438 Type-1 Class 'A', Boro 3.3 glass.
- Ideal for collecting and separating small amounts of solids.
- Uniformly drawn high quality tubing make the tube durable and safer to use.
- Pointed centre of the base collects higher density fraction.
- Uniformly drawn high quality tubing make the tube durable.
- These tube comes with conical bottom and stopper.
- Provided with graduation for greater precision.
- Marking are in blue enamel.

Cat. No.	Capacity (mL)	OD x Length (mm)	Pack of (Pcs)	Price (Each)
2051040/1	15	17 x 130	100	500.00
2051040/2	50	29 x 150	50	620.00

- White and Amber Colour Printing also available.



Utility Sets



10BU ORGANIC CHEMISTRY SET

- One joint size 10/19. A semi-micro set which features a comprehensive range of apparatus including a self-contained stirrer unit. It is ideal for industrial use or for teaching at widely varying levels up to post-graduate standard.
- The scope of the set can be appreciated by reference to more than 20 assemblies from simple reflux to fractional distillation, which cover all the principal techniques of preparative organic chemistry for quantities of starting material up to 15g. The wooden storage box is of dual-purpose design, and can be converted to a stand to support all the various assemblies.
- This completely eliminates the need for clamping equipment. Each set includes a drawing stencil and an instruction booklet, which includes practical details of experiments and preparations.
- 10BU Semi-micro set of glassware comprising 22 items and contained in a storage box / stand as described below.



S. No.	Component	Qty.	S. No.	Component	Qty.
1.	Liebig condenser	1	11.	Stopper	2
2.	Dropping funnel, 20mL	1	12.	Still head	1
3.	Flask, pear shape, 25mL	1	13.	Air condenser	1
4.	Flask, three necks, 25mL	1	14.	Filter funnel	1
5.	Flask, round bottom, 5mL	3	15.	Receiver tube	1
6.	Air leak / steam inlet	1	16.	Will statler nail	1
7.	Thermometer -10 to 250°C	1	17.	Gas inlet tube	1
8.	Dropping pipette	1	18.	Drying tube	1
9.	Rubber teat	1	19.	Stirrer	1
10.	Receiver adapter	2			



Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2080640	10BU Organic Chemistry Set	1	4,750.00



17BU ORGANIC CHEMISTRY SET

- One joint size 10/19. Most of the simple processes of preparative organic chemistry can be carried out with the seven parts contained in this set.
- These include reflux, reflux with addition, distillation, preparation, steam distillation and separation. Designed for quantities up to 15g of starting material, the set is ideal for introducing students to the first principles of preparative chemistry.
- The set is supplied in a cardboard box and comes complete with instructions for use. 17BU Complete set comprises 7 items.



S. No.	Component	Qty.
1.	Liebig condenser	1
2.	Dropping funnel, 20mL	1
3.	Flask, pear shape, 25mL	1
4.	Thermometer – 10 to 250°C	1
5.	Stopper	2
6.	Still head	1
7.	Receiver Adapter	1

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2080680	17BU Organic Chemistry Set	1	7,250.00



29BU/M ORGANIC CHEMISTRY SET

- One joint size 14/23. This set, comprising of 5 glassware items, is ideal for introducing students to the principal techniques of preparative organic chemistry. Although the set is very simple, a surprising number of preparations on the 30g scale can be carried out. Provides the construction of both reflux and distillation assemblies. The set is housed in a robust box and is supplied with an instruction booklet, which contains notes on practical techniques and details of various experiments and preparations.



S. No.	Component	Qty.
1	Pear shaped flask, 50mL	1
2	Still head	1
3	Liebig Condenser	1
4	Screw-cap adapter	1
5	Receiver adapter	1

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2080720	29BU/M Organic Chemistry Set	1	8,250.00





27BU/M ORGANIC CHEMISTRY SET

- One joint size 14/23. A highly popular set in schools, colleges and universities. It has been purposely designed to cover the essential requirements for the teaching of organic chemistry and is suitable for preparations up to 30gm.
- This is a set, which is difficult to beat for versatility. The set comprises nine items of glassware and allows the construction of minimum 8 assemblies including steam distillation, reflux with addition and preparation.
- Set housed in a robust storage box fitted with foam liner for safe storage and transit. Supplied with the set, are instructions for use, which include practical details of a student's course of experiments and preparations.

S. No.	Component	Qty.
1	Pear shaped flask, 50mL	1
2	Still head	1
3	Liebig Condenser	1
4	Screw-cap adapter	1
5	Receiver adapter	1
6	Air leak / steam inlet tube	1
7	Dropping funnel, 50mL	1
8	Stopper	1
9	Thermometer	1

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2080760	27BU/M Organic Chemistry Set	1	9,250.00



46BU ORGANIC CHEMISTRY SET

- One joint size 19/26. This single joint set, based on size 19/26 joint, fulfils the same requirements as set 27 BU/M but on a large scale, i.e. 150g instead of 30g.
- Comprises 11 glassware components providing construction of about 6 assemblies including reflux, distillation and filtration.
- Supplied in a robust cardboard box with foam liner.

S. No.	Component	Qty.
1.	Dropping Funnel, 100mL	1
2.	Air leak / stem-inlet tube	1
3.	Liebig condenser	1
4.	Receiver adapter	1
5.	Stopper	1
6.	Round bottom flask, 250mL	1
7.	Cone / screw-cap adapter	1
8.	Still-head	1
9.	Pear shaped flask, 100mL	1
10.	Filter funnel, 24mm diameter	1
11.	Buchner Filter Flask 100mL	1

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2080840	46BU Organic Chemistry Set	1	16,000.00



34BU ORGANIC CHEMISTRY SET

- Multi joint. For Students use in preparative organic chemistry up to the 150g scale, this includes all the necessary equipment to allow a wide range of preparations to be carried out.
- It is also invaluable for industrial laboratories where the amount of preparative work is not great and may occur at infrequent intervals.
- For such applications, this set has the advantage of covering on extensive field of work and occupying little space when not in use.
- The set is contained in a sturdy storage case, with foam liner. Components included in the set are

S. No.	Component	Socket	Cone
1.	Still head	14/23	19/26
2.	Receiver adapter	19/26	24/29
3.	Air leak / steam inlet tube		19/26
4.	Liebig condenser	19/26	19/26
5.	Dropping funnel, 100mL	19/26	19/26
6.	Reduction adapter	19/26	24/29
7.	Multiple adapter	19/26	24/29
8.	Flask, RB, 50mL	24/29	
9.	Flask, Erlenmeyer, 250mL	24/29	
10.	Flask, RB, 250mL	24/29	
11.	Stopper		19/26
12.	Stopper		19/26
13.	Thermometer packet		14/23
14.	Receiver adapter	19/26	
15.	Flask, RB, 100mL	24/29	
16.	Stopper		24/29

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2080960	34BU Organic Chemistry Set	1	17,000.00



46X EXTENSION SET

- One joint size 19/26.
- This extension kit comprising of 11 components, converts set 46BU [Cat No. 2080840] to set 42BU [Cat No. 2080920] and enables additional assemblies to be constructed including fractional distillation, under vacuum, and reflux with stirring.

S. No.	Component	Qty.
1.	Buchner flask, 100mL	1
2.	Liebig condenser	1
3.	Stirrer shaft, 450mm long	1
4.	PTFE stirrer blade for stirrer shaft	1
5.	Air leak / stem-inlet tube	1
6.	Receiver bend with vacuum connection	1
7.	Plain column	1
8.	Drying tube	1
9.	Drying tube	1
10.	Stopper	1
11.	Round bottom flask, 250mL, three necks	1
12.	Cone / screw-cap adapter	1

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2080880	46X Extension Set	1	19,500.00



Glassware Kit



GLASSWARE SET Set of 9

- 3 Beaker, Low form.
- 3 Flasks, Erlenmeyer, (Conical)
- 3 Cylinder, Measuring, Class 'A'.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069901/1	Glassware Set, Set of 9	1	7,250.00

- White and Amber Colour Printing also available




GLASSWARE SET, CYLINDER

Set of 3

- 3 Cylinder, Measuring, Class 'A'.
- In accordance with IS 878, DIN/ISO 4788 with Batch Certificate.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- Hexagonal base does not allow roll-over and offer greater stability.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069902/1	Cylinder (25mL, 50mL, 100mL)	1	1,950.00
2069902/2	Cylinder (50mL, 100mL, 250mL)	1	2,476.00
2069902/3	Cylinder (100mL, 250mL, 500mL)	1	3,476.00

- White and Amber Colour Printing also available



GLASSWARE SET, ERLENMEYER (CONICAL)

Set of 3

- 3 Flasks, Erlenmeyer, (Conical)
- In accordance with DIN/ISO 1773 and ASTM E-438 standards.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- The conical form makes them suitable for mixing liquids.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069903/1	Erlenmeyer Flask (25mL, 50mL, 100mL)	1	1,100.00
2069903/2	Erlenmeyer Flask (50mL, 100mL, 250mL)	1	1,240.00

- White and Amber Colour Printing also available



GLASSWARE SET, BEAKER, LOW FORM

Set of 3

- 3 Beaker, Low form.
- In accordance with IS 2619/ISO 3819 and DIN 12331.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069904/1	Beaker Low Form (25mL, 50mL, 100mL)	1	700.00
2069904/2	Beaker Low Form (50mL, 100mL, 250mL)	1	740.00

- White and Amber Colour Printing also available





GLASSWARE SET, ERLENMEYER (CONICAL) Set of 5

- 5 Flasks, Erlenmeyer, (Conical)
- In accordance with DIN/ISO 1773 and ASTM E-438 standards.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- The conical form makes them suitable for mixing liquids.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069905/1	Erlenmeyer Flask (25mL, 50mL, 100mL, 250mL, 500mL)	1	3,250.00

- White and Amber Colour Printing also available



GLASSWARE SET, ERLENMEYER (CONICAL) Set of 5

- 4 Flasks, Erlenmeyer (Conical), 1 Flask, Filter
- In accordance with DIN/ISO 1773 and ASTM E-438 standards.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- The conical form makes them suitable for mixing liquids.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069906/1	Narrow Mouth - 100mL, 250mL Wide Mouth - 100mL, 250mL Filter Flask - 250mL	1	3,250.00

- White and Amber Colour Printing also available



GLASSWARE SET, BEAKER, LOW FORM
Set of 5

- 5 Beaker, Low form.
- In accordance with IS 2619/ISO 3819 and DIN 12331.
- Highly resistant to chemicals and thermal shocks.
- Manufactured by using Boro 3.3 Glass.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069907/1	Beaker, Low Form (25mL, 50mL, 100mL, 250mL, 500mL)	1	1,600.00

• White and Amber Colour Printing also available



GLASSWARE SET, FLASK VOLUMETRIC
Set of 3

- 3 Flasks Volumetric, with Plastic and Penny Head Glass Stopper.
- In accordance with DIN/ISO 1042 Standards with Batch certificate.
- Manufactured from Heat Resistant, Low Expansion 3.3 Borosilicate Glass.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069908/1	Flask Volumetric (25mL, 50mL, 100mL)	1	1,900.00
2069908/2	Flask Volumetric (50mL, 100mL, 250mL)	1	2,400.00
2069908/3	Flask Volumetric (250mL, 500mL, 1000mL)	1	5,250.00
2069908/4	Flask Volumetric (50mL, 100mL, 250mL)- 2 each	1	8,000.00

• White and Amber Colour Printing also available






GLASSWARE SET, MULTIPLE

Set of 6

- 6 Items of Lab essentials.
- Measuring Cylinders in accordance with DIN/ISO 4788, Class A with Individual Certificate.
- Flask in accordance with DIN/ISO 385 and USP standards with Individual Certificate.
- Highly resistant to chemicals and thermal shocks.
- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A.
- Hexagonal base does not allow roll-over and offer greater stability.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069909/1	Burette-50mL, Beaker-100mL, 250mL Erlenmeyer Flask-250mL Measuring Cylinder - 50mL, 100mL	1	7,000.00

- White and Amber Colour Printing also available



GLASSWARE SET, CYLINDER KIT

Set of 9

- 9 Items of Lab essentials.
- Measuring Cylinders in accordance with IS 878, DIN/ISO 4788, Class A with Individual Certificate.
- Highly resistant to chemicals and thermal shocks.
- Made of high quality borosilicate 3.3 glass conforming to ASTM E-438, Type-1, Class-A.
- Low temperature gradient.
- Hexagonal base does not allow roll-over and offer greater stability.
- Available in blue colour printing.
- Used fitted foam for safe storage and Packaging to avoid breakage in transport.

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2069910/1	Cylinder (100mL-2, 250mL-2, 500mL-1) 2 Glass Dropper 2 Cleaning Brushes	1	8,400.00

- White and Amber Colour Printing also available



Metalware



BOSS HEAD, DETACHABLE

- Die-cast metal alloy boss-head, provides rotatable adjustment of support rod at any desired angle with respect to the horizontal axis.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070082	Boss Head, Double, Detachable, Die Cast	10	320.00

BOSS HEAD

- For use with laboratory stand. Die-cast metal alloy, two V-grooves orthogonal to each other to accept rods up to 16.5mm diameter. Provided with metal thumb screws.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070160/1	Painted	10	180.00
2070160/2	Zinc Plated	10	180.00

BOSS HEAD WITH PLASTIC THUMB SCREW

- All metal tightening thumb screws having moulded plastic screw-heads instead of plated. Zinc plated die-cast metal alloy body.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070200	Boss Head with Plastic Thumb Screw	10	147.00

BOSS HEAD, UNIVERSAL ECONOMICAL

- Universal boss head with cross and parallel arrangements. Use with round or rectangular rods up to 12mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070239	Boss Head, Universal Economical	10	288.00



BOSS HEAD, UNIVERSAL

- Universal boss head with cross and parallel arrangements. Use with round or rectangular rods up to 12mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070242/1	Boss Head, Universal with metal thumb Screw	10	288.00
2070242/A	Boss Head, Universal with Plastic thumb Screw	10	288.00



BOSS HEAD, SQUARE

- Die-cast alloy metal body, chrome plated, accepts square and tubular sections up to 16.5mm diameter at right angles to each other. Will also hold flat articles such as rulers, magnets, drawing board metal / wooden strips etc. Size (mm) : 30 × 30 × 50

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070240	Boss Head, Square	10	



THERMOMETER HOLDER WITH BOSS HEAD

- Multipurpose aluminum section boss head with brass headed nickel plated steel thumb screw and plated wing shaped nut for fixing the different attachments like thermometer holders, suspension hangers etc.
- A unique design with phosphorus bronze clamps for holding objects vertically or horizontally, gives it more flexibility.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070280/1	With Detachable Attachments	10	272.00
2070280/2	With Thermometer Hanger	10	272.00



THERMOMETER HOLDER

- A pair of spring steel strips, curved at one end to accommodate thermometers, are mounted in a metal stem, which in turn is attached to a die-cast boss-head.
- Provided with winged nut to tighten the grip of curved jaws. The holder portion is detachable from the boss-head.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071200	Thermometer Holder	10	400.00



BOSS HEAD WITH HOOK (SUSPENSION CLAMPS)

- Die casted boss head, plated steel thumb screw with fixed suspension hangers.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070282	Boss Head with Hook (Suspension Clamps)	10	208.00

CLAMPS, HOOK COLLAR

- Comprises an annular ring with a suspension hook and tightening plastic knob. Useful for suspending masses, pulleys, spring balances etc., from the vertical as well as horizontal support rods.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070330/1	Plated Steel, Suitable for rods up to Ø12.5mm	20	64.00
2070330/2	Plated Steel, Suitable for rods up to Ø19mm	20	70.00
2070330/3	Painted, Suitable for rods up to Ø12.5mm	20	77.00
2070330/4	Painted, Suitable for rods up to Ø19mm	20	90.00

BURETTE CLAMP SINGLE WITH BOSSHEAD

- Burette clamps having aluminium alloy metal jaws with boss-head.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070760/3	With PVC coated jaws	1	272.00
2070760/4	With uncoated jaws	1	272.00

BURETTE CLAMP DOUBLE WITH BOSSHEAD

- Burette clamps having aluminium alloy metal jaws with double boss-head.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070450/1	With PVC coated jaws	1	464.00
2070450/2	With uncoated jaws	1	464.00

CLAMP, RETORT, TWO PRONGED

- Two pronged cork lined jaws, comprises jaws of die-casting with other parts. Jaws clamp accepts articles from 15-60mm diameter actuated by brass nickel-plated pummels and twin screw.
- Fitted with 15cm long rod.
- Provided with wing shaped tightening arrangement.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070482	Clamp, Retort, Two Pronged	2	410.00



CLAMPS, RETORT, THREE PRONGED

- Three Pronged, die-cast alloy metal, with rubber lined jaws for positive gripping of objects to be held. Plated metal fly nut for tightening the clamp jaws. Accepts articles up to 75mm diameter. Fitted with 15cm long rod.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070442	Clamps, Retort, Three Pronged	2	528.00



CLAMP, RETORT, TWO PRONGED

- Two pronged vinyl dip jaws. Accepts round or rectangular shaped articles from 15-60mm diameter. Fitted with 15cm long rod.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070484	Clamp, Retort Two pronged	1	528.00



CLAMPS, RETORT, FOUR PRONGED

- Clamping jaws of Die-cast alloy metal, having four cork lined prongs to take articles from 2-90mm diameter.
- The design of the jaw ensures a firm grip at all angles of opening. Plated steel thumb screw for tightening the clamp jaws.
- Fitted with 15cm long plated MS rod for mounting on suitable boss-head.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070400/1	Painted clamping jaws	2	400.00
2070400/2	Zinc plated clamping jaws	2	512.00
2070400/3	Nickle plated clamping jaws but clamping steel screw having moulded plastic head	2	512.00



CLAMPS, RETORT, THREE PRONGED



- Three Pronged, die-cast alloy metal, with rubber lined jaws for positive gripping of objects to be held.
- Metal screw for tightening the clamp jaws.
- Accepts articles up to 75mm diameter.
- Fitted with 15cm long rod.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070440/1	With clamping screw of plated brass	2	310.00
2070440/2	With clamping steel screw having moulded plastic head. Jaws mounted on metal rod of length 250mm;	2	512.00

CLAMPS, RETORT, EXTENSION



- Three pronged, pressure die-cast alloy metal jaws, vinyl dipped for holding objects securely.
- Large Extension Clamp - holds objects up to 90mm diameter, both sides of jaws operate independently through individual thumb screws and easily adapt to different contours.
- With extension rod of about 10mm diameter and 275mm length.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070520/2	Clamp, Retort, Extension, Three Prong, Nickle Plated	2	510.00
2070520/2A	Clamp, Retort, Extension, Three Prong, Painted	2	490.00
2070520/3	Clamp, Retort, Extension, Two Prong, Nickle Plated	2	672.00
2070520/3A	Clamp, Retort, Extension, Two Prong, Painted	2	672.00

CLAMP, UNIVERSAL



- Made of die cast alloy, nickle plated two pronged with vinyl dipped jaws, which can accept about 12 to 50mm diameter articles, with brass wing nut, for tightening the clamp jaws.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070640/3	Clamp, Universal	2	576.00

CLAMPS, RETORT, WITH DETACHABLE BOSS HEAD



- Die cast alloy metal jaws, vinyl dipped, mounted on detachable and adjustable boss-head.
- The clamping jaws are rotatable about its mounting axis to any desired angle.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070720/1	Two Pronged, with spring loaded jaws	2	464.00
2070720/2	Two Pronged, with simple jaws	2	484.00
2070720/3	Three Pronged, with vinyl coated	2	528.00

CLAMPS, RETORT, WITH BOSS HEAD

- Retort clamps having die cast alloy metal jaws with extension rod having die cast boss-head at its other end for mounting on suitable retort stand.


Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070680/2	Three Pronged, with rubber sleeve on jaws	2	528.00
2070680/3	Four Pronged, with cork lined jaws	2	528.00



BURETTE CLAMP, METAL, ECONOMICAL

- For holding burettes vertically in a retort stand, sheet metal, die pressed with built-in boss head. For use 2 burettes holding.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070755/1	Burette Clamp, Metal, Economical	5	384.00



BURETTE CLAMP

- For holding burettes vertically in a retort stand, die cast with built-in boss head and spring loaded jaws covered with rubber sleeve.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070760/1	Single for 1 burette	5	384.00
2070760/2	Double for 2 burette	5	384.00



BURETTE CLAMP, METAL, FISHER TYPE

- For holding burettes, complete body of die-cast metal making it light-weight, durable and sturdy.
- Provided with a spring loaded positive grip and release.
- The special design provides vice-like grip to the burette for a positive clamping.
- Bosshead clamp secures it firmly at desired position on the rod of about 13mm diameter.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2070800/1	Single, for 1 burette	1	592.00
2070800/2	Double, for 2 burette	1	592.00



TABLE CLAMP



- Made from heavy duty die-cast metal. Multipurpose clamp for securing a laboratory apparatus. Non-ferrous metal construction that will not bend or break under heavy loads.
- Features a vinyl sleeve and swivel pad to ensure a strong, slip proof grip on a variety of surfaces.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071075	Table Clamp	1	928.00

TEST TUBE HOLDER, METAL WIRE



- Plated steel wire holder with finger grip and wire collar.
- The jaws accept tubes up to 40mm diameter and their alignment is maintained by a wire collar.
- Overall length about 16cm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071080	Test Tube Holder, Metal Wire	10	38.00

TEST TUBE HOLDER, METAL STRIP



- Two metal strips mounted in a wooden handle, with sliding collar and free end curved to accept tubes of diameter 22-32mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071040/1	Metal Strip (MS)	10	38.00
2071040/2	Brass Strip	10	48.00

TEST TUBE HOLDER, STIFF METAL WIRE (SLIDE HOLDER)



- A simple test tube holder of stiff metal wire, accepts tubes up to 50mm diameter. Overall Length 130mm approx.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071160/1	Brass Wire, with flat circular collar	10	38.00
2071160/2	Plated Steel Wire, with flat circular collar	10	38.00
2071160/3	Plated Steel Wire, with bent, curved collar		

RETORT STAND BASE, ECONOMICAL

- A simpler, stable and economical base made of die pressed sheet metal with threaded hole for 12.5mm diameter rod at the center of one of the shorter sides.

Cat. No.	Base Size (mm)	Rod Size (mm)	Pack of (Pcs)	Price (Each)
2071480/1	160 × 100	10 × 500	1	448.00
2071480/2	200 × 125	12.5 × 600	1	576.00
2071480/3	250 × 160	12.5 × 750	1	832.00



RETORT STAND BASE, DELUXE

- Heavier, rectangular, stable, pressed sheet steel base finished, hole for 12.5mm diameter rod is located at the center of one of the shorter side.

Cat. No.	Base Size (mm)	Rod Size (mm)	Pack of (Pcs)	Price (Each)
2071560/1	150 × 100mm	12.5 × 500	1	448.00
2071560/2	200 × 130mm	12.5 × 600	1	576.00
2071560/3	150x100mm, SS	12.5 × 500	1	736.00
2071560/4	200x130mm, SS	12.5 × 600	1	768.00



RETORT STAND BASE, HEAVY PATTERN

- Die-pressed, rectangular, steel base with threaded hole for 12.5mm diameter rod at the center of one of the shorter sides.
- Base is recessed at the bottom with two shorter sides having rubber feet for added stability and preventing damage to the work surface.

Cat. No.	Base Size (mm)	Road Size (mm)	Pack of (Pcs)	Price (Each)
2071600/1	160 × 100	12.5 × 500	1	780.00
2071600/2	200 × 125	12.5 × 600	1	896.00
2071600/3	250 × 160	12.5 × 750	1	1520.00



RETORT STAND BASE, CAST IRON

- Sturdy economical base made of cast iron with threaded hole for 12.5mm diameter rod at the center of one of the shorter side.

Cat. No.	Base Size	Road Size (mm)	Pack of (Pcs)	Price (Each)
2071486/1	160 × 100	12.5 × 500	1	576.00
2071486/2	200 × 125	12.5 × 600	1	736.00
2071486/3	250 × 160	12.5 × 750	1	1248.00



RETORT STAND BASE, TRIPOD, HEAVY

- A heavier, more stable, cast iron tripod base, finished matte black, having central raised portion with a circular hole to accept rods up to 12.5mm diameter.
- Provided with a plated metal, threaded thumb screw for securely clamping the rods.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071640	Retort Stand Base, Tripod, Heavy	1	560.00

RETORT STAND BASE, TRIPOD, ECONOMICAL

- Cast metal tripod base, well painted with stoving enamel, with a threaded hole at its center to take a rod of 12.5mm diameter.

Cat. No.	Base Size (mm)	Pack of (Pcs)	Price (Each)
2071680/1	110	1	352.00
2071680/2	135	1	384.00
2071680/3	150	1	480.00
2071680/4	175	1	880.00

RETORT STAND BASE, TRIPOD, LARGE

- A heavy, cast metal tripod base, with each leg having rectangular cross-section extending about 130mm from its center and a height of about 40mm.
- A triangular shaped hole with a threaded tightening knob provides firm grip on the mounted rods.
- Its shape, size and weight renders high degree of stability to the mounted objects.
- With non-skid rubber feet and scratch resistant epoxy coating.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071720	Retort Stand Base, Tripod, Large	1	1728.00

RETORT STAND BASE, A-SHAPED, BIG

- Made of rugged cast iron for extra stability, comes with a baked, chemical resistant, paint finish.
- The bridge between two support arms has threaded hole for 12.5mm diameter rod at the center.
- Length of side 200mm approx.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071280/1	without leveling screws	1	832.00
2071280/2	with leveling screws	1	1024.00



RETORT STAND BASE, A-SHAPED, HEAVY PATTERN

- Made of rugged cast alloy for extra stability, comes with a baked, chemical resistant, paint finish.
- The bridge between two support arms has threaded hole for 12.5mm diameter rod at the center.
- Length of side 200mm approx.
- With solid A shaped side arms.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071320	Retort Stand Base, A-Shaped, Heavy Pattern	1	3040.00



CHANNEL BASE, RECTANGULAR

- Rectangular base with raised channel shape at its top, matte finished.
- One vertical wall of the channel has a plated clamping screw for tightly securing flat objects up to 13mm thickness.
- Base dimensions 10.5 × 8.5cm approx.
- Suitable for Safety Screen.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071520	Channel Base, Rectangular	1	512.00



SADDLE BASE

- A cylindrical base is designed to clamp light weight rods and plates.
- It can hold a rod of maximum dia. 14mm. Size (mm) 55 × 60.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071730	Saddle Base	1	704.00



ROUND BASE FOR RODS

- Made of cast iron. Suitable for round rods upto 12.5mm diameter rods.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071735	Round Base For Rods	1	448.00



RODS FOR RETORT STANDS

- Metal rods with one end threaded with shoulder ensures straight vertical, upright fit on any of the bases given above.
- The rods have reduced diameter at threaded portion that enables rod to sit flat support bases.
- All rods have rounded top and provided with a through hole just above the shoulder to permit insertion of tommy bar for tightening of rods to bases.

Cat. No. Aluminum	Size (mm)	Pack of (Pcs)	Price (Each)
2071800/1	10 × 500	10	176.00
2071800/2	10 × 600	10	224.00
2071800/3	10 × 750	5	320.00
2071800/4	10 × 900	5	496.00
2071800/5	10 × 1000	5	512.00
2071800/6	12.5 × 500	10	240.00
2071800/7	12.5 × 600	10	272.00
2071800/8	12.5 × 750	5	384.00
2071800/9	12.5 × 900	5	512.00
2071800/10	12.5 × 1000	5	669.00

Cat. No. MS	Size (mm)	Pack of (Pcs)	Price (Each)
2071840/1	10 × 500	10	144.00
2071840/2	10 × 600	10	192.00
2071840/3	10 × 750	5	288.00
2071840/4	10 × 900	5	464.00
2071840/5	10 × 1000	5	480.00
2071840/6	12.5 × 500	10	208.00
2071840/7	12.5 × 600	10	240.00
2071840/8	12.5 × 750	5	352.00
2071840/9	12.5 × 900	5	480.00
2071840/10	12.5 × 1000	5	637.00

Cat. No. SS	Size (mm)	Pack of (Pcs)	Price (Each)
2071880/1	10 × 500	10	208.00
2071880/2	10 × 600	10	240.00
2071880/3	10 × 750	5	416.00
2071880/4	10 × 900	5	560.00
2071880/5	10 × 1000	5	576.00
2071880/6	12.5 × 500	10	272.00
2071880/7	12.5 × 600	10	304.00
2071880/8	12.5 × 750	5	480.00
2071880/9	12.5 × 900	5	672.00
2071880/10	12.5 × 1000	5	736.00

RETORT RING, SIMPLE

- Circular metal rings with plain stem of 8mm Diameter.

Cat. No.	Inner Dia (mm)	Pack of (Pcs)	Price (Each)
2073320/A	50	10	90.00
2073320/2	75	10	112.00
2073320/3	100	10	144.00
2073320/4	65	10	122.00
2073320/4A	125	10	208.00
2073320/5	150	10	240.00



RETORT RING, WITH BOSS HEAD

- Chrome plated retort ring with boss head available with 'V' shaped groove with metal thumb screws, which is easy to hold up these retort rings to the retort stand rods.

Cat. No.	Inner Dia (mm)	Pack of (Pcs)	Price (Each)
2073360/1	50	10	192.00
2073360/2	75	10	240.00
2073360/3	100	5	320.00
2073360/4	125	5	400.00
2073360/5	150	5	480.00



RETORT RING, OPEN TYPE

- Plated, mild steel retort ring open type.

Cat. No.	Inner Dia (mm)	Pack of (Pcs)	Price (Each)
2073520/A	50	10	176.00
2073520/2	75	10	240.00
2073520/3	100	5	320.00
2073520/4	125	5	384.00
2073520/5	150	5	432.00



TRIPOD STAND, TRIANGULAR, SS

- Triangular shaped top, made of Stainless Steel wire.
- Lower end of legs covered with plastic cap to avoid scratching the work surface.

Cat. No.	Length x Height (mm)	Pack of (Pcs)	Price (Each)
2073080/1	125 x 200	10	400.00
2073080/2	150 x 200	10	432.00



TRIPOD STAND, TRIANGULAR, MS

- Triangular shaped top, made of Mild Steel wire.
- Lower end of legs covered with plastic cap to avoid scratching the work surface.

Cat. No.	Length x Height (mm)	Pack of (Pcs)	Price (Each)
2073120	125 x 200	10	304.00
2073120/A	150 x 200	10	352.00



TRIPOD STAND, TRIANGULAR TOP, ZINC PLATED

- Triangular top of thick sheet steel and mild steel legs.
- Zinc plated.
- Lower end of legs are bent outwards for stability and covered with plastic cap to avoid scratching the work-surface.

Cat. No.	Length × Height (mm)	Pack of (Pcs)	Price (Each)
2073160	125 x 200	10	304.00
2073160/1	150 x 200	10	352.00

TRIPOD STAND, ROUND TOP, CI

- Round annular top of cast iron top and mild steel legs. Finished in hammer tone / black colour.
- Lower end of legs are bent outwards for stability and covered with plastic cap to avoid scratching the work surface.

Cat. No.	TOP OD × Height (mm)	Pack of (Pcs)	Price (Each)
2073200/1	125 x 200	10	304.00
2073200/2	150 x 200	10	352.00

TRIPOD STAND, ROUND TOP, CONCENTRIC RINGS

- Tripod stand with round annular top of sheet metal, light pattern. Ring enamel painted and legs zinc plated.
- The round annular top comes with an additional concentric ring to fit inside it.

Cat. No.	TOP OD × Height (mm)	Pack of (Pcs)	Price (Each)
2073240/1	90 x 150	10	352.00
2073240/2	90 x 225	10	512.00
2073240/3	120 x 225	10	624.00

TRIPOD STAND, SUPERIOR

- Round annular inner stepped top of cast iron. Ring painted and threaded legs are made of stainless steel.
- Rubber caps are provided at the bottom of the legs for better stability.

Cat. No.	TOP OD × Height (mm)	Pack of (Pcs)	Price (Each)
2073250	100 x 150	10	512.00



STAND FOR BURNER WITH WIRE GAUZE

- Rectangular frame of plated metal wire has wire mesh gauze fixed at its top to prevent direct contact of the container surface with the flame, to facilitate gradual and uniform heating of container surface and to allow easy positioning of the container.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073300	Stand For Burner with Wire Gauze	10	352.00



WIRE GAUZE, IRON

- Made of GI wire. Square shaped with asbestos center.
- Close mesh with folded edges.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2068250/1	125	10	51.00
2068250/2	150	10	70.00
2068250/3	200	10	102.00



WIRE GAUZE, SS, SUPERIOR

- Made of SS wire with SS jacket. Size 150mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2068300	Wire Gauge, SS, Superior	10	144.00



WIRE GAUZE, GI WITH CERAMIC CENTER

- Square shaped with ceramic center.
- Close mesh with folded edges.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2068280/1	125	10	64.00
2068280/2	150	10	78.00
2068280/3	200	10	160.00



WIRE GAUZE, GI WIRE, PLAIN

- Close mesh with folded edges.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2068284/1	125	10	90.00
2068284/2	150	10	96.00
2068284/3	200	10	256.00

WIRE GAUZE, SS WITH CERAMIC CENTER

- Square shaped with ceramic center.
- Close mesh with folded edges.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2068290/1	125	10	77.00
2068290/2	150	10	96.00
2068290/3	200	10	154.00

WIRE GAUZE, SS WIRE, PLAIN

- Close mesh with folded edges.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2068295/1	125	10	70.00
2068295/2	150	10	80.00
2068295/3	200	10	208.00



www.arcoscientific.com

LABORATORY JACK, ALUMINUM

- Strong and stable support for laboratory equipment at the exact desired height in between the minimum and maximum heights.
- Works on screw-operated scissor-action mechanism through a large knob at the front with operating screw of stainless steel.
- The top plate has a threaded hole for taking metal rod.
- The top and bottom plates of specially designed anodized aluminium extrusion section.

Cat. No.	Top Size (mm)	Max. Height (mm)	Pack of (Pcs)	Price (Each)
2050480/1	100 x 100	145	1	2988.00
2050480/2	150 x 150	280	1	5688.00
2050480/3	200 x 200	320	1	6588.00



LABORATORY JACK, SHEET METAL

- Similar to Cat No. 2050480, but top and bottom plate made of sheet metal painted with scratch resistant epoxy coating.

Cat. No.	Top Size (mm)	Max. Height (mm)	Pack of (Pcs)	Price (Each)
2050520/1	100 x 100	145	1	2988.00
2050520/2	150 x 150	280	1	5688.00
2050520/3	200 x 200	320	1	6588.00



LABORATORY JACK, STAINLESS STEEL

- Similar to Cat No 2050480 but the top and bottom plate made of stainless steel.

Cat. No.	Top Size (mm)	Max. Height (mm)	Pack of (Pcs)	Price (Each)
2050530/A	100 x 100	145	1	2106.00
2050530/2	150 x 150	280	1	2642.00
2050530/2A	200 x 200	320	1	2916.00



BURNERS, BUNSEN

- Plated burner tube of brass of approximate size 100×12mm (height × diameter), with rotatable air-regulator and a cylindrical riffled connector, mounted on a painted metal base of diameter about 70mm. Overall height 145mm.
- Suitable for NG and LPG.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062040/1	With heavier, sturdy sheet metal base.	1	640.00
2062040/2	With economical, light weight, die pressed sheet metal base and threaded rotatable air regulator.	1	680.00
2062040/3	With heavier cast metal base and stopcock on the riffled connector for inlet gas control.	1	800.00



BURNERS, BUNSEN, WITH STABILIZER TOP

- For artificial gas and LPG. Has air regulator and slot shaped orifice.
- Nickel plated brass mixing tube is mounted on metal base with a cutaway.
- Specially designed top for flame stabilization providing improved efficiency in the performance.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062070/1	With plated stamped steel base	1	800.00



FLAME SPREADER

- Plated brass, wing shaped top of width 50mm, slips over burner tube of Bunsen burners to give a wide flat flame of uniform temperature.
- Suitable for glass working, paint stripping etc.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062250	Flame Spreader	10	128.00



BURNERS, MEKER, MESH TOP

- For high temperature work. Plated burner tube of brass fitted with perforated steel head at the top to give a high and evenly distributed flame temperature in the form of multiple small flames of high temperature and rotatable air regulator around the jet.
- Stove enameled painted heavy cast metal base incorporating a riffled gas inlet. Useful for LPG.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062161/1	Without stopcock	2	736.00
2062161/2	With stopcock on the riffled connector for inlet gas control	2	864.00



BURNERS, MEKER, CERAMIC TOP

- For high temperature work. Plated burner tube of brass fitted with perforated ceramic the top to give a high and evenly distributed flame temperature in the form of multiple small flames of high temperature and rotatable air regulator around the jet.
- Stove enameled painted heavy cast metal base incorporating a riffled gas inlet. Useful for LPG.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062160/1	Without stopcock	2	752.00
2062160/2	With stopcock on the riffled connector for inlet gas control	2	880.00



BURNER, TECLU

- Burner giving a very high temperature flame, suitable for glasswork and soldering. Chrome plated brass tube of 16mm diameter that incorporates a unique spring-operated gas safety lock with adjustable air regulator having threaded disc valve for adjustment of the air /gas mixture.
- Overall height 150mm, with heavy, stable cast metal base. Designed for use with natural gas. One spare gas nipple is provided for use with LPG gas.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062190/1	Circular cast metal base of about 80mm dia.	2	768.00
2062190/2	Pressure die-casted base having cutaway.	2	768.00



BURNERS

MEKER BURNER

- Finds application where bigger flame areas or higher temperatures are needed which are not attainable using other type of burners, such as with an inoculation loop or in glassblowing operations.
- It produces multiple open gas flames, used for heating, sterilization, and combustion.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062191/1	Meker Burner, Artificial Gas	2	Price on Request
2062191/2	Meker Burner, Natural Gas	2	Price on Request
2062191/3	Meker Burner, LPG Gas	2	Price on Request



TIRRILL BURNER

- This burner features precise control / regulation of the flame through a threaded needle valve located at the bottom of the burner tube.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062192/1	Tirrill Burner, Artificial Gas	2	Price on Request
2062192/2	Tirrill Burner, Natural Gas	2	Price on Request
2062192/3	Tirrill Burner, LPG Gas	2	Price on Request



HIGH TEMPERATURE BLAST BURNER

- Features high combustion efficiency. Micrometer needle valve located in the smaller gas inlet venturi tube helps in precise regulation of the combustion by controlling the gas-air proportion and produces high temperature short: wide: uniform flame.
- Additional safety provided by a safety cap that helps control hazardous back flashes of the flame.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062193/1	High Temperature Blast Burner, Artificial Gas	2	Price on Request
2062193/2	High Temperature Blast Burner, Natural Gas	2	Price on Request
2062193/3	High Temperature Blast Burner, LPG Gas	2	Price on Request



PILOT FLAME BURNER

- Pilot Flame Burner, Designed for Artificial Gas.
- Provided with a riffled nozzle with stopcock and provision for regulating the flame.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062194/1	Pilot Flame Burner, Artificial Gas	2	Price on Request
2062194/2	Pilot Flame Burner, Natural Gas	2	Price on Request
2062194/3	Pilot Flame Burner, LPG Gas	2	Price on Request



GENERAL PURPOSE TIRRII BURNERS

- General Purpose Tirril Burners
- On Zinc Cast Base.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062195/1	General Purpose Tirril Burners, Artificial Gas	2	Price on Request
2062195/2	General Purpose Tirril Burners, Natural Gas	2	Price on Request
2062195/3	General Purpose Tirril Burners, LPG Gas	2	Price on Request



BUNSEN BURNER, ADJUSTABLE

- Adjustable burners with high-quality die-cast base provided with a precision needle valve to achieve an accurate adjustable flame.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062197/1	Bunsen Burner, Adjustable, Artificial Gas	2	Price on Request
2062197/2	Bunsen Burner, Adjustable, Natural Gas	2	Price on Request
2062197/3	Bunsen Burner, Adjustable, LPG Gas	2	Price on Request



BURNERS, POWDER COATED

2062191	Meker Burner
2062192	Tirrill Burner
2062193	High Temperature Blast Burner
2062194	Pilot Flame Burner
2062195	General Purpose Tirril Burners
2062197	Bunsen Burner, Adjustable

This item is available in Powder coated with PC extension in Cat. No. for Example 2062191/1PC, 2062191/2PC



SPIRIT LAMP

- Sheet die pressed, with woven wick in metal holder, screw on cap. Capacity 100mL.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2066630/1	Made of Aluminum	10	64.00
2066630/2	Made of Brass	10	144.00
2066630/3	Made of Stainless Steel	10	144.00



ALCOHOL BURNER, STAINLESS STEEL

- With Knurled wheel to raise the wick and cap to extinguish the flame. Made of stainless steel.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2066660/1	60	10	576.00
2066660/2	100	10	672.00



CLIPS, MOHR'S, IRON, ECONOMICAL

- Made of thick iron wire.
- Nickle plated.
- Finger grips of bent wire.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062370	Clips, Mohr's Iron, Economical	10	26.00



CLIPS, MOHR'S, IRON, DELUXE

- Made of thicker iron wire.
- Nickle plated.
- Circular finger grips with round edges to open and close.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062400	Clips, Mohr's Iron, Deluxe	10	32.00



CLIPS, MOHR'S, BRASS

- Made of thicker brass wire.
- Nickle plated.
- Flat jaws for compressing flexible tubing.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062430	Clips, Mohr, Brass	10	48.00



CLIPS, HOFFMAN'S

- H-shaped clamp having threaded screw at one end and removable hinged metal strip at the other end for convenient mounting on the tubing without accessing their ends.
- The threaded screw has a metal strip attached to its bottom for uniform compression of the tubing and to prevent any damage to the tubing by the screw end.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2062460/1	Steel, Nickle Plated	10	96.00
2062460/2	Brass, Nickle Plated	10	134.00



DEFLAGRATING SPOON WITH DISC & CAP

- Brass cup mounted at the end of steel wire, shaped to prevent contact with the container, with an adjustable aluminum disc held into position by a holed rubber stopper to keep it at the desired height from the brass cup.
- Diameter of disc 90mm and cup diameter 18mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2063240	Deflagrating Spoon With Disc & Cap-350mm	10	240.00
2063240/2	Deflagrating Spoon With Disc & Cap-400mm	10	240.00



DEFLAGRATING / COMBUSTION SPOON

- Heavy gauge metal wire, for use in test tube 150×25mm.
- Shaft shaped to prevent contact with wall.
- Length about 200mm, diameter of cup 7mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2063270	Made of Brass Wire	10	208.00
2063300	Made of Stainless Steel Wire	10	192.00



CORK BORERS, BRASS, ECONOMICAL



- Nickel plated. Useful for both rubber as well as cork stoppers.
- Each cutting tube mounted with safety under-flange in shaped handle ensuring that operator can't be injured by a dislodged tube.
- Includes iron rod for cleaning borers.

Cat. No.	Particulars	Hole Dia. (mm)	Pack of (Pcs)	Price (Each)
2067140/1	Set of 6	4-10	10	384.00
2067140/2	Set of 12	4-18	5	3040.00
2067140/3	Set of 18	4-27	1	8960.00

CORK BORERS, BRASS, GERMAN PATTERN



- Nickel plated. Useful for both rubber as well as cork stoppers.
- Each cutting tube mounted with handle of hexagonal brass rod.
- Includes iron rod for cleaning borers.

Cat. No.	Particulars	Hole Dia. (mm)	Pack of (Pcs)	Price (Each)
2067170/1	Set of 6	4-10	10	672.00
2067170/2	Set of 12	4-18	5	4480.00
2067170/3	Set of 18	4-27	1	10240.00

CORK BORERS, BRASS, PLASTIC HANDLE



- Similar to Cat No. 2067140 but made of thicker brass cutting tubes have moulded plastic handle at the top.

Cat. No.	Particulars	Hole Dia. (mm)	Pack of (Pcs)	Price (Each)
2067160/1	Set of 6	4-10	10	432.00
2067160/2	Set of 12	4-18	5	3680.00
2067160/3	Set of 18	4-27	1	9440.00

FILTER PUMP, METAL



- Overall length 240mm. Outer diameter of upper tube 18mm, diameter of lower tube 10mm and diameter of side tube 8mm.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2063810/1	50	10	1040.00
2063810/2	62.5	10	1040.00
2063810/3	75	5	1040.00
2063810/4	100	5	1200.00

SPATULA, WITH SPOON, SS

- One end flat and the other end in spoon form.
- Spoon end is ideal for crushing lumps etc., while the flat rectangular end is useful for scraping chopping etc.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2066360/A2	100	50	60.00
2066360/1	125	50	68.00
2066360/2	150	50	76.00
2066360/A4	210	25	80.00



SPATULA, FLAT, SS

- Flat on both end.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2066390/2	150	50	70.00
2066390/7A	200	25	84.00



SPATULA, CHATTAWAY, SS

- 'CHATTAWAY' pattern, one end flat and the other end bent up.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2066420/1	125	50	70.00
2066420/2	150	50	78.00
2066420/3	200	25	80.00



SPATULA, PALETTE KNIFE, SS

- 'PALETTE KNIFE', flat, flexible blade with parallel sides in handle.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2066450/1	100	10	160.00
2066450/2	150	10	180.00
2066450/3	200	10	200.00



SPATULA, NUFFIELD, SS

- 'NUFFIELD' pattern, with a scoop at one end and a bent-up flat blade at the other.
- Length 140mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2066480	Spatula, Nuffield, Stainless Steel	50	46.00

SPATULA, TRULLA, SS

- Spatula having recessed middle portion running along the complete length.
- Length: 175mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2066510	Spatula, Trulla, Stainless Steel	25	108.00

SPATULA, MICRO

- Stainless steel spatula with small spoon shape at one end and other end flat with central portion circular wire shaped.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2066520/1	100	50	27.00
2066520/2	120	50	31.00
2066520/3	150	50	38.00
2066520/4	190	50	69.00

TONGS, CRUCIBLE, STRAIGHT, MS

- Mild steel wire, rolled flat at joint, jaws corrugated inside.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073560/1	Chrome Plated, Length: 150mm	10	108.00
2073560/2	Chrome Plated, Length: 200mm	10	154.00
2073560/3	Painted, Length: 150mm	10	115.00
2073560/4	Painted, Length: 200mm	10	173.00

TONGS, CRUCIBLE, STRAIGHT, SS

- Metal wire, Rolled flat at joint, jaws corrugated inside.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2073640/1	150	10	115.00
2073640/2	200	10	173.00



TONGS, CRUCIBLE, WITH BOW, MS

- Mild steel wire, rolled flat at joint, jaws corrugated inside.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073600/1	Chrome Plated, Length: 150mm	10	108.00
2073600/2	Chrome Plated, Length: 200mm	10	154.00
2073600/3	Painted, Length: 150mm	10	108.00
2073600/4	Painted, Length: 200mm	10	154.00



TONGS, CRUCIBLE, WITH BOW, SS

- Metal wire, Rolled flat at joint, jaws corrugated inside.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2073680/1	150	10	211.00
2073680/2	200	10	288.00
2073680/3	450	10	288.00
2073680/4	500	10	384.00
2073680/5	600	10	576.00



TONGS, CRUCIBLE, STRAIGHT, BRASS

- Metal wire, Rolled flat at joint, jaws corrugated inside.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2073720/1	150	10	211.00
2073720/2	200	10	288.00



TONGS, CRUCIBLE, WITH BOW, BRASS

- Metal wire, Rolled flat at joint, jaws corrugated inside.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2073760/1	150	10	211.00
2073760/2	200	10	288.00

TONGS, MERCURY

- Nickel-plated steel, for lifting globules of mercury.
- Length about 20cm.

Cat. No.	Particular	Pack of (Pcs)	Price (Each)
2073800	Tongs, Mercury	10	326.00

TONGS, BEAKER

- For the convenient and safe handling of beaker containing hot solutions and for pouring out the contents.
- The curved jaws are covered to provide thermal insulation to the metal body and to ensure firm grip.
- Overall length of tong 30cm approx.
- Made of stainless steel.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073840/2	Jaws covered with vinyl dipping	5	410.00
2073840/3	Flat Jaws with cork lining	2	538.00
2073840/4	Jaws covered with rubber sleeves	5	672.00



TONGS, BEAKER

- Made of steel with a riveted joint. Easy to handle beakers and flasks.
- Thermally asbestos rayons jaws are curved to provide firm grip.
- Can hold beakers from 50mL to 500mL.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073885	Tongs, Beaker	2	499.00



TONGS, BEAKER

- Made of stainless steel with a riveted joint. Specific design, sturdy construction and durable.
- Easy to handle beakers and flasks.
- Thermally cork jaws are curved to provide firm grip. Can hold beakers from 50mL to 1500mL.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073890	Tongs, Beaker	2	653.00



TONGS, FLASKS, SAFETY

- Stainless steel, with cork lined rectangular angled jaws providing extremely firm grip to flasks of any shape from 100-2000mL capacity.
- Overall length of tong 30cm approx.


Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073960/B	Tongs, Flasks, Safety	10	422.00



SPOON, SODIUM

- For holding sodium under water. Comprising rust proof metal wire stem and strong cage to safely enclose the sodium.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2074000	Spoon, Sodium	10	365.00



TEST TUBE STAND, 3 TIER

- Made of sheet metal, from thick 18SWG sheet, 3-tiered construction.



Aluminum	Hole Dia (mm)	No. of Holes	Pack	Price (Each)
2072920/1A	12	12	1	134.00
2072920/1B	12	18	1	
2072920/1C	12	24	1	186.00
2072920/1D	12	36	1	218.00
2072920/1E	12	48	1	269.00
2072920/2A	15	12	1	154.00
2072920/2B	15	18	1	
2072920/2C	15	24	1	218.00
2072920/2D	15	36	1	269.00
2072920/2E	15	48	1	336.00
2072920/3A	18	12	1	160.00
2072920/3B	18	18	1	
2072920/3C	18	24	1	246.00
2072920/3D	18	36	1	269.00
2072920/3E	18	48	1	416.00
2072920/4A	25	12	1	230.00
2072920/4B	25	18	1	
2072920/4C	25	24	1	307.00
2072920/4D	25	36	1	515.00
2072920/4E	25	48	1	720.00

TEST TUBE STAND, 3 TIER

- Made of sheet metal, from thick 18SWG sheet, 3-tiered construction.



Stainless Steel	Hole Dia (mm)	No. of Holes	Pack	Price (Each)
2072960/1A	12	12	1	208.00
2072960/1B	12	18	1	320.00
2072960/1C	12	24	1	336.00
2072960/1D	12	36	1	384.00
2072960/1E	12	48	1	560.00
2072960/2A	15	12	1	246.00
2072960/2B	15	18	1	
2072960/2C	15	24	1	403.00
2072960/2D	15	36	1	448.00
2072960/2E	15	48	1	626.00
2072960/3A	18	12	1	314.00
2072960/3B	18	18	1	
2072960/3C	18	24	1	448.00
2072960/3D	18	36	1	528.00
2072960/3E	18	48	1	736.00
2072960/4A	25	12	1	384.00
2072960/4B	25	18	1	384.00
2072960/4C	25	24	1	672.00
2072960/4D	25	36	1	851.00
2072960/4E	25	48	1	1,254.00

TEST TUBE STAND, Z-SHAPED

- Made of sheet metal, Z type, new design, single piece fabrication.
- One row of holes of 30mm diameter, the second row of holes of 25mm diameter and third row of hole of 16mm diameter.


Cat. No.	Particular	Pack of (Pcs)	Price (Each)
2073000	Test Tube Stand, Z-Shaped	5	504.00



THERMOMETER STAND

- Made of aluminum sheet, rectangular flat S-shaped, supports 18 thermometers in three rows each of 6 holes.
- Base-plate has foam cushions to protect the thermometer bulbs.

Cat. No.	Particular	Pack of (Pcs)	Price (Each)
2073040	Thermometer Stand	5	736.00



TEST SIEVES, BRASS

- Sheet brass spun frame of diameter about 200mm and height 60mm, has standard high grade sieves with uniform mesh size mounted in it.
- Useful for determining the average particle size of amorphous solids.

Cat. No.	Mesh No.	Pack of (Pcs)	Price (Each)
2067290/1	10	1	1536.00
2067290/2	20	1	1536.00
2067290/3	60	1	1536.00
2067290/4	80	1	1536.00
2067290/5	100	1	1536.00



TEST SIEVES, SS

- Stainless Steel Spun frame of diameter about 200mm and height 60mm, has standard high grade sieves with uniform mesh size mounted in it.
- Useful for determining the average particle size of amorphous solids.

Cat. No.	Mesh No.	Pack of (Pcs)	Price (Each)
2067291/1	10	1	1792.00
2067291/2	20	1	1792.00
2067291/3	60	1	1792.00
2067291/4	80	1	1792.00
2067291/5	100	1	1792.00



DRAINING RACK, METAL WIRE

- For general laboratory use. Made of thick metal wire that provides durability and ruggedness, completely covered with plastic layer to avoid any rusting of metal wire, ensuring longer life.
- Also provided with an arrangement for hanging on the wall.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071960/1	Draining Rack, Metal Wire, 32 Peg	1	1760.00
2071960/12	Draining Rack, Metal Wire, 50 Peg	1	2400.00

TUBE RACK, MS

- Tube Rack, Wire Constructed with powder coated.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073970/1	Dia.≤28mm, 8 Holes (2×4)	6	756.00
2073970/2	Dia.≤17mm, 15Holes (3×5)	6	756.00
2073970/3	Dia.≤30mm, 20Holes (4×5)	6	

CENTRIFUGE TUBE RACK, SS

- Stainless Steel Material, With Handle.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073972/1	40 Holes (4×10), Centrifuge Tubes 15mL	6	2240.00
2073972/2	50 Holes (5×10), Centrifuge Tubes 15mL	6	2391.00
2073972/3	100 Holes (10×10), Centrifuge Tubes 15mL	6	3619.00
2073972/4	20 Holes (4×5), Centrifuge Tubes 50mL	1	2070.00
2073972/5	50 Holes (5×10), Centrifuge Tubes 50mL	1	3090.00

TUBE RACK, SS

- Stainless Steel Wire Constructed. Suitable for Tubes.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073974/1	Tube Dia.≤13mm, Hole Dia.14mm (3×4), Height 35mm	1	1559.00
2073974/2	Tube Dia.≤13mm, Hole Dia.14mm (5×10), Height 60mm	1	2164.00
2073974/3	Tubes Dia.≤13mm, Hole Dia.14mm (10×10), Height 60mm	1	2967.00
2073974/4	Tubes Dia.≤18mm, Hole Dia.19mm (2×6), Height 60mm	1	2145.00
2073974/5	Tubes Dia.≤18mm, Hole Dia.19mm (3×8), Height 60mm	1	2353.00
2073974/6	Tubes Dia.≤18mm, Hole Dia.19mm (6×12), Height 85mm	1	3374.00
2073974/7	Tubes Dia.≤18mm, Hole Dia.19mm (10×10), Height 85mm	1	3714.00
2073974/8	Tubes Dia.≤25mm, Hole Dia.27mm (2×6), Height 60mm	1	2410.00
2073974/9	Tubes Dia.≤25mm, Hole Dia.27mm (3×8), Height 60mm	1	2637.00
2073974/10	Tubes Dia.≤25mm, Hole Dia.27mm (6×8), Height 60mm	1	3090.00

TUBE RACK, SS

- Stainless Steel Wire Constructed, with handle.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073976/1	50 Holes (5×10), Tubes of Dia.≤13mm	1	2098.00
2073976/2	100 Holes (10×10), Tubes of Dia.≤13mm	1	2967.00
2073976/3	50 Holes (5×10), Tubes of Dia.≤14mm	1	2098.00
2073976/4	100 Holes (10×10), Tubes of Dia.≤14mm	1	3015.00
2073976/5	50 Holes (5×10), Tubes of Dia.≤16mm	1	2230.00
2073976/6	100 Holes (10×10), Tubes of Dia.≤16mm	1	3326.00
2073976/7	25 Holes (5×5), Tubes of Dia.≤19.5mm	1	1966.00
2073976/8	50 Holes (5×10), Tubes of Dia.≤19.5mm	1	2438.00
2073976/9	100 Holes (10×10), Tubes of Dia.≤19.5mm	1	3676.00
2073976/10	50 Holes (5×10), Tubes of Dia.≤22.5mm	1	2552.00
2073976/11	50 Holes (5×10), Tubes of Dia.≤31.5mm	1	3156.00



TUBE RACK, SQUARE, SS

- Stainless Steel Sheet Constructed.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073978/1	Suitable for Tubes Dia.≤15mm (2×10)	1	1427.00
2073978/2	Suitable for Tubes Dia.≤18mm (2×10)	1	1682.00
2073978/3	Suitable for Tubes Dia.≤21mm (2×10)	1	1682.00
2073978/4	Suitable for Tubes Dia.≤15mm (3×10)	1	1682.00
2073978/5	Suitable for Tubes Dia.≤18mm (3×10)	1	1682.00
2073978/6	Suitable for Tubes Dia.≤21mm (3×10)	1	2098.00
2073978/7	Suitable for Tubes Dia.≤15mm (4×10)	1	2003.00
2073978/8	Suitable for Tubes Dia.≤18mm (4×10)	1	2277.00
2073978/9	Suitable for Tubes Dia.≤21mm (4×10)	1	2712.00



BOTTLE RACK

- Wire Constructed with powder coated. Size 127x90x48.5 (LxBxH)

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073405	Hole Dia. 34mm, 6 Holes (2×3)	1	



SPECIMEN CONTAINER RACK

- Stainless Steel Wire Constructed. Suitable For Containers

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073980/1	Dia.≤27mm, Hole Dia.30mm (2×6), Height 45mm	1	2344.00
2073980/2	Dia.≤27mm, Hole Dia.30mm (3×8), Height 45mm	1	2854.00
2073980/3	Dia.≤27mm, Hole Dia.30mm (5×10), Height 45mm	1	3478.00
2073980/4	Dia.≤27mm, Hole Dia.30mm (6×12), Height 45mm	1	5670.00
2073980/5	Dia.≤40mm, Hole Dia.43mm (2×6), Height 45mm	1	3449.00
2073980/6	Dia.≤40mm, Hole Dia.43mm (4×8), Height 45mm	1	4914.00
2073980/7	Dia.≤50mm, Hole Dia.53mm (3×4), Height 45mm	1	3818.00
2073980/8	Dia.≤50mm, Hole Dia.53mm (4×6), Height 45mm	1	4914.00

LABORATORY TOOLS KIT

- A simple toolkit comprising a collection of some of the frequently used lab instruments and is quite useful in normal day to day laboratory work by the students.
- The kit contains Crucible Tong, Mild Steel, Chrome Plated, Length 150mm Spatula, Chattaway, Stainless Steel, Length 150mm, Brush, Test Tube, bristle head size 20×110mm, overall length 230mm Forceps, Blunt End, Stainless Steel, 130mm Spatula, with Spoon, Stainless Steel, 150mm Scoop, Stainless Steel, 150mm Test Tube Holder, Metal Wire

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2034600	Laboratory Tools Kit	1	560.00

LABORATORY METALWARE KIT-4

This set comprises of the following:

- Retort Stand Base with Rod, Base Size 250 × 160mm, Rod Size 12.5 × 750 (2071600/3)
- Burette Clamp, Metal, Fisher Type, Double (2070800/2)
- Retort Ring, With Boss Head, Inner Dia. 100mm (2073360/3)
- Boss Head, Die Cast, Double 'V' Painted (2070160/1)
- Tripod Stand, Triangular, MS, Length 125, Height 200 (2073120)
- Wire Gauze, GI with Ceramic Center, Size 150mm (2068280/2)
- Burners, Bunsen with Heavier Sturdy Sheet Metal Base. (2062040/1)
- Spatula, With Spoon, Stainless Steel, length 125mm (2066360/1)
- Tongs, Crucible, Straight With Bow, SS, Length 150mm (2073680/1)
- Tongs, Beaker Jaws Covered with Rubber Sleeves 2073840/4
- Test Tube Holder, Metal Wire (2071080)
- Clamps, Retort, Three Pronged, with Clamping Screw of Plated Brass (2070440/1)
- Clamps, Retort, Four Pronged, Zinc Plated Clamping Jaws (2070400/2)

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2073987/1	Laboratory Metalware Kit-4	1	5680.00

Woodenware



TEST TUBE HOLDER, ECONOMICAL

- Wooden with spring loaded jaws for securely holding test tubes.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071000/1	Length 180mm. Test tube of dia. 11-19mm	10	100.00
2071000/2	Length 260mm. Test tube of dia. 11-30mm	10	125.00

TEST TUBE HOLDER, SUPERIOR

- Wooden with spring loaded jaws for securely holding test tubes.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071010/1	Length 180mm. Test tube of dia. 11-19mm	10	100.00
2071010/2	Length 260mm. Test tube of dia. 11-30mm	10	125.00

FLASK HOLDER, SUPERIOR

- Wooden with spring loaded jaws for securely holding flask. Max. opening 50mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2071015	Length 240mm	10	250.00

DROPPING BOTTLES STAND, WOODEN

- Well polished hardwood stand with holes of about 45mm dia for dropping bottles up to 60mL capacity.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072120/1	For 6 Bottles	10	875.00
2072120/2	For 12 Bottles	10	1,250.00



BURETTE STAND

- Made of seasoned hardwood, well-polished with moulded plastic clamping screws, cork lined jaws.
- Rod size approx. 16 × 460mm (OD × Height).

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072040/1	Single, Base size: 200×100mm	1	1,300.00
2072040/2	Double, Base size: 290×110mm	1	1,600.00



BURETTE & FUNNEL STAND

- Polished hard wood with cork lined jaws and moulded plastic screws.
- To hold one burette and one funnel simultaneously.
- Base fitted with non-skid feet for stability.
- Overall height 490mm, base size 330×110mm.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072080	Burette & Funnel Stand	1	1,600.00



FUNNEL STAND

- Made of seasoned hardwood, well-polished, with clamping screw.
- Size of wooden rod is approx. 16×460mm (OD× Height).

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072160/1	Single, Base size: 200×100mm	1	1,225.00
2072160/2	Double, Base size: 290×110mm	1	1,800.00





BURETTE STAND, VERTICAL

- Rack made of polished hardwood.
- The wooden frame has upper tier with vertical recesses to take burettes.
- Can take up to 13 burettes.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072180	Burette Rack, Vertical	1	2,875.00



PIPETTE STAND, HORIZONTAL

- Well polished hardwood, to hold 12 pipettes horizontally – 6 on each side.
- Dimensions 23×26×12cm (H×W×D) approx.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072240	Pipette Stand, Horizontal	1	1,300.00



PIPETTE STAND, VERTICAL-INCLINED

- Well polished hardwood, to vertically hold 12 pipettes of 7-11mm dia.
- Dimensions 350×280(L×H) approx.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072240/1	Pipette Stand, Vertical-inclined, Wooden	1	875.00

PIPETTE STAND, VERTICAL

- The two tier polished wooden stand for vertically locating up to 24 assorted pipettes.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072280	Pipette Stand, Vertical	1	2,675.00



TEST TUBE STAND, WOOD & PLASTIC

- Comprises wooden base and top with single row of holes, without pegs.
- Clips together quickly and easily with two moulded ABS plastic supports – one on either side.
- Supplied flat for compact storage when not in use.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072680/1	6 Test Tubes of 21mm dia.	1	625.00
2072680/2	12 Test Tubes of 21mm dia.	1	825.00



TEST TUBE STAND

- Made of seasoned hardwood, well polished, with single row of holes for locating test tubes.
- Vertical pegs also provided for quick drying of the test tubes.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072760/1	For six test tubes, with six pegs, two holes of 32mm dia. and four holes of 22mm dia.	1	925.00
2072760/2	For twelve test tubes, with twelve pegs, two holes of 32mm dia. and ten holes of 22mm dia.	1	1,400.00
2072760/3	Test Tube Double Rack with 12 holes and 6 pegs.	1	1,150.00



TEST TUBE SUPPORT

- This nicely polished solid wooden block is having 15 holes for test tube upto 13mm dia.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072765	Test Tube Support	1	875.00



TEST TUBE STAND, 6 HOLES, 6 PEGS

- Test Tube Stand nicely polished with 6 holes of 19mm dia and 6 vertical drying pegs.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072770/2	Test Tube Stand, 6 holes, 6 pegs	1	800.00



TEST TUBE STAND, 12 HOLES

- Test Tube Stand nicely polished with 12 holes - 4 holes of 25mm dia and 8 holes of 19mm dia.
- Also provided with 12 vertical drying pegs.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072780	Test Tube Stand, 12 holes	1	1,125.00



TEST TUBE STAND, WITHOUT DRYING PEGS

- Made of seasoned hardwood, well polished. Without vertical drying pegs.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072800/1	For 12 test tube, 2 holes of 32mm dia and 10 holes of 22mm dia all holes in single row	1	900.00
2072800/2	For 12 test tube, in two rows. Hole dia 18mm	1	825.00
2072800/3	For 6 test tube, in one row. Hole dia 14mm	1	750.00



STOPPER CORK

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066870/1	000	4	6	13	100	P.O.R.
2066870/2	00	5	8	13	100	P.O.R.
2066870/3	0	7	10	13	100	P.O.R.
2066870/4	1	8	11	16	100	P.O.R.
2066870/5	2	9	13	17	100	P.O.R.
2066870/6	3	10	14	19	100	P.O.R.
2066870/7	4	11	16	20	100	P.O.R.
2066870/8	5	12	17	22	100	P.O.R.
2066870/9	6	13	19	24	100	P.O.R.
2066870/10	7	15	21	25	100	P.O.R.
2066870/11	8	17	22	27	100	P.O.R.
2066870/12	9	18	24	29	100	P.O.R.
2066870/13	10	20	25	31	100	58.00
2066870/14	11	21	27	31	100	P.O.R.
2066870/15	12	22	29	31	100	P.O.R.
2066870/16	13	24	30	31	100	P.O.R.
2066870/17	14	25	32	31	100	P.O.R.
2066870/18	15	27	33	31	100	P.O.R.
2066870/19	16	27	35	38	100	P.O.R.
2066870/20	17	30	36	38	100	P.O.R.
2066870/21	18	31	38	38	100	P.O.R.
2066870/22	19	33	40	38	100	P.O.R.
2066870/23	20	34	41	38	100	150.00
2066870/23A	21	36	43	38	100	P.O.R.
2066870/24	22	38	45	38	100	P.O.R.
2066870/24A	23	39	46	38	100	P.O.R.
2066870/25	24	41	48	38	100	P.O.R.



STOPPER CORK ASSORTED

- Assorted sizes in different quantities (as per requirement).

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2066900/1	Stopper Cork-Pack of 144	1	1,080.00
2066900/2	Stopper Cork-Pack of 100	1	900.00
2066900/3	Stopper Cork-Pack of 50	1	1,000.00



CORK SHEET

- Assorted sizes in different quantities (as per requirement).

Cat. No.	Particulars	Pack of (Set)	Price (Each)
2062290/1	1.5mm Thick, 455 × 610mm	1	500.00
2062290/2	1.2mm Thick, 300 × 450mm	1	300.00





Adjustable Knob



SEPARATING FUNNEL STANDS

- Stand made of polished hardwood and use for Separating Funnel.
- Provided with Adjustable Knob for Height.
- Upto 6 Separating funnels, suitable for 250mL, 500mL & 1000mL capacity.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072130/1	Separating Funnel Stands, Adjustable	1	5,500.00

FUNNEL STAND ADJUSTABLE

- Stand made of polished hardwood.
- Upto 6 Funnels in beveled holes that are 11cm apart.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072135/1	Funnel Stand Adjustable	1	4,500.00

Rubberware



PIPETTE FILLER, RUBBER



- Bulb type for pipetting noxious solutions, microbial suspensions and other harmful or unpleasant solutions.
- Comprises a soft rubber bulb and three pinch valves controlling influx and efflux of pipette contents.
- Bulb diameter is 54mm approx. Capacity: 50mL

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2066030/1	Red	10	147.00
2066030/2	Black	10	240.00
2066030/3	Grey	10	

PIPETTE FILLER, SILICON



- Bulb type for pipetting noxious solutions, microbial suspensions and other harmful or unpleasant solutions.
- Comprises a soft rubber bulb and three pinch valves controlling influx and efflux of pipette contents.
- Bulb diameter is 54mm approx. Capacity: 50mL

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2066035/1	Red	10	483.00
2066035/2	Black	10	660.00
2066035/3	Grey	10	

PIPETTE BULBS, RUBBER



- Pear shaped.
- Useful for filling pipettes, especially where corrosive or harmful chemicals are involved.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2066090/1	5	100	34.00
2066090/2	10	100	38.00
2066090/3	15	100	47.00
2066090/4A	20	50	55.00
2066090/4	25	50	90.00
2066090/5	50	50	139.00
2066090/6	100	50	252.00

PIPETTE BULBS, SILICON

- Pear shaped.
- Useful for filling pipettes, especially where corrosive or harmful chemicals are involved.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2066095/1	5	100	69.00
2066095/2	10	100	84.00
2066095/3	15	100	105.00
2066095/4	20	50	126.00
2066095/5	25	50	189.00
2066095/6	50	50	336.00
2066095/7	100	50	452.00



BULBS TEAT, RUBBER (DROPPER BULBS)

- Conical shaped.
- Used with laboratory droppers for dispensing drops or qualitative amount of liquids or chemicals.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2066120/1	1	100	74.00
2066120/2	2-3	50	210.00



BULBS TEAT, SILICON (DROPPER BULBS)

- Conical shaped.
- Used with laboratory droppers for dispensing drops or qualitative amount of liquids or chemicals.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2066125/1	1	100	313.00
2066125/2	2-3	50	416.00



BULBS TEAT, LATEX (DROPPER BULBS)

- Conical shaped.
- Used with laboratory droppers for dispensing drops or qualitative amount of liquids or chemicals.

Cat. No.	Capacity (mL)	Pack of (Pcs)	Price (Each)
2066130/1	1	100	18.00
2066130/2	2-3	50	28.00



RUBBER BELLOW WITH COTTON NET

- For use with Automatic Burettes.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2066135	Rubber Bellow with Cotton Net	2	420.00

FILTRATION CONES, RUBBER

- To avoid glass to glass contact.
- Useful for filtering apparatus, flasks, buchner funnels, etc.

Cat. No.	For Capacity (mL)	Pack of (Pcs)	Price (Each)
2064760/1	250	10	116.00
2064760/2	500	10	116.00
2064760/3	1000	10	189.00
2064760/4	2000	10	189.00
2064760/5	5000	10	242.00
2064760/6	10000	10	483.00

FILTRATION CONES, SILICONE

- To avoid glass to glass contact.
- Useful for filtering apparatus, flasks, buchner funnels, etc.

Cat. No.	For Capacity (mL)	Pack of (Pcs)	Price (Each)
2064762/1	250	10	397.00
2064762/2	500	10	397.00
2064762/3	1000	10	699.00
2064762/4	2000	10	699.00
2064762/5	5000	10	888.00
2064762/6	10000	10	1,077.00

FLASK STAND, SILICON RUBBER

- Suitable to stand most of the flasks with stepped concentric rings.
- Made of rubber silicon which is capable to stand up to the temperature of 135°C.
- Chemical resistance provide it's a long durability.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2072210	Flask Stand	1	2,363.00



CRUCIBLE SLEEVES, RUBBER

- For glass filtering flasks.
- Enables a clean and firm seal between funnels, vacuum filters, flasks, etc.

Cat. No.	Top Dia	Bottom Dia (mm)	Height (mm)	Wall Thick. (mm)	Pack of (Pcs)	Price (Each)
2072215/1*	22	11	20	2.5	1	378.00
2072215/2*	28	22.5	20	2.5	1	621.00
2072215/3*	36.5	23.5	25	3	1	621.00
2072215/4	46	28	30.5	3	1	621.00
2072215/5	56	38	35	3.5	1	621.00
2072215/6*	68	47	41	4	1	621.00
2072215/7*	81	57	43.5	5	1	621.00

* Not available in single pc. 2072215/8 Set of 7 pcs of above size.



CRUCIBLE SLEEVES, SILICONE

- For glass filtering flasks.
- Enables a clean and firm seal between funnels, vacuum filters, flasks, etc.

Cat. No.	Top Dia	Bottom Dia (mm)	Height (mm)	Wall Thick. (mm)	Pack of (Pcs)	Price (Each)
2072216/1*	22	11	20	2.5	1	1,008.00
2072216/2*	28	22.5	20	2.5	1	1,683.00
2072216/3*	36.5	23.5	25	3	1	1,683.00
2072216/4	46	28	30.5	3	1	1,683.00
2072216/5	56	38	35	3.5	1	1,683.00
2072216/6*	68	47	41	4	1	1,683.00
2072216/7*	81	57	43.5	5	1	1,683.00

* Not available in single pc. 2072215/8 Set of 7 pcs of above size.



BURNER TUBING, RUBBER

- The simple Natural rubber tubing of length about 1m long, has integral reinforced thicker ends for fitting to burner nozzles.
- The reinforcement provides added strength to the burner tubing for long life leak proof operation.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2067950	Burner Tube, Natural Rubber	1	375.00



BURNER TUBING, NEOPRENE RUBBER

- A tubing with thick ends for proper gripping with burners.

Cat. No.	Length (mm)	Pack of (Pcs)	Price (Each)
2067960/1	450	5	158.00
2067960/2	600	5	189.00
2067960/3	900	5	231.00



HAND PROTECTORS



- It will be dangerous to handle a heated up material i.e. flask, beaker etc. but with the help of this hand protector one can easily handle such type of material.
- Studded surface is used for proper gripping of materials with a temperature up to 250°C.

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2110125	Hand Protectors	10	1,449.00

BENCH MATS, RUBBER



- Made of natural rubber.
- Temperature resistant upto 70°C.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2110336/1	150×150	10	250.00
2110336/2	260×260	10	350.00
2110336/3	300×300	10	2,951.00
2110336/4	230×230	10	

BENCH MATS, SILICON



- Made of silicon rubber.
- Temperature resistant upto 70°C.
- Resistant against light acids and alkali's.

Cat. No.	Size (mm)	Pack of (Pcs)	Price (Each)
2110337/1	150×150	10	1,925.00
2110337/2	260×260	10	2,850.00
2110337/3	300×300	10	4,673.00

STOPPER, RUBBER, ORANGE COLOR WITHOUT HOLE

- Solid rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066935/1	5	5	7	16	10	47.00
2066935/2	8	8	10.5	20	10	62.00
2066935/3	9	9	11.5	20	10	68.00
2066935/4	10	10	12.5	20	10	78.00
2066935/5	11	11	14	24	10	83.00
2066935/6	13	13	16	24	10	93.00
2066935/7	15	15	18	24	10	119.00
2066935/8	17	17	20.5	26	10	139.00
2066935/9	18	18	21	26	10	166.00
2066935/10	19	19	22.5	28	10	192.00
2066935/11	21	21	24.5	28	10	258.00
2066935/12	23	23	26.5	28	10	300.00
2066935/13	25	25	28.5	28	10	371.00
2066935/14	27	27	31	32	10	393.00
2066935/15	29	29	33	32	10	440.00
2066935/16	31	31	36	35	10	630.00
2066935/17	33	33	38.5	38.5	10	775.00
2066935/18	35	35	45.5	36.5	10	980.00
2066935/19	38	38	42.5	40.5	10	1,163.00
2066935/20	40	40	49.5	40.5	10	1,335.00



WITH ONE HOLE

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066965/1	5	5	7	16	10	77.00
2066965/2	8	8	10.5	20	10	92.00
2066965/3	9	9	11.5	20	10	98.00
2066965/4	10	10	12.5	20	10	108.00
2066965/5	11	11	14	24	10	113.00
2066965/6	13	13	16	24	10	123.00
2066965/7	15	15	18	24	10	149.00
2066965/8	17	17	20.5	26	10	169.00
2066965/9	18	18	21	26	10	196.00
2066965/10	19	19	22.5	28	10	222.00
2066965/11	21	21	24.5	28	10	288.00
2066965/12	23	23	26.5	28	10	330.00
2066965/13	25	25	28.5	28	10	401.00
2066965/14	27	27	31	32	10	423.00
2066965/15	29	29	33	32	10	470.00
2066965/16	31	31	36	35	10	660.00
2066965/17	33	33	38.5	38.5	10	805.00
2066965/18	35	35	45.5	36.5	10	1,010.00
2066965/19	38	38	42.5	40.5	10	1,193.00
2066965/20	40	40	49.5	40.5	10	1,365.00



STOPPER, RUBBER, ORANGE COLOR WITH TWO HOLE

- Solid rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066995/1	5	5	7	16	10	97.00
2066995/2	8	8	10.5	20	10	112.00
2066995/3	9	9	11.5	20	10	118.00
2066995/4	10	10	12.5	20	10	128.00
2066995/5	11	11	14	24	10	133.00
2066995/6	13	13	16	24	10	143.00
2066995/7	15	15	18	24	10	169.00
2066995/8	17	17	20.5	26	10	189.00
2066995/9	18	18	21	26	10	216.00
2066995/10	19	19	22.5	28	10	242.00
2066995/11	21	21	24.5	28	10	308.00
2066995/12	23	23	26.5	28	10	350.00
2066995/13	25	25	28.5	28	10	421.00
2066995/14	27	27	31	32	10	443.00
2066995/15	29	29	33	32	10	490.00
2066995/16	31	31	36	35	10	680.00
2066995/17	33	33	38.5	38.5	10	825.00
2066995/18	35	35	45.5	36.5	10	1,030.00
2066995/19	38	38	42.5	40.5	10	1,213.00
2066995/20	40	40	49.5	40.5	10	1,385.00

STOPPER, RUBBER, BLACK COLOR WITHOUT HOLE

- Non-greasy rubber stoppers has a durometer of approximately 45.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066934/1	000	8.2	12.7	21	207	630.00
2066934/2	00	10	15	25	110	630.00
2066934/3	0	13	17	25	69	630.00
2066934/4	1	14	19	25	52	630.00
2066934/5	2	16	20	25	45	630.00
2066934/6	3	18	24	25	36	630.00
2066934/7	4	20	26	25	26	630.00
2066934/8	5	23	27	25	20	630.00
2066934/9	6	26	32	25	16	630.00
2066934/10	6.5	27	34	25	16	630.00
2066934/11	7	30	37	25	11	630.00
2066934/12	8	33	41	25	9	630.00
2066934/13	9	37	45	25	7	630.00
2066934/14	10	42	50	25	5	630.00
2066934/15	11	48	56	25	4	630.00
2066934/16	12	54	64	25	3	630.00
2066934/17	14	75	90	39	2	630.00

* Pack Size = Number of stopper per pound.

STOPPER, RUBBER, BLACK COLOR WITH ONE HOLE

- Non-greasy rubber stoppers has a durometer of approximately 45.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066964/1	000	8.2	12.7	21	--	630.00
2066964/2	00	10	15	25	121	630.00
2066964/3	0	13	17	25	76	630.00
2066964/4	1	14	19	25	57	630.00
2066964/5	2	16	20	25	49	630.00
2066964/6	3	18	24	25	38	630.00
2066964/7	4	20	26	25	28	630.00
2066964/8	5	23	27	25	21	630.00
2066964/9	6	26	32	25	17	630.00
2066964/10	6.5	27	34	25	17	630.00
2066964/11	7	30	37	25	12	630.00
2066964/12	8	33	41	25	9	630.00
2066964/13	9	37	45	25	7	630.00
2066964/14	10	42	50	25	5	630.00
2066964/15	11	48	56	25	4	630.00
2066964/16	12	54	64	25	3	630.00
2066964/17	14	75	90	39	2	630.00

* Pack Size = Number of stopper per pound.



STOPPER, RUBBER, BLACK COLOR WITH TWO HOLE

- Two Hole rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066994/1	000	8.2	12.7	21	--	630.00
2066994/2	00	10	15	25	134	630.00
2066994/3	0	13	17	25	88	630.00
2066994/4	1	14	19	25	62	630.00
2066994/5	2	16	20	25	53	630.00
2066994/6	3	18	24	25	42	630.00
2066994/7	4	20	26	25	29	630.00
2066994/8	5	23	27	25	22	630.00
2066994/9	6	26	32	25	17	630.00
2066994/10	6.5	27	34	25	17	630.00
2066994/11	7	30	37	25	12	630.00
2066994/12	8	33	41	25	9	630.00
2066994/13	9	37	45	25	7	630.00
2066994/14	10	42	50	25	5	630.00
2066994/15	11	48	56	25	4	630.00
2066994/16	12	54	64	25	3	630.00
2066994/17	14	75	90	39	2	630.00

* Pack Size = Number of stopper per pound.



STOPPER, RUBBER, RED COLOR WITHOUT HOLE

- Solid rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066930/A	000	6	9	16	100	5.00
2066930/B	00	8	10.5	20	100	5.00
2066930/1	0	9	13	15.5	100	5.00
2066930/2	1	11	14	18.5	100	6.00
2066930/3	2	13	16.5	20	100	8.00
2066930/4	3	14	19	21	100	9.00
2066930/5	4	15	21	22	100	10.00
2066930/6	5	17.5	22.5	23	100	12.00
2066930/7	6	20	24.5	24	100	16.00
2066930/8	7	20	26	27.5	100	18.00
2066930/9	8	21	26.5	27.5	100	21.00
2066930/10	9	21.5	28	31	100	27.00
2066930/11	10	26	30	33	100	33.00
2066930/12	11	29	33	32	100	38.00
2066930/13	12	30	34.5	34.5	100	42.00
2066930/14	13	31	38.5	37	25	58.00
2066930/15	14	32	41.5	45.5	25	64.00
2066930/16	15	38	42	40.5	25	85.00
2066930/17	16	35	45	36.5	25	87.00
2066930/18	17	40	49.5	40.5	25	102.00
2066930/19	18	48	53.5	33.5	25	123.00
2066930/20	19	44	58	45	25	144.00
2066930/21	20	51	60	56.5	25	205.00
2066930/22	22	50	65	41	25	299.00
2066930/23	23	59	72	42	25	331.00

STOPPER, RUBBER, ASSORTED WITHOUT HOLE, ORANGE COLOR

- Pack of 50. Assorted sizes in different quantities.
- Stopper Number 0,1,2,3,4 - 7 Pcs each
- Stopper Number: 5,7,9,10,11 - 3 Pcs each

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2067020	Stopper, Rubber, Assorted, without Hole Orange	1	670.00

STOPPER, RUBBER, RED COLOR WITH ONE HOLE

- One Hole rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066960/A	000	6	9	16	100	8.00
2066960/B	00	8	10.5	20	100	8.00
2066960/1	0	9	13	15.5	100	8.00
2066960/2	1	11	14	18.5	100	9.00
2066960/3	2	13	16.5	20	100	11.00
2066960/4	3	14	19	21	100	12.00
2066960/5	4	15	21	22	100	13.00
2066960/6	5	17.5	22.5	23	100	15.00
2066960/7	6	20	24.5	24	100	19.00
2066960/8	7	20	26	27.5	100	21.00
2066960/9	8	21	26.5	27.5	100	24.00
2066960/10	9	21.5	28	31	100	30.00
2066960/11	10	26	30	33	100	36.00
2066960/12	11	29	33	32	100	41.00
2066960/13	12	30	34.5	34.5	100	45.00
2066960/14	13	31	38.5	37	25	61.00
2066960/15	14	32	41.5	45.5	25	67.00
2066960/16	15	38	42	40.5	25	88.00
2066960/17	16	35	45	36.5	25	90.00
2066960/18	17	40	49.5	40.5	25	105.00
2066960/19	18	48	53.5	33.5	25	126.00
2066960/20	19	44	58	45	25	147.00
2066960/21	20	51	60	56.5	25	208.00
2066960/22	22	50	65	41	25	302.00
2066960/23	23	59	72	42	25	334.00



STOPPER, RUBBER, ASSORTED ONE HOLE, ORANGE COLOR

- Pack of 50. Assorted sizes in different quantities.
- Stopper Number 0,1,2,3,4 - 7 Pcs each
- Stopper Number: 5,7,9,10,11 - 3 Pcs each

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2067050	Stopper, Rubber, Assorted, with One Hole Orange	1	880.00



STOPPER, RUBBER, RED COLOR WITH TWO HOLE

- Two hole rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066990/A	000	6	9	16	100	10.00
2066990/B	00	8	10.5	20	100	10.00
2066990/1	0	9	13	15.5	100	10.00
2066990/2	1	11	14	18.5	100	11.00
2066990/3	2	13	16.5	20	100	13.00
2066990/4	3	14	19	21	100	14.00
2066990/5	4	15	21	22	100	15.00
2066990/6	5	17.5	22.5	23	100	17.00
2066990/7	6	20	24.5	24	100	21.00
2066990/8	7	20	26	27.5	100	23.00
2066990/9	8	21	26.5	27.5	100	26.00
2066990/10	9	21.5	28	31	100	32.00
2066990/11	10	26	30	33	100	38.00
2066990/12	11	29	33	32	100	43.00
2066990/13	12	30	34.5	34.5	100	47.00
2066990/14	13	31	38.5	37	25	63.00
2066990/15	14	32	41.5	45.5	25	69.00
2066990/16	15	38	42	40.5	25	90.00
2066990/17	16	35	45	36.5	25	92.00
2066990/18	17	40	49.5	40.5	25	107.00
2066990/19	18	48	53.5	33.5	25	128.00
2066990/20	19	44	58	45	25	149.00
2066990/21	20	51	60	56.5	25	210.00
2066990/22	22	50	65	41	25	304.00
2066990/23	23	59	72	42	25	336.00

STOPPER, RUBBER, ASSORTED TWO HOLE, ORANGE COLOR

- Pack of 50. Assorted sizes in different quantities.
- Stopper Number 0,1,2,3,4 - 7 Pcs each
- Stopper Number: 5,7,9,10,11 - 3 Pcs each

Cat. No.	Particulars	Pack of (Pcs)	Price (Each)
2067080	Stopper, Rubber, Assorted, with Two Hole Orange	1	1,030.00



STOPPER, RUBBER, SILICON WITHOUT HOLE

- Made of high grade silicon rubber.
- Suitable for use over a temperature range of -50°C to 250°C. Can be sterilized by steam or by hot air.
- Excellent chemical & high temperature stability.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2067110/A	8	8	10.5	20	10	27.00
2067110/1	9	9	11.5	20	10	28.00
2067110/1A	10	10	12.5	20	10	38.00
2067110/2	11	11	14	24	10	29.00
2067110/3	13	13	16	24	10	38.00
2067110/4	15	15	18	24	10	48.00
2067110/5	17	17	20.5	26	10	59.00
2067110/6	18	18	21	26	10	67.00
2067110/7	19	19	22.5	28	10	78.00
2067110/7A	21	21	24.5	28	10	141.00
2067110/8	23	23	26.5	28	10	113.00
2067110/9	25	25	28.5	28	10	134.00
2067110/10	27	27	31	32	10	158.00
2067110/11	29	29	33	32	10	204.00
2067110/12	31	31	36	35	10	263.00
2067110/13	33	33	38.5	38.5	10	336.00
2067110/14	35	35	40.5	38.5	10	564.00
2067110/15	37	37	42.5	38.5	10	645.00
2067110/16	39	39	44.5	38.5	10	705.00
2067110/17	41	41	47	42	10	750.00
2067110/18	43	43	49	42	10	765.00
2067110/19	45	45	51	42	10	840.00
2067110/20	49	49	55	52	10	1,065.00



STOPPER, NEOPRENE RUBBER, WITHOUT HOLE

- Solid Neoprene rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

Cat. No.	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
2066937/A	5	5	7	16	10	62.00
2066937/B	6	6	9	16	10	71.00
2066937/1	8	8	10.5	20	10	78.00
2066937/2	9	9	11.5	20	10	102.00
2066937/3	10	10	12.5	20	10	108.00
2066937/4	11	11	14	24	10	150.00
2066937/5	13	13	16	24	10	201.00
2066937/6	15	15	18	24	10	257.00
2066937/7	17	17	20.5	26	10	355.00
2066937/8	18	18	21	26	10	420.00
2066937/9	19	19	22.5	28	10	465.00
2066937/10	21	21	24.5	28	10	540.00
2066937/11	23	23	26.5	28	10	645.00
2066937/12	25	25	28.5	28	10	775.00
2066937/13	27	27	31	32	10	990.00
2066937/14	29	29	31	32	10	1,100.00
2066937/15	31	31	36	35	10	1,435.00
2066937/16	33	33	38.5	38.5	10	1,825.00
2066937/17	35	35	45.5	36.5	10	2,150.00
2066937/18	38	38	42.5	40.5	10	2,648.00
2066937/19	40	40	49.5	40.5	10	3,008.00

STOPPER, NEOPRENE RUBBER, ASSORTED TWO HOLE

- Pack of 50. Assorted sizes in different quantities.
- Stopper Number 5,6,8,9,10 - 7 Pcs each
- Stopper Number: 11,13,15,17,18, - 3 Pcs each

Cat. No.	Particulars	Pack of (Pcs)	
2066940	Stopper, Neoprene Rubber, Assorted, with Two Hole	1	

STOPPER, NEOPRENE RUBBER, WITH ONE HOLE

- Neoprene rubber stoppers resistant to acid and specially designed to the laboratory glassware requirements.

2066938 One Hole

2066939 Two Hole

Version	Stopper No.	Bottom Dia (mm)	Top Dia (mm)	Height (mm)	Pack of (Pcs)	Price (Each)
A	5	5	7	16	10	92.00
B	6	6	9	16	10	101.00
1	8	8	10.5	20	10	108.00
2	9	9	11.5	20	10	132.00
3	10	10	12.5	20	10	138.00
4	11	11	14	24	10	180.00
5	13	13	16	24	10	231.00
6	15	15	18	24	10	287.00
7	17	17	20.5	26	10	385.00
8	18	18	21	26	10	450.00
9	19	19	22.5	28	10	495.00
10	21	21	24.5	28	10	570.00
11	23	23	26.5	28	10	675.00
12	25	25	28.5	28	10	805.00
13	27	27	31	32	10	1,020.00
14	29	29	31	32	10	1,130.00
15	31	31	36	35	10	1,465.00
16	33	33	38.5	38.5	10	1,855.00
17	35	35	45.5	36.5	10	2,180.00
18	38	38	42.5	40.5	10	2,678.00
19	40	40	49.5	40.5	10	3,038.00



TUBING, PVC

- Transparent, strong, flexible, suitable for connections to taps.
- Coil length 10m.

Cat. No.	Bore x Wall Thick (mm)	Pack of (Coil)	Price (Each)
2067920/1	3.0 x 1.75	1	28.00
2067920/2	6.5 x 1.5	1	48.00
2067920/3	10.0 x 2.0	1	86.00



RUBBER TUBING, ORDINARY

- For general laboratory low-pressure use.
- Resistant to acids, alkalis. Coil length 10m.

Cat. No.	Bore × Wall Thick (mm)	Pack of (Coil)	Price (Each)
2067980/1	4.0 × 1.0	1	402.00
2067980/2	5.0 × 1.5	1	516.00
2067980/3	6.0 × 1.5	1	666.00
2067980/4	7.0 × 1.5	1	804.00
2067980/5	8.0 × 2.0	1	927.00
2067980/6	10.0 × 2.0	1	1,314.00
2067980/7	12.0 × 2.5	1	1,623.00

RUBBER TUBING, MEDIUM PRESSURE

- Extra soft rubber tubing having more wall thickness making it capable of withstanding low to moderately high pressures.
- Resistant to acids, alkalis. Coil length 10m.

Cat. No.	Bore × Wall Thick (mm)	Pack of (Coil)	Price (Each)
2068010/1	3.0 × 3.0	1	641.00
2068010/2	4.5 × 3.0	1	753.00
2068010/3	6.0 × 3.0	1	943.00
2068010/4	8.0 × 3.0	1	1,124.00
2068010/5	9.0 × 3.0	1	1,166.00
2068010/6	10.0 × 3.0	1	2,631.00
2068010/7	12.5 × 4.5	1	2,436.00

RUBBER TUBING, HIGH PRESSURE

- For general laboratory High-pressure use.
- Resistant to acids, alkalis. Coil length 10m.

Cat. No.	Bore × Wall Thick (mm)	Pack of (Coil)	Price (Each)
2068040/1	3.0 × 4.5	1	893.00
2068040/2	4.5 × 4.5	1	1,058.00
2068040/3	6.0 × 4.5	1	1,229.00
2068040/4	8.0 × 4.5	1	1,512.00
2068040/5	9.0 × 4.5	1	1,670.00
2068040/6	10.0 × 4.5	1	2,589.00
2068040/7	12.5 × 4.5	1	3,003.00
2068040/8	8.0 × 6.0	1	-
2068040/9	8.0 × 5.0	1	2,475.00

RUBBER TUBING, HIGH QUALITY

- For general laboratory high temperature stability.
- Resistant to acids, alkalis. Coil length 10m.

Cat. No.	Bore x Wall Thick (mm)	Pack of (Coil)	Price (Each)
2068070/1	4.0 x 1.0	1	606.00
2068070/2	5.0 x 1.5	1	756.00
2068070/3	6.0 x 1.5	1	960.00
2068070/4	7.0 x 1.5	1	1,116.00
2068070/5	8.0 x 2.0	1	1,287.00
2068070/6	10.0 x 2.0	1	1,887.00
2068070/7	12.0 x 2.5	1	2,061.00



RUBBER TUBING, NEOPRENE

- Synthetic rubber, neoprene is firmer and more abrasion resistant than natural rubber.
- It is also flame resistant.
- Used for general purpose transfer and gravity flow non-pressure applications.
- Coil length 10m.

Cat. No.	Bore x Wall Thick (mm)	Pack of (Coil)	Price (Each)
2068105/1	4.0 x 1.0	1	231.00
2068105/2	5.0 x 1.5	1	282.00
2068105/3	6.0 x 1.5	1	330.00
2068105/4	7.0 x 1.5	1	381.00
2068105/5	8.0 x 2.0	1	540.00
2068105/6	9.0 x 2.0	1	645.00
2068105/7	10.0 x 2.0	1	750.00
2068105/8	12.0 x 2.0	1	951.00



RUBBER TUBING, NITRILE

- High tear strength and abrasion resistance.
- Excellent resistance to fuel, oil, aromatic solvents and alcohols.
- Coil length 10m.

Cat. No.	Bore x Wall Thick (mm)	Pack of (Coil)	Price (Each)
2068110/1	4.0 x 1.0	1	120.00
2068110/2	5.0 x 1.5	1	150.00
2068110/3	6.0 x 1.5	1	180.00
2068110/4	7.0 x 1.5	1	210.00
2068110/5	8.0 x 2.0	1	255.00
2068110/6	9.0 x 2.0	1	321.00
2068110/7	10.0 x 2.0	1	411.00
2068110/8	12.0 x 2.0	1	498.00



RUBBER TUBING, SILICON

- Highly elastic, non-toxic, heat resistant from -50°C to 250°C , repeatedly autoclavable, flexible odourless and transparency of the tubes allows clear visibility of the flowing fluid.
- Coil length 10m.



Cat. No.	Bore x Wall Thick (mm)	Pack of (Coil)	Price (Each)
2068100/1	2.0 x 1.0	1	74.00
2068100/3	3.0 x 1.0	1	80.00
2068100/3A	3.0 x 1.5	1	113.00
2068100/3B	4.0 x 1.0	1	143.00
2068100/4	4.0 x 1.5	1	168.00
2068100/4A	5.0 x 1.0	1	162.00
2068100/5	5.0 x 1.5	1	208.00
2068100/5A	6.0 x 1.0	1	208.00
2068100/6	6.0 x 1.5	1	246.00
2068100/6A	6.0 x 2.0	1	302.00
2068100/6B	6.0 x 3.0	1	473.00
2068100/6C	7.0 x 1.5	1	275.00
2068100/7	7.0 x 2.0	1	332.00
2068100/8	8.0 x 1.5	1	305.00
2068100/9	8.0 x 2.0	1	368.00
2068100/9A	8.0 x 3.0	1	523.00
2068100/9B	9.0 x 2.0	1	426.00
2068100/11	10.0 x 2.0	1	483.00
2068100/11A	10.0 x 3.0	1	710.00
2068100/11B	12.0 x 3.5	1	861.00
2068100/11C	12.5 x 2.5	1	521.00
2068100/12	14.0 x 3.0	1	995.00
2068100/13	15.0 x 4.0	1	1,361.00
2068100/14	16.0 x 3.0	1	1,239.00



| arco
scientific





arco
scientific

Rubberware
Lab Safety
Glassware
Metalware
Plasticware
Labware Consumables
Lab Equipment
Woodenware
Porcelainware

Arihant Industries
AN ISO 9001 :2008 COMPANY



40, HSIIDC Industrial Estate,
Ambala Cantt. - 133001, INDIA
Tel.: +91-171-2698165 | Fax: +91-171-2699835, 36

26, HSIIDC Industrial Estate,
Ambala Cantt. - 133001, INDIA
Tel.: +91-171-2698265

27, HSIIDC Industrial Estate,
Ambala Cantt. - 133001, INDIA
Tel.: +91-171-2698365

339, HSIIDC Industrial Growth Center & Food Park,
SAHA - 133104, District Ambala, Haryana, INDIA
Tel.: +91-171-2698465

1747 N Deffer Drive
Nixa MO 65714
United States of America

Unit C7, Enterprise Way
Bradford Road, Bradford
BD10 8EW, United Kingdom

connect@arcoscientific.com | www.arcoscientific.com

