

Reaching Worldwide...



LABMAN

MRP PRICE LIST 2025-26

w.e.f. 01.04.2025,

valid upto 31.03.2026

Scientific & Laboratory Instruments



MRP PRICE LIST

w.e.f. 1st April 2025

 Lyophilizer Freeze Dryer (-60°C)	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMFD61	3,40,000/-	61,200/-	4,01,200/-
	- Freeze drying area:0.12m² - Tray size and nos.: Ø200mm x4 - Ice capacity(L/H):3L/24h, Tray spacing:70mm - Vacuum pressure:< 5Pa - Condenser temperature:<-60°C - Double Stage Oil-lubricated Rotary Vane Vacuum Pump			 E-Catalogue

 Lyophilizer Freeze Dryer (-60°C)	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMFD62	3,85,000/-	69,300/-	4,54,300/-
	- Freeze drying area:0.094m² - Tray size and nos.:Ø200mm x3 - Ice capacity(L/H):3L/24h, Tray spacing:70mm - Vacuum pressure:< 5Pa - Condenser temperature:<-60°C - Double Stage Oil-lubricated Rotary Vane Vacuum Pump			 E-Catalogue

 Lyophilizer Freeze Dryer (-60°C)	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMFD63	4,35,000/-	78,300/-	5,13,300/-
	- Freeze drying area:0.12m², Tray size and nos.:Ø200mm x4 - Ice capacity(L/H):3L/24h, Tray spacing:70mm - Vacuum pressure:< 10Pa - Condenser temperature:<-60°C - Double Stage Oil-lubricated Rotary Vane Vacuum Pump - Aluminium cover, 8pcs 150ml/100ml flask			 E-Catalogue

 Lyophilizer Freeze Dryer (-60°C)	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMFD64	4,80,000/-	86,400/-	5,66,400/-
	- Freeze drying area:0.094m², Tray size and nos.:Ø200mm x3 - Ice capacity(L/H):3L/24h, Tray spacing:70mm - Vacuum pressure:< 10Pa - Condenser temperature:<-60°C - Double Stage Oil-lubricated Rotary Vane Vacuum Pump - Aluminium cover, 8pcs 150ml/100ml flask			 E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

05	Lyophilizer Freeze Dryer (-80°C)	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMFD83	5,50,000/-	99,000/-	6,49,000/-
		- Freeze drying area:0.12m² - Tray size and nos.:Ø200mm x4 - Ice capacity(L/H):3L/24h, Tray spacing:70mm, - Vacuum pressure:< 10Pa, Condenser temperature:<-80°C - Double Stage Oil-lubricated Rotary Vane Vacuum Pump - Aluminium cover, 8pcs 150ml/100ml flask  E-Catalogue			
06	Lyophilizer Freeze Dryer (-80°C)	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMFD84	6,00,000/-	1,08,000/-	7,08,000/-
		- Freeze drying area:0.094m² - Tray size and nos.:Ø200mm x3 - Ice capacity(L/H):3L/24h, Tray spacing:70mm - Vacuum pressure:< 10Pa, Condenser temperature:<-80°C - Double Stage Oil-lubricated Rotary Vane Vacuum Pump - Aluminium cover, 8pcs 150ml/100ml flask  E-Catalogue			
07	Rotary Evaporator	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMRE25	2,00,000/-	36,000/-	2,36,000/-
		- Automatic lifting - Evaporation Flask Capacity 1L - Rotation Speed 20-300 RPM - Temperature range :RT +7~ 180°C - Lift Stroke 120mm  E-Catalogue			
08	Automatic Density Meter	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ADM3	5,00,000/-	90,000/-	5,90,000/-
		- Measuring Range - 0.000~3.0000g/cm³ - Data Storage - 32GB, Resolution - 0.001g/cm³ - Calibration - Dry Air / Distilled Water - Temperature Control Range - 15°C~40°C - Resolution - 0.01°C, Observation - High Definition - Camera / Video Observation, Density g/cm³ - Density kg/cm³ (Specific Gravity of Water) - Measurement Mode - Fast Pre-deduct / Accurate Measure  E-Catalogue			



MRP PRICE LIST

w.e.f. 1st April 2025

09	 Microvolume Spectrophotometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		MSOD6	4,00,000/-	72,000/-	4,72,000/-
		- Wavelength Range- 200nm-800nm - Light Source - Xenon Lamp - Testing Time - 6Sec, Absorbance Range - 0.04~300A - Fluorescent Deduction - R2>0.995 - Accuracy - 0.003Abs (0.2nm Light Range), OD600 Absorbent - Range - 0~6.000Abs, Sample Volume - 0.5~2.5µL - Operating System - Android OS  E-Catalogue			
10	 Nucleic Acid Extractor	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		NAE32	4,00,000/-	72,000	4,72,000/-
		- Sample Flux- 1-32 - Handle the Volume - 50~1000µL - DNA Present Recovery >95% - Temperature upto 120°C 10.1" Touchscreen Display - UV Disinfection - Can Store 1000 Set Program 96 Deep Hole Plate  E-Catalogue			
11	 Elisa Microplate Reader	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		EMR4	2,25,000/-	40,500/-	2,65,500/-
		7" Color Touchscreen - Light Source - Halogen Lamp - Wavelength Range- 340nm-750nm, 4 Filter Wheel - Standard Filter - 405nm, 450nm, 492nm, 630nm - Filter Bandwidth- 8~10nm, Reading Range - 0~4.000Abs - Measuring Speed - 6Sec, 96 Hole Plate Deduction - Memory - 1000 Program, 1,00,000 Result  E-Catalogue			
12	 Gradient PCR Thermal Cycler	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		GPTC96	2,75,000/-	49,500/-	3,24,500/-
		- Capacity - 96 x 0.2ml, - Temperature Control Block / Tube, - Temperature Range 0°C~105°C, Hold at 4°C - Gradient Temperature Range 30°C~105°C - Speed - 0.1°C~42°C, Touchscreen Display - No. of. Program - 2,00,000, In-Built Software  E-Catalogue			



MRP PRICE LIST

w.e.f. 1st April 2025

13		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		HO30	2,50,000/-	45,000/-	2,95,000/-
		- Constant Temperature Range - RT+8~100°C - Rotating Speed - 50RPM - Hybridization Tube - Ø 35 x 240mm - Vibration Intensity 1-10 Adjustable Gear - Memory - 50 Groups, Touch Screen Display - Timing Function, Shake Function			

Hybridization Oven



E-Catalogue

14		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		UVCL254	2,50,000/-	45,000/-	2,95,000/-
		- UV Wavelength - 254nm - UV Source - 8W Light Tube - Exposure Energy Measurement Range - 0~99.99J/cm² - Exposure Time Measurement Range - 0~999.9min - Timing Function - Touchscreen Display - Maximum Irradiation Area - 880cm².			

UV - Crosslinker



E-Catalogue

15		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		TGH12	1,25,000/-	22,500/-	1,47,500/-
		TGH24	1,25,000/-	22,500/-	1,47,500/-
		- TGH12 Test Holder Capacity - 5ml x 12 Hole - TGH24 Test Holder Capacity - 2ml x 24 Hole - Timing Function, Noise Level <55db - Frequency Setting - 30-70Hz, - Clamp Stroke - 34mm (Vertical) - Touchscreen Display, Max. Speed - 2500RPM			

Tissue Grinder Homogenizer



E-Catalogue

16		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		PBH80T	1,17,000/-	21,060/-	1,38,060/-
		4.3" Touch Screen Display - Microcomputer Technology - Multiple Sets of Program can store, adjustable speed & time - Glass transparent window is easy to observe & clean - Stainless steel with anti corrosive plastic spraying, - No contact between sample and homogenizer - Working Stepless Speed Regulation - Automatic stop anti pinch function.			

Paddle Blender Homogenizer



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

17		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		TOC2NDIR	15,70,000/-	2,82,600/-	18,52,600/-
		• NDIR Detector, High sensitivity and Stability • Measurement range 0 - 10000mg/ L (ppm) • Automatic leakage detection system • Measuring Parameter - Total Carbon (TC), Total Organic Carbon (TOC), Total Inorganic Carbon (TIC), Non purgeable Organic Carbon (NPOC) • Multifunction PC Software • Auto Sampler (Optional)			

Total Organic Carbon Analyzer



E-Catalogue

18		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		TOC1CD	10,00,000/-	1,80,000/-	11,80,000/-
		• Detection range - 0.001 - 1.500mg/l (ppm) • Equipped with Conductivity detector To quantify TOC Concentration. • 7 inch Touch Screen Display • The system is password protected & in compliance with 21CFR Part11 Requirements. • 8GB large storage memory. • Quick Test & Analysis in < 3 minutes			

Total Organic Carbon Analyzer



E-Catalogue

19		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMDS600	10,75,000/-	1,93,500/-	12,68,500/-
		LMDS1200	12,75,000/-	2,29,500/-	15,04,500/-

Microwave Digestion System



E-Catalogue

20		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		KFT1B	1,15,000/-	20,700/-	1,35,700/-
		• Automatic Titrator adopts the Karl Fischer method • LED Display • Stable performance 3 Way conversion valve Advanced Technology novel structure			

Karl Fischer Titrator (Basic)



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

21	 Automatic Potential Titrator	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		APT1800	4,00,000/-	72,000/-	4,72,000/-
		- LCD Display. Titration method, curves and results are displayed - Replaceable burette with high-accuracy 10ml or 20ml (selectable) - Support titration modes: DET, MET, SET, MAT - pH Calibration and Measurement are supported. - Store up to 50 titration data sets (GLP- Compliance) 1 latest set of titration curve. RS232C, USB Interface 			
22	 Karl Fischer Titrator	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		KFT250VC	4,80,000/-	86,400/-	5,66,400/-
		- LCD display screen, Titration methods curves and results are displayed Volumetric KF Titration & Coulometric KF Titration are supported - Data analysis feature helps user review and compare results - RS232C Interface, Reset & Factory Reset Options - Store up to 200 titration data sets (GLP- Compliance). 			
23	 COD Analyzer with Digestor	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		COD1500	2,00,000/-	36,000/-	2,36,000/-
		- Measuring range: 0 to 150, 0 to 1500 ppm - LCD display. 2-point calibration 2 LED light sources for different COD testing - Data capacity 200 sets (GLP- Compliance) - COD Digestor as a Standard Accessory 			
24	 BOD Analyzer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		BOD4000	1,92,000/-	34,560/-	2,26,560/-
		- Measuring principle: differential pressure (manometric) - BOD value of the current test can be read at all times. - Measuring Range - 0 to 4000 mg/l (ppm) - Date and Time display - No Manual Titration is required 			



MRP PRICE LIST

w.e.f. 1st April 2025

25		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		MTVM50	50,000/-	9,000/-	59,000/-
		• Operation Mode - Run & Touch Operation • Speed Range - 500~3000RPM • Amplitude - 4mm Horizontal Swing • Timing Function, LED Display • Maximum Load - 4kg • Process upto 50 Samples at a Time			

Multi Tube Vortex Mixer



E-Catalogue

26		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMVM60D	20,000/-	3,600/-	23,600/-
		• LCD Display with white back light • Speed Timer (1~99h 59m 59s), Operating Mode - 2 Types are Auto run sensor, continuous run for various Mixing application • Aluminium Alloy Base stable body • Soft silicone foot pads, Super shockproof Brushless Motor - Supply with Standard Head			

Vortex Mixer



E-Catalogue

27		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		OS20	25,000/-	4,500/-	29,500/-
		• Digital Display • Brushless Motor Speed Range - 40~200RPM • Plate Size - 250 x 250 x 50mm • Maximum Load 2kg • Timing Function, Universal Tray Platform • Operation Mode - 20mm			

Orbital Shaker



E-Catalogue

28		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		TRM6	23,000/-	4,140/-	27,140/-
		• LCD Display, No. of. Roller-6, • Roller Length-280mm, Antilock Design • Brushless Motor, Adjustable Speed • Timing Function • Roller Center Distance - 34mm, Ø 6mm			

Tube Roller Mixer



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

29	 Dry Bath Nitrogen Evaporator	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		DBNE12	70,000/-	12,600/-	82,600/-
		DBNE24	85,000/-	15,300/-	1,00,300/-
		• DBNE12-16.5mm x 12 Hole, DBNE24-16.5mm x 24 Hole • Temperature Range - RT+7~150°C • Time Setting Max. Lifting Stroke - 285mm, LCD Display • Multipoint Operation - Support Max. 5 points Max. • Gas Pressure - 0.04Mpa, Gas Flow - 0~10L/MinGas • Needle Length - 150mm, Gas Needle Head - Ø 7mm			



E-Catalogue

30



Touch Screen
Dry Bath Incubator

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
DBI11T	36,000/-	6,480/-	42,480/-
• Temperature Control Range R.T +5 ~100°C • Temperature Control Accuracy$\leq \pm 0.5^{\circ}\text{C}$ • Display Accuracy 0.1°C • Temperature Uniformity of Block$\leq \pm 0.3^{\circ}\text{C}$ • Heating Time≤ 15 Minutes (25°C to 100°C) • Multi-Point Program Support (Max 5 Points)			

E-Catalogue



E-Catalogue

31



Dry Bath Incubator

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
DBI15SH	70,000/-	12,600/-	82,600/-
DBI16SC	1,05,000/-	18,900/-	1,23,900/-

- DBI15SH - Stirring & Heating, 1800RPM, Timing Function
- DBI16SC - Stirring, Heating & Cooling, 1500RPM
- Temperature RT -16°C, RT+5°C~100°C
- Holographic Projection Display
- Multipoints Cycle Operation, 9 Stage Programmable
- Can set Run Continuously at Irregular Intervals



E-Catalogue



E-Catalogue

32



Infrared Sterilizer

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
IRS14	11,000/-	1,980/-	12,980/-
IRS35	13,000/-	2,340/-	15,340/-

- IRS14 - Diameter of Sterilizer 14mm x 150mm length
- IRS35 - Diameter of Sterilizer 35mm x 100mm length
- Sterilization only takes 5 to 7 Seconds
- No Open Flame - More Safe
- MaximumTemperature - 850°C
- Two Temp. Mode - 400°C/850°C

E-Catalogue



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

33		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		GGA200	55,000/-	9,900/-	64,900/-
		- Air generator is to provide pure compressed air source device - Generator using phase process control technology and gas condensation separation purification technology step by step Dual pressure stabilization - High Pressure Resistance, High Precision Stabilization - Adsorbent Molecular Sieves regeneration - High purity and compressed air flow is very stable.			

Air Generator



E-Catalogue

34		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		GGH301	55,000/-	9,900/-	64,900/-
		GGH302	1,05,000/-	18,900/-	1,23,900/-

Hydrogen Generator



E-Catalogue

35		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		GGN303	1,00,000/-	18,000/-	1,18,000/-
		- Nitrogen generator consists of an electrolytic cell - Electrolytic separation cell adopts a clamp type electrolytic cell - High gas production and good heat dissipation - Automatically drains for 10 minutes and switches to gas production - Easy to operate			

Nitrogen Generator



E-Catalogue

36		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		GHA304	1,10,000/-	19,800/-	1,29,800/-
		- Hydrogen Air Generator is a multi-purpose instrument - LED Display, Easy to Operate, High degree of automation, gas can be produced by starting the switch - Over pressure protection with an alkali liquid is used - Two-stage over voltage protection & voltage stabilization devices - Drainage switches & dust filtration for multi-stage purification, - Low Vibration, Low Noise, Stable, output pressure & flow rate.			

Hydrogen Air Generator (2 in 1)



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

37	 Vacuum Pump LMVP10	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMVP10	13,000/-	2,340/-	15,340/-
		- Electromagnetic motor and a diaphragm sealed chamber to ensure one-way gas flow with high vacuum degree - Non oil pump design, relative isolation of gas circulation in the chamber - No pollution, safe and explosion-proof.			

Vacuum Pump



E-Catalogue

38	 Vacuum Pump	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMVP20	1,15,000/-	20,700/-	1,35,700/-
		- Vacuum Pump is a gas based two-stage Pump - Resistance to Chemical & High Corrosion - Rotation Speed - 1450RPM - Power - 120W - Ultimate Vacuum - 20mbar - Membrane Surface - PTFE Coated - Flow Rate - 20L/min			

Vacuum Pump



E-Catalogue

39	 Column Oven	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMCO1	30,000/-	5,400/-	35,400/-
		- Large White LCD Display, Clear Text View, Chamber is equipped with a three slot double column base, Analytical column and protective column is within 340mm - Factory set temperature at 40°C - Self Tuning Function (PID) and real time Indication - Temperature Setting & Control Operation Integral thickened alloy, which is stable and reliable			

Column Oven



E-Catalogue

40	 Mini Thermostatic Incubator	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMIO6	30,000/-	5,400/-	35,400/-
		- High precision controller, precise temperature control, over temperature alarm - Inner chamber surround heating, uniform and stable temperature - Compact Design, Light weight, Small volume energy saving and power saving, equipped with handle - Easy to carry & clean, Mirror finishing Stainless steel inner design - Unique geometric cavity clean design.			

Mini Thermostatic Incubator



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

41		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		GHP400	30,000/-	5,400/-	35,400/-
		- High pure graphite of isostatic pressure with excellent thermal conductivity - PID Temperature Control, Surface material graphite - Surface Film thickness 12mm - Energy Saving unique way of heating and insulation - LCD Display - Anti corrosive spraying, which can resist the harsh corrosive environment.			

Graphite Hotplate



E-Catalogue

42		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LOBMS5	45,000/-	8,100/-	53,100/-
		5L Volume Capacity, PID temperature control Technology, LED Display - Stepless Speed regulation Low Noise - Stable Operation PT100 Temperature Sensor - High Temperature Resistance Fast Heating Speed - Uniform temperature and High efficiency Strong - Magnet to ensure Sufficient Suction - Heating Method - Electric & Tube Heating			

Oil Bath Magnetic Stirrer



E-Catalogue

43		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMMS4LC	30,000/-	5,400/-	35,400/-
		5L Maximum Stirring Volume - Adjustable Speed, time LCD Display, - Die-cast Aluminium plate surface, PT1000 Temperature Sensor Controlled mode up to 6 groups of operating programs - Bushless Motor Type , Low Noise Function of forward and reverse rotation - High Temperature Resistance, Top plate with Ceramic Coating.			

Ceramic Hotplate Magnetic Stirrer



E-Catalogue

44		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMMS20LC	40,000/-	7,200/-	47,200/-
		5~ 20L Maximum Stirring Volume, Adjustable Speed, time - LCD Display, PT1000 Temperature Sensor - Controlled mode up to 6 groups of operating programs - Bushless Motor Type , Low NoiseFunction of forward and reverse rotation - High Temperature Resistance, Top plate Cast Aluminium with Ceramic Coating - Automatically memorise the set working parameters, , Aluminium alloy base.			

Ceramic Hotplate Magnetic Stirrer



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

45		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMMS300	22,000/-	3,960/-	25,960/-
		• Max. Volume – 2000 ml • Speed – 100 /1250rpm • Top Plate Size – 135 x135mm • Plate Material – Steel • Max. Temp.(Plate Surface) – 300°C Timer – 999 minutes			

Hotplate Magnetic Stirrer



E-Catalogue

46		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		MMS15S	25,000/-	4,500/-	29,500/-
		• Stirring Facility, Asynchronous Control • LCD Display, Brushless Motor • No. of. Stirring Point - 4 x 500ml • Stepless Speed Regulation • RPM - 50~1500 • Time Setting Function			

Multiposition Magnetic Stirrer



E-Catalogue

47		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		MMS12H	40,000/-	7,200/-	47,200/-
		• Heating & Stirring Facility • Asynchronous Control • LCD Display, Brushless Motor • SS304 Stainless Steel Plate, • Corrosion Resistance • No. of. Stirring Point - 4 x 500ml • RPM - 50~1200, Time Setting Function • Plate Temp. - 120°C			

Multiposition Magnetic Stirrer



E-Catalogue

48		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		WBMS3	25,000/-	4,500/-	29,500/-
		• PID Temperature Control, Speed-100~1200RPM • Increment -50RPM, Tank Size-200 x 200 x 130mm • Time Setting Function • Temperature Range-RT+5°C~100°C • Temperature Accuracy-0.1°C			

Water Bath Magnetic Stirrer




E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

 Water Bath	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMWB2H	11,500/-	2,070/-	13,570/-
	LMWB4H	13,500/-	2,430/-	15,930/-
	LMWB6H	18,000/-	3,240/-	21,240/-
	LMWB8H	22,500/-	4,050/-	26,550/-
• 2 Hole / 4 Hole / 6 Hole / 8 Hole • Temperature Range- RT+5°C~100°C, Time Function • SS304 Stainless Steel Tank, Human Body Movement Sensor • Automatic Temperature Control Program • Ultra Small Empty Dry Burning Sensor 				
50	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	HOS20L	30,000/-	5,400/-	35,400/-
 Overhead Stirrer • Digital LCD Display, 100 ~ 2500rpm speed • Maximum Volume 20L • Stainless Steel Head • Digital type bushless motor • Stirring has three modes - Clockwise, Anticlock wise & Alternating 				
51	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMHH160	25,000/-	4,500/-	29,500/-
 Hand Held Homogenizer • Stepless speed regulation • Capacity: 10ml-250ml, Noise level ≤ 50DB. • Standard Head : 10mm, 10ml Minimum processing capacity (water) • Processing capacity (water): 250ML, 5000mpas Maximum viscosity 				
52	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	PS1565	88,600/-	15,948/-	1,04,548/-
 Peltier / Sipper System • Peltier Sipper System for Double Beam UV-Vis.Spectrophotometer • Sampling speed around 50ml / min • Temperature range 15°C to 65°C, Time range 30sec to 10min. 				



MRP PRICE LIST

w.e.f. 1st April 2025

53		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LUV6HG	9,40,000/-	1,69,200/-	11,09,200/-
		- PMT Detector. High-quality Photomultiplier (PMT) - Deuterium Lamp, Mercury Lamp - Real-time automatic calibration of dark current - PC software follows GLP & GMP standards, user management, logging, data tracking, etc. mostly as per 21CFR Part 11.2 E - Catalogue			

PMT Spectrophotometer



E-Catalogue

54		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LUV2000T	3,00,000/-	54,000/-	3,54,000/-
		LUV2100T	3,70,000/-	66,600/-	4,36,600/-

**Double Beam
UV-Vis. Spectrophotometer with 21CFR**

- Wavelength range 190 -1100 nm
- LUV2000T - Bandwidth-1nm
- LUV2100T-Variable Bandwidth(1/2/4/5nm).
- Wavelength Accuracy - ± 0.1 nm
- Display - 10 inches Touch Screen
- GLP & GMP Standards. 21CFR Part 11.



E-Catalogue

55		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LUV1100T	2,45,000/-	44,100/-	2,89,100/-
		- Wavelength range 190 -1100 nm - Single Beam UV-Vis Spectrophotometer with CFR. - Wavelength Accuracy - ± 0.1nm - Display - 7 inches Touch Screen - GLP & GMP Standards. 21CFR Part 11.			

**Single Beam
UV-Vis. Spectrophotometer with 21CFR**



E-Catalogue

56		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMSPUV1900	2,59,000/-	46,620/-	3,05,620/-
		LMSPUV1908	2,75,000/-	49,500/-	3,24,500/-
		LMSPUV1920	3,33,800/-	60,084/-	3,93,884/-
		LMSPUV1928	3,49,800/-	62,964/-	4,12,764/-
		- LMSPUV1900 - Bandwidth 1nm, Single cell holder for sample & reference - LMSPUV1908 - Bandwidth 1nm, 8 cell holder - LMSPUV1920 - Variable Bandwidth 1nm, 2nm, 4nm, Single cell holder for sample & reference - LMSPUV1928 - Variable Bandwidth 1nm, 2nm, 4nm, 8 cell holder			

**Double Beam
UV-Vis. Spectrophotometer**



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

57  Single Beam UV-Vis. Spectrophotometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMSPUV1200	1,57,600/-	28,368/-	1,85,968/-
	- Wavelength Range – 190-1100nm - Bandwidth – 2nm - Optical System– Single Beam Grating 1200 lines/mm - Wavelength Accuracy - ± 0.8nm - Wavelength Setting – Automatic - Light Source – D2 Lamp & Tungsten Lamp			 E-Catalogue

58  Single Beam UV-Vis. Spectrophotometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMSPUV1000B	1,26,200/-	22,716/-	1,48,916/-
	- Optical System – Single beam Grating 1200 lines/mm - Wavelength Range – 190-1000nm - Bandwidth – 2nm, - Wavelength Accuracy - ± 1nm - Wavelength Repeatability - ± 0.5nm - Wavelength Setting – Automatic - Light Source – D2 lamp & Tungsten Lamp			 E-Catalogue

59  Visible Spectrophotometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMSPV325	68,800/-	12,384/-	81,184/-
	- Wavelength Range – 325-1000nm - Bandwidth – 4nm - Wavelength Accuracy - ± 1nm - Wavelength setting – Automatic - Photometric Model – T,A,C,F - Light Source – Tungsten Lamp			 E-Catalogue

60  Visible Spectrophotometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMSPV320	48,100/-	8,658/-	56,758/-
	- Wave length range – 325-1000nm - Spectral Bandwidth – 4nm - Wavelength Accuracy - ± 2nm - Photometric Mode – T.A.C.F - Output – USB Port & Parallel (Printer) - Wavelength Setting – Manual - Light Source – Tungsten Lamp			 E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

61		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ADP100CFR	6,50,000/-	1,17,000/-	7,67,000/-
		- Dual Wavelength - 546nm & 589nm - Measuring Range $\pm 90^\circ$ (Optical Rotation), $\pm 259^\circ Z$ (Sugar) - Compliance with Regulations GMP/ GLP/ FDA 21CFR Part 11 8 inch Colour Touch Screen Display - Temp. Control Mode - Peltier (In-Built) - Memory - 16GB.			

**High Speed
Automatic Polarimeter with CFR**



E-Catalogue

62		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ADP95CFR	5,20,000/-	93,600/-	6,13,600/-
		10.1" Colour Touch Screen Display - Android operating System - Multipoint Automatic Calibration 128GB, 1000 Data Storage - Internal Peltier Temperature Control - Sugar, Concentration, Optical Rotation, Specific Rotation - Inbuilt Software, No need Separate PC. Working Wavelength 589nm - User Define. 3 Decimal point Precision.			

**High Speed
Automatic Polarimeter with CFR**




E-Catalogue

63		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ADP45	2,43,700/-	43,866/-	2,87,566/-
		ADP50	3,54,800/-	63,864/-	4,18,664/-
		- ADP45 - Measuring Range - $\pm 45^\circ$ - ADP50 - Measuring Range - $\pm 45^\circ$ with Peltier for Temperature control - Display - 7" Touch Screen - Operation Wavelength - 589.3nm - Interface - RS 232C & USB			

Automatic Digital Polarimeter



E-Catalogue

64		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ADP75	3,54,800/-	63,864/-	4,18,664/-
		ADP90	4,65,000/-	83,700/-	5,48,700/-
		- ADP75 - Measuring Range - $\pm 90^\circ$ - ADP90 - Measuring Range - $\pm 90^\circ$ with Peltier for Temperature control - Display - 8" Touch Screen - Operation Wavelength - 589.44nm - Interface - RS232C & USB			

Automatic Digital Polarimeter



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

65		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ADP40	2,00,000/-	36,000/-	2,36,000/-
		• Touch screen Colour Display • Measuring Range $\pm 45^\circ$ (Optical Rotation) $\pm 129^\circ\text{Z}$ (Sugar) • USB communication Interface • Light Source - LED + Interference Filter • Wavelength 589.44nm (Fixed) • 4 measurement modes - Specific Rotation, Optical Rotation, Concentration & Sugar Degree			

Automatic Digital Polarimeter




E-Catalogue

66		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMPM180	36,000/-	6,480/-	42,480/-
		• Manual Polarimeter, wide range ($\pm 180^\circ$) • Easy to operate, Light Source - LED • Suitable for determining the optical rotation of optical compound solution • Measuring accuracy $\pm 0.05^\circ$, This value helps determine purity Concentration, Content, & Specific Rotation.			

Manual Polarimeter



E-Catalogue

67		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ST100MM	3,500/-	630/-	4,130/-
		ST200MM	4,500/-	810/-	5,310/-

Sample Tube for Polarimeter

- 100mm Sample Tube for Polarimeter
- 200mm Sample Tube for Polarimeter
- Tube Material - Glass
- End Cap material - Nylon
- Window Size 15mm
- Bore 8mm

68		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		MAR100	36,000/-	6,480/-	42,480/-
		• Refractive Index nD Range 1.300 ~ 1.700nD • Solid cast metal housing • Refractive index of transparent or translucent liquids or solids\ • Easy to handle • Refractive index and sugar content • Brix & RI Unit • Multiple functions • Equipped with Digital Thermometer			

Manual ABBE Refractometer



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

69  Digital Refractometer CFR	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	RFM100CFR	6,50,000/-	1,17,000/-	7,67,000/-
	- In built peltier for Temperature control. - Window Operating System - GMP/ GLP/ FDA 21CFR Part 11. 5 Digit Decimal point Precision - Range(nD) 1.30000 - 1.70000 °Bx 0 -100% - Display - 8 inch Colour Touch Screen - High-resolution CCD detection system.			 E-Catalogue

70  Digital Refractometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	RFM950	2,75,000/-	49,500/-	3,24,500/-
	RFM970	4,63,800/-	83,484/-	5,47,284/-
	- Refractive index ND – 1.30000-1.70000 - Display – Touch Screen °Brix (BX) – 0 -100% Temp. Range – 0 to 50°C, - Accuracy – Refractive index ND - ±0.0002 - RFM970 - Thermostatical Control – RT±10°C			 E-Catalogue

71  Touch Screen ABBE Refractometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMAR1317T	1,60,400/-	28,872/-	1,89,272/-
	- Touch screen Display - Measuring Range 1.30000 to 1.72000 - Fully automatic measuring system - USB Interface, Memory- 500 Readings - Temp. Range -20°C to +120°C - LED bulb, 5 Digit Decimal Point Precision - Sample Temperature can be controlled by RCB (Optional).			 E-Catalogue

72  ABBE Refractometer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
	LMAR1317	1,30,000/-	23,400/-	1,53,400/-
	- Measurement of Refractive index nD - Measuring Range 1.3000 to 1.7000 - Measurement of brix of sugar solution, Prism made of hard glass, - Visual aim and LCD Display - Printer Interface for direct data print-out - Sample Temperature can be controlled by RCB (Optional).			 E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

73	Viscometer with Thermosel	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMDV300H	3,00,000/-	54,000/-	3,54,000/-
		• Suitable for High Temperature Application up to 300°C. • Measuring Range : 50- 1,00,00,000, Stepless Speed - 0.1~200RPM • LCD Display for Viscometer, No. of Spindle - 4 (21, 27, 28, 29) • LED Display for Thermosel System, RS232C Interface • Temperature Controller - Set Temp. & real Temp. Display • Small Sample Volume and insulated sample chamber			



E-Catalogue

74

A digital viscometer unit with a control panel featuring a small LCD screen and several buttons. It is mounted on a vertical stand with a black base and a silver-colored column.

Digital Viscometer (L Series)

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMDV60	96,700/-	17,406/-	1,14,106/-
LMDV100	1,40,800/-	25,344/-	1,66,144/-
LMDV200	1,75,900/-	31,662/-	2,07,562/-
• LMDV60 : Measuring Range 20-20,00,000, Speed 0.3 - 60, No. of Speed - 8 • LMDV100 : Measuring Range 12-60,00,000, Speed 0.1 -99.9, No. of Speed - 1000 • LMDV200 : Measuring Range 6-60,00,000, Speed 0.1 -200, No. of Speed - 2000 • No. of Spindle 4, RTD Temperature Probe, RS232C, LCD Display, Accuracy $\pm 1\%$ (FS)			

A square QR code located in the bottom right corner of the page.

E-Catalogue



E-Catalogue

75



Digital Viscometer (R Series)

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMDV400R	2,30,000/-	41,400/-	2,71,400/-
• Measuring Range-40~4,00,00,000mpa.s • No. of. Spindle-6; R2, R3, R4, R5, R6, R7 • Stepless Speed - 0.1~200RPM • Accuracy - $\pm 1\%$ (FS) • Temperature Display • RS232C, LCD Display • Suitable for wide range of Viscosity Samples			

E-Catalogue



E-Catalogue

76



Krebs Viscometer

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMKV2	1,00,000/-	18,000/-	1,18,000/-

- Rotational Speed - 200RPM
- Measuring Range- 40~141KU, 32~1099gm, 27~5.247cP
- Krebs Unit (KU), Grams Unit (gm), Centipoise (cP)
- Krebs Viscometer for Paint, Coatings and Ink
- Direct Krebs reading on display, Accuracy $\pm 1\%$ (FS)
- LCD Display, RS232C Interface



E-Catalogue



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

77	 Digital Viscometer with Small Sample Adaptor	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMDV111	2,10,000/-	37,800/-	2,47,800/-
		LMDV222	2,40,000/-	43,200/-	2,83,200/-
		- LMDV111-Measuring Range- 12~60,00,000 mpa.s, Speed 0.1 ~ 99.9(1000) - LMDV222-Measuring Range- 6~60,00,000 mpa.s, Speed 0.1 ~200 (2000) - With Small Sample Adaptor, Auto Range Function - Minimum Sample Requirement - 10~20ml, No. of. Spindle-8 - L1, L2, L3, L4, 21, 27, 28, 29, Accuracy - $\pm 1\%$ (FS) - Temperature Display, RS232C, Selectable Speed, LCD Display			



E-Catalogue

78



Low Viscosity Adaptor


MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LVA30	45,000/-	8,100/-	53,100/-
• Spindle range – 1~2K for LMDV60 • Spindle range – 1~6K for range LMDV100 • Spindle range –1~6K for LMDV200 • Low Viscosity adaptor is recommended for low viscosity sample <20s mPa·s			

E-Catalogue



E-Catalogue

79



The screenshot displays the Vsoft software interface. It features a large graph area with a grid. To the left of the graph, there are several input fields and checkboxes for parameters such as 'Viscosity', 'Temperature', 'Pressure', 'Flow Rate', 'Time', 'Date', and 'User'. To the right of the graph, there are buttons for 'Data', 'Graph', 'Print', and 'Exit'. The graph itself shows a series of data points connected by lines, representing a trend over time or across different conditions.

Software for Viscometer

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
Sk210	40,000/-	7,200/-	47,200/-
Vsoft: Viscometer Data Collection, Analysis and Graphing Software It's suitable for LMDV100 LMDV200 LMDV300H LMDV400R LMDV111 LMDV222			

80



Visual Colorimeter

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMCR80F	1,00,000/-	18,000/-	1,18,000/-
- Measuring Principle Visual, in terms of international colour scale units - Modes – Transmittance, reflectance - Measurement Ranges-0.1 -79.9, Red,0.1-79.9 , Yellow, 0.1 – 49.9 Blue, 0.1 -3.9 Neutral, - Viewing System – Fully Adjustable - Light Source – Incandescent lamp - Path Length – Up to 180 mm			

E-Catalogue



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

81		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMUC2D	9,500/-	1,710/-	11,210/-
		• ABS Plastic, 2Ltrs Capacity • Digital control with LED display • Over heating protection function • Degas function available • Built-In cool fan for steady & safe working • Standard Supply Basket.			

Ultrasonic Cleaner



E-Catalogue

82		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMUC3D	18,200/-	3,276/-	21,476/-
		LMUC6D	30,200/-	5,436/-	35,636/-
		LMUC9D	48,300/-	8,694/-	56,994/-
		LMUC12D	60,500/-	10,890/-	71,390/-
		LMUC25D	90,800/-	16,344/-	1,07,144/-
		• Temperature range RT +7°C ~ to 80°C, Blue LED Display • Normal and Soft power control for the cleaning spots • Degas Function Available. Time Setting, Tank SS304			

Digital Ultrasonic Cleaner



E-Catalogue

83		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMUC35M	95,000/-	17,100/-	1,12,100/-
		LMUC13M	67,000/-	12,060/-	79,060/-
		• Tank Capacity - 35L & 12L • Timer & Heater Control by Knob • Ultrasonic power 0-100% adjustable. • Heating Temp. - RT. +7 ~ 80°C • Inner Tank Stainless Steel SS304 • Lid & Basket is Standard Supply			

Industrial Ultrasonic Cleaner



E-Catalogue

84		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMUC50	1,90,000/-	34,200/-	2,24,200/-
		LMUC100	2,40,000/-	43,200/-	2,83,200/-
		• Capacity 50L & 100L • Ultrasonic Power 0-100% adjustable • Time setting 0-60min • Heating Temp. - RT. +7 ~ 100°C. • SS304 Stainless steel, 2mm thickness tank for acid-proof anti-corrosive • Advanced generator, sweep frequency			

Industrial Ultrasonic Cleaner



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

85	 pH Meter with Printer	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMPH15	60,000/-	10,800/-	70,800/-
		• Printer is Standard Supply • Built in real time clock stamps stored data to meet GLP standards, • Range : -2.000 to 20.000 pH • Calibration Points – up to 5 Points • Memory – upto 1000 readings • Software Optional			



E-Catalogue

86	 pH Meter - 5 Points Calibration	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMPH12	45,000/-	8,100/-	53,100/-
		• Built in real time clock stamps stored data to meet GLP standards • pH Range: -2~20.000pH • pH Accuracy - ± 0.002pH • pH Resolution-0.001,0.01,0.1pH(Selectable) • Calibration – upto 5 Points, Memory – up to 500 readings • pH Buffer Option-USA,NIST,DIN/UserDefine			



E-Catalogue

87	 pH Meter - 3 Point Calibration	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMPH10H	22,500/-	4,050/-	26,550/-
		• pH Range -2.00 to 16.00pH • Big Screen & Large LCD Display with white backlight • Memory - up to 100 readings • USB Interface. 0.01pH Resolution • Up to 3 points Calibration			



E-Catalogue

88	 pH Meter - Basic	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMPH9	14,800/-	2,664/-	17,464/-
		• Range – 0 to 14.00 pH, pH Resolution – 0.1pH/0.01 pH • Accuracy - ± 0.01pH, Calibration Points – up to 3 Points • pH Buffer Options-USA(pH 4.01,7.00,10.01) • Temp. Range – 0 to 100°C • Automatic Temperature Compensation (ATC) • Memory – up to 25 Readings			



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

93		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMDO50	79,200/-	14,256/-	93,456/-
		• DO Range 0.00-20.00mg/L or ppm • DO Resolution 0.1,0.001ppm. (Selectable) • DO Accuracy ± 0.2mg/L or ppm • Saturation of Oxygen 0.0-200.0% • Saturation Accuracy $\pm 2.0\%$, Temperature Range 0.0~50.0°C • Temperature Accuracy $\pm 0.5^\circ\text{C}$ • Memory up to 500 readings with Date & Time			

Dissolved Oxygen Meter



E-Catalogue

94		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMHD60	1,15,000/-	20,700/-	1,35,700/-
		• Water hardness meter Range (Concentration) 0.05 to 200 mmol/L • 7 inch TFT display, Selectable measurement units • 2 to 5 points calibration option from low to high concentrations • Password protection prevents unauthorized calibration and setting. • Expanded memory stores or recalls up to 1000 data sets.			

Water Hardness Meter



E-Catalogue

95		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		OPH11	40,000/-	7,200/-	47,200/-
		• 1 to 3 points calibration with auto buffer recognition • Range -1.00~15.00pH, Resolution-0.01 pH • pH Buffer Option – USA (4.01/7.00/10.01), or • NIST (4.01/6.86/9.18) • Low/High Alarm-0.00~14.00pH(Selectable) • Signal Output 4 ~ 20mA • ATC Probe Inbuilt, Interface - RS485			

Online pH Controller



E-Catalogue

96		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		OCM21	42,000/-	7,560/-	49,560/-
		• 1 to 3 points calibration with auto recognition of conductivity standards • Selectable cell constant • Temperature coefficient and TDS conversion factor • Signal Output 4 ~ 20mA, ATC Probe (In built) ensures accurate readings over the entire range • Interface - RS485			

Online Conductivity Controller



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

89		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMCM20H	25,000/-	4,500/-	29,500/-
		- Conductivity range - 0 to 200ms/cm - Big Screen & large LCD Display with white backlight. - Memory- upto 100 readings - USB interface 0.001 Resolution 3 points Calibration			

Conductivity / TDS Meter



E-Catalogue

90		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMMP30	50,000/-	9,000/-	59,000/-
		- Built-in real-time clock stamps stored data to meets GLP standards - pH Range -2.000~20.000pH - Resolution – 0.001, 0.01, 0.1pH, Selectable - ORP (mV) Range – 0~ ±1999.9mV - Conductivity – 0~200mS/cm - TDS Range – 0~10ppt - Salinity Range – 0~80ppt ,Resistivity Range – 0~100MΩ			

Multiparameter (7 in 1)



E-Catalogue

91		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMMP32	65,000/-	11,700/-	76,700/-
		9 in 1 Water Quality Multiparameter with Ion and DO Function - DO Probe Standard Supply with Instrument - Automatic Temperature Compensation (ATC) ensures high accuracy of measurement. - Expanded memory stores and recalls upto 500 readings - Built-in real-time clock stamps stored data to meet GLP standards. - ISE at an Extra Cost			

Multiparameter (9 in 1)



E-Catalogue

92		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMION40	52,500/-	9,450/-	61,950/-
		- Built –in real-time clock stamps stored data to meet GLP standards - pH Range - -2.000 ~ 20.000pH, Accuracy - ±0.002pH - Resolution – 0.001, 0.01, 0.1pH (Selectable) - Ion Concentration Range 0.001~19999 ppm,mg/L,mol/L - Ion Concentration Accuracy - ±0.5% Full Scale (Monovalent) - ISE at an Extra Cost			

Ion Meter



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

97		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMTB200	54,200/-	9,756/-	63,956/-
		• Measurement Range – 1~2000 NTU • Resolution – 0.01, 0.1, 1, Accuracy - $\pm 3\%$ • Calibration Points – 2 to 7 points • Light Source – Infrared –emitting diode • Memory – Stores up to 200 data sets • Display – 4.5" TFT display, Password Protection –Yes			

Turbidity Meter



E-Catalogue

98



Refrigerated Circulating Bath

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
RCB1010T	1,10,000/-	19,800/-	1,29,800/-
RCB1020T	1,20,000/-	21,600/-	1,41,600/-
RCB1030T	1,75,000/-	31,500/-	2,06,500/-

- RCB1010T : Temperature range -10°C ~100°C
- RCB1020T :Temperature range -20°C ~100°C
- RCB1030T :Temperature range -30°C ~100°C
- Touch Screen, Flow Rate; 8L/ Min. , Tank Capacity 10L
- Stainless Steel Tank, Microprocessor PID Controller



E-Catalogue

Refrigerated Circulating Bath



E-Catalogue

99



Refrigerated Circulating Bath

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
RCB620T	1,25,000/-	22,500/-	1,47,500/-
• RCB620T : Temperature range : -20°C -100°C • Pump flow rate 6L/min • Programmable temperature controller • PT 100 Temperature Sensor • Touch Screen Display • Horizontal design • PID temperature Control System, tank Capacity 6L			

E-Catalogue

Refrigerated Circulating Bath



E-Catalogue

100



Recirculating Water Chiller

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
RWC320	1,10,000/-	19,800/-	1,29,800/-
• Temperature Range- -20°C~100°C • Tank Size - 170 x 180 x 130mm, 3.5L • Circulation Pump Flow rate - 8L/Min • Water Filling Port - Ø 35mm • SS304 Tank, Touchscreen Display • Timing Function • For External Circulating Application			

E-Catalogue

Recirculating Water Chiller



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

101		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMDO4P	40,000/-	7,200/-	47,200/-
		• Polarographic Dissolved Oxygen Electrode • LCD display with white Back Light, Long Battery Life, • 1 or 2 points calibration, Auto-power OFF • Memory stores or recalls up to 100 data sets • USB communication interface • Carrying Case - easy to carry for Field use.			
		Portable DO Meter			
102		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMPH1P	18,000/-	3,240/-	21,240/-
		• LCD display with white Back Light • 1 to 3 points calibration, Automatic shutdown - After 15 minutes • Long Battery Life, Auto-power OFF • USB Interface for data transfer • Reset function automatically resumes all setting • Memory stores or recalls up to 100 data sets • Carrying Case - easy to carry for Field use.			
		Portable pH / ORP Meter			
103		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMCM2P	22,000/-	3,960/-	25,960/-
		• LCD display with white Back Light • Auto-power OFF, Long Battery Life • Memory stores or recalls up to 100 data sets • USB communication interface • 1 to 3 points calibration Selectable cell constant (K=0.1/1/10) • Carrying Case - easy to carry for Field use			
		Portable Conductivity / TDS Meter			
104		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		LMTB5P	45,000/-	8,100/-	53,100/-
		• Measurement Range – 1~1100 NTU • Principle Nephelometric Method (90°), • 2 to 5 point calibration Option, Accuracy ±3% • Long Battery Life, Automatic shutdown, • 4 Turbidity units NTU, FNU, EBC, ASBC • Reset function, Memory stores or recalls up to 100 data sets • Carrying Case - easy to carry for Field use.			
		Portable Turbidity Meter			



MRP PRICE LIST

w.e.f. 1st April 2025

105	 Touch Screen Probe Sonicator	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		PRO656	2,20,000/-	39,600/-	2,59,600/-
		PRO900	2,40,000/-	43,200/-	2,83,200/-
		PRO1200	2,80,000/-	50,400/-	3,30,400/-
		PRO1800	3,20,000/-	57,600/-	3,77,600/-
		7" TFT Touch Screen display, LED Light & UV Sterilization - PRO656 - Power 6.5W ~ 650W adjustable - PRO900 - Power 9W ~ 900W adjustable - PRO1200 - Power 12W ~ 1200W adjustable - PRO1800 - Power 18W ~ 1800W adjustable			 E-Catalogue

106




Touch Screen
Probe Sonicator with Remote

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
PRO660R	2,80,000/-	50,400/-	3,30,400/-
7" TFT Touch screen with remote control - LED Light & UV Sterilization - Power 6.5W ~ 650W adjustable - With Soundproof Enclosure - Standard Probe 6mm			

E-Catalogue

107



Probe Sonicator

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
PRO650	1,80,000/-	32,400/-	2,12,400/-
• Touchscreen display - 4.3 inches TFT • Standard Probe - 6mm • User Password Protection available, • Power 6.5W~650W Adjustable • Large LCD display with Time setting • Temperature Indicator and controller			

E-Catalogue

108	 Probe	MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		2mm to 12mm	21,000/-	3,780/-	24,780/-
		15mm to 25mm	30,300/-	5,454/-	35,754/-
		Titanium Alloy Probe 2mm Probe 15mm Probe 3mm Probe 20mm Probe 6mm Probe 22mm Probe 8mm Probe 25mm Probe 10mm Probe 12mm Probe			



MRP PRICE LIST

w.e.f. 1st April 2025

109



Ice Flaker - Touch Screen

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMIF30T	1,20,000/-	21,600/-	1,41,600/-
LMIF50T	1,50,000/-	27,000/-	1,77,000/-
LMIF100T	2,40,000/-	43,200/-	2,83,200/-

- LMIF30T - 30kg/ 24hrs, Storage Capacity 12kg, Size - 550 x 400 x 750mm, G.W -50kg
- LMIF50T - 50kg/ 24hrs, Storage Capacity 16kg, Size - 550 x 400 x 750mm, G.W -54kg
- LMIF100T - 100kg/ 24hrs, Storage Capacity 35kg, Size - 620 x 500 x 585mm, G.W - 69kg
- Touch Screen Display, Foaming Solid Cabinet, Stainless Steel



E-Catalogue

110



Ice Flaker - Touch Screen

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMIF200T	2,66,000/-	47,880/-	3,13,880/-

- SS304 Stainless Steel
- Capacity 200kg / 24hrs
- Touch Screen Display
- Timer Function
- Temperature Function.
- Large Storage capacity- 60kg
- Refrigerant - R290A.



E-Catalogue

111



Ice Maker

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMIM15	28,000/-	5,040/-	33,040/-

- Maximum Capacity 15kg/24hrs
- Transparent Window on top cover to view inside
- R600A Refrigerant gas
- Storage Bin Capacity - 2kg,
- Water Inlet - Manually.



E-Catalogue

112



Ice Maker with Crusher

MODEL NO.	BASIC PRICE	GST @ 18%	MRP
LMIM20C	36,000/-	6,480/-	42,480/-

- Ice Maker & Crusher
- Stainless Steel Material
- R290A Refrigerant gas
- Ice machine 20kg/24hrs
- Storage Bin Capacity 3kg
- Bullet Shape Ice, Water Inlet - Manual & Automatic.



E-Catalogue



MRP PRICE LIST

w.e.f. 1st April 2025

113		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ISE62	40,000/-	7,200/-	47,200/-
		- Symbol – NO_3^- Concentration range – 10^{-1}M to 10^{-4}M - Limits (ppm) – 6200 ppm to 6.2 ppm - Temperature Range – 5 to 60°C, Slope - -52 to 60 mV - Cable Length – 1 Meter, Connector – BNC Accessories – Nitrate standard solution, & ISAB (500ml), IFS (30ml)			

(ISE Can be used with other make Ion Meter having BNC Socket)



E-Catalogue

Nitrate (NO_3^-)

114		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		ISE19	40,000/-	7,200/-	47,200/-
		- Symbol – F^- Concentration range – 10^{-1}M to 10^{-5}M - Limits (ppm) – 1900 ppm to 0.2 ppm - Temperature Range – 5 to 60°C - Slope - -52 to 60 mV, Cable Length – 1 Meter, Connector – BNC, Accessories – Fluoride standard solution & TISAB (500ml), IFS (30ml)			

(ISE Can be used with other make Ion Meter having BNC Socket)



E-Catalogue

Fluoride (F^-)

115		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		SS	6,000/-	1,080/-	7,080/-
		ISAB	6,000/-	1,080/-	7,080/-
		IFS	1,800/-	324/-	2,124/-
		- SS - Standard Solution 500ml - ISAB - Ionic Strength Adjustment buffer 500ml - IFS - Internal Filling Solution 30ml For Fluoride & Nitrate ISE			

SS, IFS, ISAB (For ISE)

116		MODEL NO.	BASIC PRICE	GST @ 18%	MRP
		PHBP	1,800/-	324/-	2,124/-
		5 Set : 15 Pcs pH Buffer Pouch pH 4.01, 7.00, 10.01			






pH Buffer Pouch



MRP PRICE LIST

w.e.f. 1st April 2025

117

	pH ELECTRODE - ER1 Basic Price - 2,200/-, GST- 396/-, MRP-2,596/- 0-14 pH 5 -60°C Plastic Type - For General Lab Use Application 		pH ELECTRODE - ER6 Basic Price - 8,100/-, GST - 1,458/-, MRP- 9,558/- 2-12 pH 5 -90°C Glass type, Ceramic - Junction - For Low Ionic Strength Measurement Solution, like high pure water
	pH ELECTRODE - ER2 Basic Price - 2,900/-, GST- 522/-, MRP - 3,422/- 0-14 pH 5 -60°C Plastic Type - For Waste Solution, not suitable for Strong acid / Alkaline Solution Measurement		ORP ELECTRODE - ER7 Basic Price - 6,000/-, GST - 1,080/-, MRP- 7,080/- ± 1000mV 5 -60°C Plastic Type - For General Application of ORP (Redox). Milivolt range (Redox) ±1000mV, Temp. range: 5° to 60°C
	pH ELECTRODE - ER3 Basic Price - 4,200/-, GST - 756/-, MRP- 4,956/- 0-14 pH 5 -60°C Plastic Type - For High/Low Ionic Concentration sample like rain water, Sea water & Drinking water		ORP ELECTRODE - ER8 Basic Price - 12,000/-, GST - 2,160/-, MRP- 14,160/- ± 1000mV 5 -90°C Glass Type - For High temperature Application of ORP (Redox). Milivolt range (Redox) ±1000mV, Temp. range: 5° to 90°C
	pH ELECTRODE - ER4 Basic Price - 6,500/-, GST- 1,170/-, MRP- 7,670/- 2-12 pH 5 -60°C Plastic Type - Flat Surface for Food, Cheese, Paper, Skin, Meat, Butter, etc...		DO ELECTRODE - ER9 Basic Price - 20,000/-, GST - 3,600/-, MRP- 23,600/- 0 - 20ppm 0 -50°C DO electrodes measure the concentration of dissolved oxygen in water or other liquids using an electrochemical sensor.
	pH ELECTRODE - ER5 Basic Price - 8,100/-, GST - 1,458/-, MRP- 9,558/- 0-14 pH 5 -90°C Glass Type : Liquid Junction Type - Ceramic or Strong Acid, Alkaline, Organic Solution Measurement		pH ELECTRODE - ER10 Basic Price - 4,200/-, GST- 756/-, MRP- 4,956/- 0 - 14 pH 05 -70°C Glass type, Refillable(KCl filled) Ceramic Junction - For General Lab Use
	Online pH ELECTRODE - PE6 Basic Price - 10,000/-, GST- 1,800/-, MRP- 11,800/- 0-14 pH 5 -80°C PE6 online pH Electrode suitable for process application with 5 meter cable.		Conductivity Cell - CC1 Basic Price - 5,700/-, Option C - 1,026/-, MRP- 6,726/- 0 -60°C Cell Constant 1K Measuring Range 0.01ms/cm to 10ms/cm 
	Conductivity Cell - CC2 Basic Price -11,500/-, GST - 2,070/-, MRP- 13,570/- 0 -60°C Cell Constant 0.1K Measuring Range 0.1µs/cm to 100µs/cm		Conductivity Cell - CC3 Basic Price - 5,700/-, GST- 1,026/-, MRP- 6,726/- 0 -60°C Cell Constant 10K Measuring Range 0.1ms/cm to 200ms/cm

2025-26**MRP PRICE LIST**
w.e.f. 1st April 2025**TERMS & CONDITIONS**

Freight	:	NIL (Free of Cost)
Delivery	:	We can despatch within 2-6 working days from Chennai
Taxes	:	As above GST @ 18%
Transit Time	:	Depends on the destination and situation
Payment Terms	:	100% Advance
Guarantee	:	13 months Guarantee from the date of LABMAN Invoice, (can extend up to 24 months)
Return Policy	:	If user not satisfy, we will take back and refund within 30 Days from the date of Invoice
E-Invoice	:	Once we issue the E-Invoice we cannot change, revise or cancel
Installation	:	Online Installation - By Phone / Video Call
Service Center	:	We will provide maximum service locally at Delhi, Mumbai, Kolkata, Hyderabad, Ahmedabad, Indore, Lucknow, Jaipur. If locally not repairable we can make ready at our service center at Chennai
Jurisdiction	:	Subject to Chennai Jurisdiction
Validity	:	Price List valid up to 31.03.26